

NORTH AMERICAN RESCUE®

www.NARescue.com • 888.689.6277

PRODUCTS WITH A MISSION®

EIL

0

Increasing Survivability on the Battlefield and Beyond...

PRODUCTS

WITHA MISSION®

ICONS




Table of Volume 20 · Issue 2 On Lends

M.A.R.C.H. Products

Products designed to address Massive Hemorrhage, Airway Management, Respiratory Support, Circulation/Vascular Access and Hypothermia Prevention

Combat Casualty Response Kits • CCRK®

Kits designed to meet the needs/challenges of our customers and to address the leading causes of potentially preventable death

DoD Bleeding Control Response Kits • D-BCRK

Individual kits, packs and stations designed to equip bystanders and first responders with the essential medical gear needed to help save lives

TAC-EVAC

The most effective and highest quality evacuation platforms and accessories for use in the tactical environment

Medical/Surgical Products

Medical and surgical equipment for use in austere environments, during prolonged field care situations and in forward operating field hospitals

Rescue Equipment

Includes an array of rescue products ranging from lightweight, versatile Pegasus® Ropes to tactical lights and accessories

Treatment Support

From personal protection products to splinting and immobilization products to help from the point of injury throughout the entire continuum of care

Training Products & Services

NAR Training Course Overview • Products designed to train users on TCCC protocols to reduce preventable death at the point of wounding



NORHACE WINDORRHACE WINDORRHAC

pg 6-11 pg 12-14

pg 15-17

pg 18-27

pg 28-29

MAKE THE RIGHT THE C-A-T® TOURNIQUET IS THE FASTEST, SAFEST, MOST EFFECTIVE PREHOSPITAL FIELD TOURNIQUET IN THE WORLD!

Free-moving Internal Band

Evenly distributed pressure stops bleeding safer by requiring less force

Minimizes friction during application



Easily feeds through buckle



Single Routing Buckle

Simplifies effective

slack removal Allows for faster application which helps decrease blood loss

Windlass Strap

- Hook & loop for quick attachment
- Keeps windlass secure after application
- Tactical gray, easily visible location to record time of application



- Rapid windlass lock from either side
- Durable construction keeps windlass secure

Stabilization Plate

 Reinforced, beveled contact bar provides stable pressure under windlass

REP

Windlass Rod

- Large diameter for strength
- Aggressive ribbing for better grip
- Twist for additional tightening of the tourniquet to stop bleeding

DON'T RISK LIVES WITH COUNTERFEITS!

C-A-T® COMBAT APPLICATION TOURNIQUET

COLOR	STYLE	ITEM #	NSN #
Black	Tactical	30-0001	6515-01-521-7976
Orange	Rescue	30-0023	6515-01-612-7129
Blue	Trainer	30-0033	6910-01-560-2972

Dimensions:

Device: L 37.5 in. | Weight: 2.7 oz. Packaged: H 6.5 in. x W 2.4 in. x D 1.5 in.

CHOOSE THE GENUINE C-A-T® TOURNIQUET

Tourniquets MASSIVE HEMORRHAGE



AAJT-S Abdominal Aortic and Junctional Tourniquet -Stabilized

- Easy to use and quick to apply - Lightest, most compact junctional tourniquet on the market
- Stabilizes the pelvis in addition to stopping bleeding
- Large area of effective pressure for greater reliability
- Provides stable and complete occlusion of blood flow to the lower extremities, upper extremities, or pelvis
- Can be applied at junctional sites (inguinal, axillary) or mid-abdomen
- Demonstrated ability to remain in place and effective during patient movement
- Similar hemostatic efficacy to Zone 3 REBOA¹ ¹Rall, Jason M., et al. "Comparison of Zone 3 Resuscitative Endovascular Balloon Occlusion of the Aorta and the Abdominal Aortic and Junctional Tourniquet in a Model of Junctional Hemorrhage in Swine." Journal of Surgical Research, vol. 226, 2018, pp. 31–39.
- Lower training burden compared to REBOA procedure

AAJT-S	
ITEM #	NSN #
30-0248	6515-01-695-4457

SPECIFICATIONS 😂 RX ONLY

Packaged: L 9 in. x W 8 in. x D 2 in. Stored[.] L 7.5 in. x W 6.5 in. x D 2 in. Weight: 17 oz



• Immediately treat high extremity wounds in **Rear Pocket** the thigh/groin area that is not amenable to Instruction Card TQ application **Circumferential Compression** Unilateral or bilateral treatment solution Buttocks Pad • Simultaneous occlusion of blood flow to both lower limbs that will not impede respiration 🔄 R_{XONLY} **SPECIFICATIONS** Heavy Packaged: H 5.5 in. x W 7 in. x D 3.75 in. Duty Buckle Overall Device: L 56.75 in Buttocks Pad: L 19 in. x W 6.5 in. Compression Pad: L 4.85 in. x W 2.5 in. x D 1.1 in. T-Handle: H 4.62 in. x W 4.04 in. x D 0.63 in. Weight: 1 lb 9.6 oz Writeable Patent 9,492,177 Area •• online video available Adjustable **Tactical Toggle** Cord Lock Strap ••• < scan to view

See NARescue.com for more info about the JETT Pack: Item# 80-0355 & 80-0356 a nylon

For Ordering Info, See Inside Back Cover 7

MASSIVE HEMORRHAGE | TQ Accessories



RIGID C-A-T[®] TQ CASE with Shirt Shield

- Allows carriage of a Gen 7 C-A-T® Tourniquet on your duty/patrol/pistol belt (Tourniquets sold separately)
- Shirt Shield protects uniform shirts from undue friction wear
- Blade-Tech TekLok Belt Attachment fits up to a 2.25 in. belt
- Can be mounted either vertically or horizontally, or to a Safariland Drop-leg Shroud
- Injection Molded Nylon Case stands up to rugged military usage
- Cross medical identifier patch included

RIGID CAT TQ CASE

COLOR	ITEM #	
Black	80-0944	
Coyote	80-0945	
Ranger Green	80-0946	

SPECIFICATIONS

Rigid Case

ATTACHMENT

MOLLE

ITEM #

ZZ-1696

SPECIFICATIONS H 4 in. x W 1 in. x D 0.5 in.

Weight: 0.4 oz.

H 5.88 in. x W 2.5 in. x D 2 in. Weight: 5.36 oz

RIGID C-A-T[®] INSIDE-THE-WAISTBAND TOURNIQUET CASE

- Holds the C-A-T® Tourniquet (Gen 7) utilizing friction (Tourniquet sold separately)
- Designed with built-in Shirt Shield that creates a barrier between your body, shirt, and the exposed portion of your tourniquet

Explore other TQ carrier options available at NARescue.com

RIGID CAT TQ CASE

COLOR	ITEM #	
Black	80-1488	
Gray	80-1489	

- Drainage hole at bottom of case
- Offers a range of adjustment
- Available Mounting Options 1.5" and 1.75" IWB Overhook (included) designed, manufactured, and assembled in the USA.

SPECIFICATIONS

Packaged: L 5 in. x W 3.25 in. x D 1.625 in. Weight: 3.0 oz

Laser Cut C-A-T[®] HOLDER

- Constructed with laser cut laminated Cordura®nylon
- Easy, one-handed deployment
- Integrated cover with snug, elastic pull-tab
- Super durable, yet 50% lighter than traditional nylon TQ holders
- Designed & built to easily integrate with new USDoD lasercut body armor (PCG3 and MSV)
- PALS/MOLLE-style connections



SPECIFICATIONS Packaged: L 7.25 in. x W 2.75 in. x D 1.5 in. Weight: 1.29 oz



• PALS/MOLLE-style connectors provide versatile attachment capabilities Includes easy-open elastic pull tab and tourniquet "TQ" ID patch

• Compatible with both Gen 6 & Gen 7 C-A-T® Tourniquets (sold separately)

• Specifically designed to allow personnel to place their C-A-T® Tourniquet

Max belt width for horizontal mount is 1.5" in.

on their vest or gear for rapid access

(mounts horizontally or vertically)

TQ Accessories | MASSIVE HEMORRHAGE

SPECIFICATIONS	NYLON CAT	HOLDER	NATO NSN*
L 6.25 in. x W 1.75 in. x D 1.5 in.	COLOR	ITEM #	NSN #
Weight: 2.17 oz	Black	30-0057	
Terrent	Coyote	30-0044	
1	MultiCam	30-0059	
D	Ranger Gr.	30-0208	
	OD Green	30-0053	6530-01-605-9432*

 Allow attachment to tactical armor such as assault and plate carriers

Nylon C-A-T[®] HOLDER

- Utilizes 4 in. elastic coupled with hook and loop attachment to external cummerbund flap
- Rapid, easy access with ambidextrous one handed TQ removal
- Compatible with both Gen 6 & Gen 7 C-A-T® Tourniquets (sold separately)

CUMMERBUND CAT HOLDER

COLOR	ITEM #
Black	30-0212
Coyote	30-0213

Elastic C-A-T[®] HOLDER



SPECIFICATIONS L 5 in. x W 4 in. x D 0.25 in. Weight: 0.6 oz

Weight: 2 oz



- PALS/MOLLE-style strap with tuck finish eliminating the need for a button snap
- Versatile attachment to body armor, gear or belt for rapid & easy access
- Easy-open quick release hood & extended elastic body for TQ release outwards under pressure
- 500D IR Signature Reduced Nylon
- Compatible with both Gen 6 & Gen 7 C-A-T[®] Tourniquets (sold separately)

ELASTIC TQ HOLDER SPECIFICATIONS A L 7 in. x W 1.75 in. x D 1.5 in.

COLOR **ITEM #** Black 30-0184 Coyote 30-0185 30-0186 Multi-Cam 30-0191 Ranger Green

For Ordering Info, See Inside Back Cover



MASSIVE HEMORRHAGE Hemostatics

COMBAT GAUZE[®] QuikClot Z-Fold Hemostatic

- Sterile, non-woven Z-fold gauze impregnated with kaolin for temporary external control of bleeding from penetrating trauma
- Effective, simple and safe to use on wounds not amenable to tourniquet application
- Flexible & pliable, contours to all wounds
- Does not generate heat
- Individually wrapped in easy-rip, military-grade pouch
- Features an embedded x-ray detectable strip

See page 156 for information on the . Combat Gauze Trainer Version

SPECIFICATIONS

Standard Gauze: L 12 ft x W 3 in. Packaged: H 5 in. x W 5.5 in. x D 0.625 in. Weight: 0.8 oz XL Gauze: L 4 yd x W 4 in. (2 ply) Packaged: H 6.5 in. x W 6.5 in. x D 0.75 in. Weight: 1.75 oz

COMBAT GAUZE

SIZE	ITEM #	NSN #
Standard	30-0039	6510-01-562-3325
XL	30-0070	6510-01-600-4705

CHITOGAUZE

E CE STERLE **SPECIFICATIONS**

Gauze: L 12 ft x W 3 in. Packaged: H 6 in. x W 5 in. x D 0.65 in. Weight: 0.8 oz

CHITOGAUZE

	-		
OPTION	ITEM #	NSN #	
XR Pro	30-0049	6510-01-591-7740	
XR2 Pro	30-0265	6	

8 4 IN. X 4 IN. NUSTAT



CELOX[™] Z-FOLD Hemostatic Gauze

- Celox[™] blood clotting products have very high surface area chitosan flakes
 - When they come in contact with blood, Celox™ swells, gels, and sticks together to make a gel like plug
 - Celox[™] blood clotting agent does not set off the normal clotting cascade, it only clots the blood it comes directly into contact with



information on the CELOX™ Z-Fold Trainer Version

SPECIFICATIONS

5 ft Option: Packaged: H 5.25 in. x W 4.25 in. x D 0.5 in. Gauze: W 3 in. x L 5 ft Weight: 1.1 oz 10 ft Option: Packaged: H 6.75 in. x W 4.25 in. x D 0.75 in. Gauze: W 3 in. x L 10 ft Weight: 2.1 oz

CELOX[™] Z-FOLD HEMOSTATIC GAUZE

LENGTH	ITEM #	NSN #
5 ft	30-0064	6510-01-623-9910
10 ft	30-0065	6510-01-619-8636

CELOX[®] RAPID

SPECIFICATIONS	Ĩ.	STERILE
Gauze: W 3 in. x 5 ft		
Packaged:		
H 5.25 in. x W 4.25 in. x D	0.5	in.
Weight: 1.1 oz		

CELOX RAPID

ITEM # NSN #

30-0069 6510-01-623-9903

NAR[®] WOUND PACKING GAUZE

- Includes Embeddedd X-Ray detectable line
- Z-fold configuration allows for controlled application

SPECIFICATIONS Gauze[.]

N 3 in. x L 5 yd
Packaged:
_ 3 in. x W 2 in. x D 1 in
Neight: 1.2 oz

STERILE

WOUND PACKING GAUZE		
ITEM #	NSN #	
30-0054	6510-01-695-5824	

111 00 10



SUMECIOL COMBAT GAUZE

Gauze & Bandages | MASSIVE HEMORRHAGE



Emergency Trauma Dressing

- Premium cotton construction for max quality and absorption
- High quality elastic wrap with a sterile non-adherent pad
- Durable C-clasp securing device

SPECIFICATIONS

4 in. ETD: L 70 in. x W 4 in. Pad: H 6 in. x W 4 in Weight: 2.6 oz Std Pkg: L 4.5 in. x W 2.5 in. x D 1.75 in. Flat Pkg: L4.5 in. x W 3.5 in. x D 1.13 in.

6 in. ETD: L 70 in. x W 6 in. Pad: H 6 in. x W 6 in. Weight: 4 oz Std Pkg: L 6 in. x W 2.5 in. x D 2.1 in. Flat Pkg: L6 in. x W 3.5 in. x D 1 in.

Pkg: L 5.25 in. x W 6 in. x D 1.51 in. 8x10 inch ETD: L 70 in. x W 6 in. Weight: 4oz Pad: H 8 in. x W 10 in. Pkg: L 4.13 in. x W 7 in. x D 1 in.

Abd/Stump ETD

Pad: H 12 in. x W 12 in.

L 70 in. x W 6 in.

Weight: 5oz

🌃 (E 💷 🕮

EMERGENCY TRAUMA DRESSINGS

SIZE	STYLE	ITEM #	NSN #
4 inch	Standard	30-0031	6510-01-558-4108
4 inch	Flat	30-0093	
6 inch	Standard	30-0032	6510-01-558-4114
6 inch	Flat	30-0094	
Abd/Stump		30-0012	6510-01-541-8121
8x10 inch		30-0165	6510-01-654-6801

NAR[®] COMPRESSED GAUZE

- Low-cube, ultra-compact sterile gauze
- Premium rolled 100% cotton gauze for maximum absorption

🌃 (E 💷 f **SPECIFICATIONS**

< scan to view

Gauze: W 4.5 in. x L 4.1 yd Packaged: L 3 in. x W 2.5 in. x D 1 in Weight: 1.2 oz

COMPRESSED GAUZE

ITEM #	NSN #
30-0052	6510-01-503-2117

NAR[®] TRIANGULAR BANDAGE

(Cravat)

- For the bandaging of wounds, the immobilization of fractures and dislocations, and as a sling for the support of an injured part of the body
- Constructed of muslin cloth with two safety pins to aid in bandage configuration and securing

NAR[®] S-ROLLED GAUZE

- Unique dispenser, allows controlled linear feed application
- Premium 100% cotton

🌃 (E 💷 🤬 SPECIFICATIONS

Gauze: W 4.5 in. x L 4.1 yd Packaged: L 3 in. x W 2.5 in. x D 1 in Weight: 1.2 oz

S-ROLLED GAUZE

ITEM #	NSN #
30-0003	6510-01-605-2234

Bandage: 37 in. x 37 in. x 52 in. Pkg: 3.5 in. x 2 in. x 0.63 in. Wgt: 1.6 oz

- Mar	CRAVAT	
	ITEM #	NS
	30-0089	65



RWAY MANAGEMENT

SPECIFICATIONS

Weight: 5.2 oz U.S. Patents: Pending

BAC-PACK ITEM #

10-0052

TRACHEAL TUBE

with **FLANGE**

BAC-PACK^T Bougie-Aided Cricothyrotomy Pack

- All-in-one cricothyroidotomy kit for use in any environment
- Pre-inserted bougie in tube allows for a more rapid, easy procedure
- Tube meets TCCC recommendations for bougieaided open surgical technique
- #10 Scalpel included for safety and ease of use
- Small, durable pouch keeps the items organized and ready to use
- Lightweight and ruggedized
- Components configured by order of use
- Scalpel, tube, syringe all provided sterile
- Patent pending



NAR[®] Cricothyrotomy Kit with

 Convenient device that gives the user a pre-inserted

bougie for introduction of

placement prior to insertion

the tube into the trachea and indication of correct

Adjustable for maximum

• Latex free tube features

6.0mm inner diameter and

preferred flexible tube as NAR's Tactical CricKit® **CRICOTHYROTOMY KIT**

WITH BOUGIE

ITEM # 10-0048

user preference

inflatable cuff

• Contains the same

BOUGIE INTRODUCER

R_XONLY

STERLE

SPECIFICATIONS

Tube length: 67.0mm

Inner: 6.0mm | Outer: 8.0mm

L 5.5 in. x H 3.625 in. x D 0.5 in.

Tube diameter:

Weight: 0.84 oz

Packaged:

Advance tube & inflate cuff

Insert bougie



Remove bougie

INFLATABLE **DISTAL CUFF**

PILOT BALLOON

PRE-INSERTED BOUGIE INTRODUCER with DEPTH GAUGE

www.NARescue.com • 888-689-6277 12

TACTICAL CRICKIT[®] Tactical Surgical Cricothyroidotomy Kit

- Contains all features required by CoTCCC for a surgical airway kit in the tactical setting
- Ideal length & size tracheal tube with securing device
- Configured in the sequence of use, ideal for high-stress, low-light, austere environments
- Lightweight, ruggedized and minimal in cube size
- Included rolled pouch provides a clean working surface

INCLUDED IN THE TACTICAL CRICKIT:



R_{X ONLY} **SPECIFICATIONS** Packaged: H 6.5 in. x W 2.5 in. x D 1.25 in. Unrolled: H 6.5 in. x W 7.5 in. x D 1.25 in. Weight: 3.7 oz

TACTICAL CRICKIT

ITEM #	NSN #
10-0017	6515-01-540-7568

NAR Tracheal Hook Available for individual purchase: #10-0020 NSN# 6515-01-562-9734

NAR® TACTICAL SUCTION DEVICE

SPECIFICATIONS

L 9.75 in. x W 3.75 in. x D 3 in. | Wgt: 7.3 oz Suction Capacity: 1000 mL Vacuum Force: 100 mmHg

TACTICAL SUCTION

ITEM # NSN #

10-0018 6515-01-540-7206

CE

KING LTS-D™ Supraglottic Airway Kit

- Unique dual channel design, anatomical shaped distal tip/cuff & open second lumen
- Tapered ramp design provides additional ventilation outlet

KING LTS-D

CLR	SIZE	ITEM #	NSN #	
YEL	3	10-0025		
RED	4	10-0026	6515-01-591-1578	
PUR	5	10-0027	6515-01-591-0397	

INCLUDED WITH KING LTS-D[™]



SPECIFICATIONS Folded H 8 in. x W 11.43 in. x D 1.92 in. Unfolded:

1 Syringe H 8 in. x W 13.36 in. x D 1.22 in. Luer-Lock 60cc Weight: 5.7 oz

R_X ONLY

NAR[®] NASOPHARYNGEAL AIRWAY

28F (117mm)

- NEW ITEM: Prelubricated option offered for more efficient insertion
- Nasopharyngeal airways are designed to be more compatible with human anatomy than the standard oropharyngeal airway
- Other sizes (20F-36F) and styles available at NARescue.com. Also available in Box of 10

SPECIFICATIONS 🚔 📼 🖁 🗫

Packaged Device: L 7.5 in. x H 3.5 in. Device Weight: 0.02 lb. Box: L 9 in. x W 4 in. x D 4 in. Box Weight: 0.5 lb.

NAR Nasopharyngeal Airway, 28F (117mm)

OPTION	ITEM #	NSN #
Pre-lubricated	10-0060	6515-01-710-9764
Non-lubricated	10-0061	6515-01-710-9815
Pre-lubricated Box	10-0067	6515-01-710-9783
Non-lubricated Box	10-0068	6515-01-710-9848

MADE IN

USA

AIRWAY MANAGEMENT

AMBU RDIC Mark III Resuscitator

- Genuine Ambu Mark III reusable resuscitator equipped with impermeable elastomeric components on the compression bag and patient valve (butyl rubber)
- Specialized inlet filtration system, including C2 canister, for filtering contaminated air

SPECIFICATIONS RXONLY AMBURDIC

L 14 in. x W 7.5 in. x H 7 in. Weight: 5.4 lb

ITEM # NSN

10-0047 6515-01-338-6602



Pocket BVM Unique collapsible design packaged 25% smaller than conventional BVMs Requires minimum pressure for compression of the bag to ventilate SPECS (ROLLY CYCLONE BVM

JFLUJ ((XONDI	CICEONE DVI	
Diameter:	ITEM #	NSN #
5.3 in. x H 2.9 in. Weight: 17.4 oz	10-0019	6515-01-568-0193
0		

AMBU[®] SPUR II BVM

SPECIFICATIONS L 11.63 in. x W 5 in. x H 5 in. Weight: 11.2 oz

CYCLONE[®]

Improved

AMBU SPUR II BVM

OPTION	ITEM #	NSN #
Adult	10-0043	6515-01-519-3612
Pediatric	10-0055	

Operations LARYNGOSCOPE SET

- Perform direct visual laryngoscopy even in the most severe environments
- Lightweight, compact kit to equip medical care providers in the field with tools to secure an airway
- Spare batteries included
- Contains 2 single-use fiber optic blades, textured handle & removable light source all rolled up in a rugged nylon pouch
- Waterproof/Dustproof

SPECIFICATIONS

Open: L 8 in. x W 5.5 in. x D 2 in. Rolled: L 8 in. x W 2 in. x D 2 in.

> ¢ #

> Miller #

Miller #3



ς Ψ

Mac #2



0#

Miller

#

Miller #

R_{X ONLY}

NAR® Fiber Optic LARYNGOSCOPE BLADES

6515-01-450-9790

LARYNGOSCOPE BL	ADES
-----------------	------

ITEM #

10-0001

AVAILABLE SIZES	ITEM #	NSN# available on all sizes offered
Miller #1, #2, #3 & #4	See NARescue.com	See NARescue.com for details
Mac #2, #3 & #4	See NARescue.com	See NARescue.com for details

14 www.NARescue.com • 888-689-6277

LARYNGOSCOPE SET

NSN #

Chest Seals RESPIRATORY SUPPORT

HYFIN® VENT

Chest Seal - Twin Pack

- Two individually packaged, vented/valve-type chest seals in one unique package designed for treatment of both entry/exit wounds or multiple penetrating injuries.
- Patented 3 channel pressure relief vents
- Ruggedized dual perforated pouch designed to allow the provider to open only one dressing at a time, as needed
- Advanced adhesive technology designed to provide a superior seal

HYFIN® VENT CHEST SEAL TWIN PACK

ITEM #	NSN #
10-0037	6510-01-642-6212

SPECIFICATIONS

Device: 6 in. x 6 in. (excludes tab) Wgt: 2.5 oz Packaged: H 7.5 in. x W 4.5 in. x D 0.25 in. Unfolded: H 7.5 in. x W 9 in. x D 0.13 in.

6 in

🚔 🤁



HYFIN® TRAINER Twin Pack

Unique adhesive gel formulation does not damage mannequins or leave behind excessive residue

🙆 🤬

SPECIFICATIONS

Packaged: L 7.5 in. x W 4.5 in. x D 0.25 in Chest Seal: H 6 in. x W 6 in. x D 0.1 in. Weight: 2.5 oz

 1
NICNI #

	NSN#
10-0032	6910-01-908-8679

USMC HyFin® Chest Seal COMBO PACK

- Versatile combo pack designed for the treatment of both entry/ exit or multiple penetrating injuries to the chest
- Includes one HyFin® Occlusive & one HyFin® Vented Chest Seal packaged in a clear resealable pouch

🕾

SPECIFICATIONS

Packaged: L 9 in. x W 5 in. x D 0.2 in. Each Chest Seal (when deployed): H 6 in. x W 6 in. x D 0.1 in. Total Weight: 2.9 oz US Patent 7,504,549



USMC COMBO PACK:





USMC HYFIN® COMBO PACK

NAME	ITEM #	NSN #
Hyfin [®] Combo	85-1045	6510-01-654-6787
Hyfin® Vent, Ind.	10-0029	6510-01-624-0840
Hyfin® Occlusive, Ind.	10-0015	6510-01-532-8019





Catheter Hub

for easy identification of

Needle Hub no flash chamber cap for immediate air release

10ga fenestrated catheters were shown to offer marked increase in air outflow and a corresponding decrease in time to relief of tension, when compared to all NDC Catheters

Centimeter Markings (with contrasting colors that are NVG compatible) for safer placement utilizing "thoracic depth control"

Modified Needle Tip "scalpel" sharp, bi-bevel, tapered needle tip, which improves penetration control through tissue of varied type and thickness

brown for 10ga & orange for 14ga) 10ga (or 14ga) 3.25-inch Flexible Catheter to decrease incidence of catheter kinking, in concert with

color coded to meet ISO Standards

corresponding gauge size (light

modified insertion recommendations from leading experts in pulmonology, critical care, emergency medicine, and trauma surgery.



Fenestrations showing statistically significant improvement in tension relief and the prevention of distal catheter occlusion when compared to traditional non-fenestrated catheters

"It's time to rethink needle decompression techniques and device characteristics to optimize success"

19

Pkg: H 5.7 in. x W 0.7 in. x D 0.8 in. Weight: 0.6 oz US Patent: D584410-S

ENHANCED ARS

GAUGE	ITEM #	NSN #
10 ga	10-0064	
14 ga	10-0063	



ARS® NEEDLE DECOMPRESSION

3.25 inch -

- Penetrate the pleural space in 99% of casualties presenting the signs and TV symptoms of a tension pneumothorax
- Appropriate length needle/catheter

ARS NEEDLE DECOMPRESSION KIT

GAUGE	ITEM #	NSN #
14 ga	ZZ-0056	6515-01-541-0635
10 ga	ZZ-0298	6515-01-673-1701

 Capless flash chamber provides immediate confirmation of correct placement

10 ga

14 ga

Patented design*



SPECIFICATIONS Pkg: H 5.7 in. x W 0.7 in.

x D 0.8 in. Weight: 0.6 oz US Patent: D584410-S





10 ga x 3.75 inch **SPEAR**[®] Simplified Pneumothorax Emergency Air Release

- Latest innovation in Needle Decompression technology
- Designed based on known gaps in the management of tension pneumothorax
- Enhanced needle tip for improved insertion control
- User friendly features like spin-lock connection, depth markings, and detachable low-pressure one-way valve
- Fenestrations along catheter for additional air flow
- Familiar, rugged, pen-style case for ease of storage and deployment
- Allows for either lateral decompression or anterior needle thoracostomy
- Catheter made of flexible, kink-resistant material with a soft tip



Packaged: L 7.625 in. x Diameter 0.75 in. Catheter: 10Ga x 3.75 in. Weight: 1 oz. US Patents: 10926063; D584410-S





SPEAR	
GAUGE	ITEM #

GAUGE	ITEM #	NSN #
10 ga	10-0051	6515-01-699-4360
NOTE: Not for sale in Canada		

Pneumothorax Decompression Indicator CAPNOSPOT

- Objective, visual indication of decompression
- Real-time confirmatory color change (from blue to yellow).
- Compatible with existing decompression devices, catheters, and needles via standard Luer Lock.

ITEM #	NSN #	SPECIFICATIONS	R _{X ONLY}
10-0070		Weight: 3.2 oz.	

NAR® SIMPLE THORACOSTOMY KIT

NOTE: Not for sale in Canada



Packaged: L 4.5 in. x W 7.5 in. x D 0.75 in. Weight: 5.28 oz

- Compact kit that contains all necessary equipment to perform simple thoracostomy
- Includes 3-pack skin prep for performing the procedure bilaterally if needed
- HyFin Compact Vented Twin Pack Chest Seal to cover site if required

SIMPLE THORACOSTOMY KIT

ITEM # UNIT		UNIT	NSN#
83-0027 Sing		Single	






CHEST TUBE INSERTION KIT

R R ONLY

- Designed to provide the necessary equipment needed to perform emergency chest tube
 thoracostomy
- Compact and lightweight kit packaged in an easy to open, vacuum sealed pouch
- Can be stored in your kit or crash cart

SPECIFICATIONS

Packaged: L 10 in. x W 6 in. x D 2.25 in. Weight: 11.2 oz



 \bowtie

R_{X ONLY}

CHEST TUBE INSERTION KIT

CIRCULATION & Vascular Access

Meets all requirements for US Army Task: 081-831-1011 NAR[®] SALINE LOCK KIT



Essential components for establishing a saline lock for safer, quicker and more effective IV cannulation in the most demanding environments

SALINE LOCK KIT	
ITEM #	NSN #
30-0013	6515-01-537-4094

SPECIFICATIONS 🛛 😜 RONLY 🏶 Pkg: H 5.5 in. x W 3.25 in. x D 1 in. Weight: 1.3 oz

SALINE LOCK KIT CONTENTS:









NAR® Needleless SALINE LOCK KIT

IV safety catheter & needlefree valve port to reduce or eliminate accidental needlestick exposures

NEEDLELES	S SALINE LOCK KIT
ITEM #	NSN #
30-0046	6515-01-607-1943



Pkg: H 5.5 in. x W 3.25 in. x D 1 in. | Weight: 1.3 oz

NEEDLELESS SALINE LOCK KIT CONTENTS:



SPECIFICATIONS

XL: L 10 in. to 27 in.

Standard: L 7.5 in. to 18 in.

Packaged: L 4 in. x W 3 in. x D 0.9 in.

Weight: Standard-1.2 oz | XL-1.5 oz

US Patents: 5,304,202 & 5,607,448

HILLENGT

NAME AND ADDRESS OF









BOA[®] IV Constricting Band

- Direct peripheral IV access utilizing a revolutionary rolling action for transfusing venous blood to the distal veins while still allowing arterial flow
- Quick Click connector & two-finger Quick Release improves "time on task"
- XL version stretches approximately 50% longer than the standard BOA®



ITENA //

SIZE ITEM #		NSN#	
Standard	30-0009	6515-01-537-2611	
XL 30-0071			





CIRCULATION & Vascular Access

Carrying Case sold separately



- Battery-powered solution for providing rapid vascular access to humerus & tibia in less than 10 seconds (Not for sternal use)
- Trigger guard prevents accidental activation
- Molded Hard Side Carrying Case (sold separately)

SPECIFICATIONS $\triangleq C \in \mathbb{R}_{X^{ONLY}}$

H 4.5 in. x W 6.5 in. x D 2.5 in. Weight: 15 oz

G3 POWER DRIVER

UNIT	ITEM #
Driver	30-0075
Case	30-0077



NOTE: EZ-IO Trainers also available - see page 157

MANUAL EXTREMITY NEEDLE SET

tio ru	PEEL 🖬 🕨 N	1anual 1⁄0 insertior	n at 6 extremity	sites by EZ-IO®
38.5 mm 15	40 kg of over	SPECS Box: L 10 in. x V) 🥌 V 8.5 in. Weig	(E INTERLE R _X ONLY 14th 20.7 oz.
	A constraint of the second sec		EDLE SET:	
PEEL	PEEL		оту 6 IV Ext. EZ-Connect	ату 6 Dressing EZ-Stabilizer
MANUA (BOX OF 6	L NEEDLE SE	ASSON EZ-IO HARUAL HEEDLE ST	N-	MWE2.10
SIZE	ITEM #	6 Guide,	οτγ 6 Sharps	OTY 6 EZ I\0
38.5mm	30-0078	I/O Reference	Block	Wristband

		NEEDLE SET	
COLOR	AILABLE IN B SIZE	ITEM #	SPECS CE I Dimensions:
Pink	15mm/PD	30-0081	L 4.5 in. x W 4.5 i Weight (Box): 6.5
Blue	25mm/AD	30-0083	
Yellow	45mm/LD	30-0085	



T.A.L.O.N.[™] MANUAL NEEDLE SET Manual 1/0 insertion at 7 extremity sites – including the sternum

E STERLE R_XONLY SPECIFICATIONS Device: L 6 in. x W 3.25 in. Weight 1.5 oz

T.A.L.O.N. MANUAL NEEDLE SET (BOX OF 6 NEEDLES)

SIZE	ITEM #
38.5mm	30-0132



IRCULATION & Vascular Access

MEDICA

See item# below for additional

SAM IO INTRAOSSEUS ACCESS SYSTEM / INDIVIDUAL ITEMS

UNIT

SIngle

Single

5-Pack

Single

5-Pack

Single

5-Pack

Single

5-Pack

Single

Single

Kit

*SAM IO Adaptor is designed to accommodate alternative IO needle designs with the SAM IO Driver

ITEM #

30-0255

30-0257

30-0258

30-0259

30-0260

30-0261

30-0262

30-0263

30-0264

30-0253

30-0256

30-0254

SAM IO System components also available for purchase:

PRODUCT

Needle 15mm

Needle 15mm

Needle 25mm

Needle 25mm

Needle 45mm

Needle 45mm

Stabilizer

Stabilizer

Adaptor*

R_{XONLY}

Training Kit

Storage Case

Driver

INSERTION SITES: Proximal Humerus (left or right) Proximal Tibia (left or right) Distal Tibia (left or right) Distal Femur (pediatric patients)

SAM® IO KIT Intraosseous Access

- Designed for intuitive, effective IO placement
- Includes multi-use manually operated intraosseous access driver with passive ratcheting mechanism that rotates clockwise when resistance is encountered
- Provides controlled insertion of the IO needle with a tactile feel of cortical penetration
- Includes 15 mm, 25 mm, and 45 mm Needle sets containing extension tubes and single-use sharps containment to address a broad range of patient demographics and multiple application sites
- Featuring a stabilizer with cylinder design intended to protect the catheter from dislodgement

SPECIFICATIONS E RONLY SAM IO KIT

H 7 in. x W 11.25 in. x D 5.5 in. Weight: 2.32 lb

ntraosseous Access System

ITEM # 30-0307









NOTE: SAM-IO Training Kit also available - see page 157



Extension Tube & NeedleVISE® included in each needle set

L C C C

CIRCULATION & Vascular Access

ITS TAC-EVAC MED-S

SURG RES

LifeFlow® FLUID INFUSER

E R_{YONLY}

- Hand-operated, rapid infusion device that allows health care providers to deliver fluids quickly and effectively
- Deliver 500ml of fluid in less than 2 minutes through a 20G IV catheter
- Designed to protect the syringe from bacterial contamination
- Can be operated with one hand

SPECIFICATIONS

12 in. x 7.5 in. x 2.75 in. Weight: 0.95 lb

LIFEFLOW INFUSER

ITEM #	NSN #
30-0286	

Improve Resuscitation Workflow with LifeFlow[®]

>RESUSCITATE

500 ml in < 2 minutes Stay with Your Patient

Deliver first bolus quickly to reverse hypotension in patients with shock

- Provide active resuscitation
- Maintain control over delivery

>RESTORE

Improve Perfusion / Reverse Shock

Assess using vitals & bedside markers of perfusion, decide if additional fluid bolus is needed.

Early fluids more rapidly reverse shock & *improve outcomes*.¹⁻³

>REASSESS

Rapid Decision / Disposition

Each bolus delivered provides an opportunity to evaluate and determine next steps.

Faster resuscitiation may lead to:

- Less mechanical ventilation⁴
- More rapid disposition
- Less donning/doffing of PPE

LIFEFICW VOLUME RESUSCITATION. WHEN MINUTES MATTER.

Air Check[™]

makes priming and setup easier and will stop the flow of fluid if air enters the system

LifeFlow

Clear Canopy

Syringe is protected from contact & bacterial contamination during use

Fas

Fast and Accurate 10ml of fluid with each pull

Force Reducer™

smooths the pulsatile flow, reducing the amount of effort required by the user

LifeFlow® PLUS BLOOD & FLUID INFUSER

- Hand-operated, rapid infusion device that allows health care providers to deliver fluid & blood products quickly and effectively
- Deliver 500ml of fluid in less than 2 minutes through a 20G IV catheter
- Deliver 1 unit of whole blood in 2 minutes
- Goes from the field to the hospital
- Can be operated with one hand
- Handle and tubing packaged together for quick and easy set-up
- Designed to protect the syringe from bacterial contamination
- Average time to set up and prime: less than 3 minutes

12 in. x 7.5 in. x 2.75 in. Weight: 0.95 lb

LIFEFLOW PLUS

 ITEM #
 NSN #

 30-0287

¹Lee, S. J., et al. (204). 'Increased fluid administration in the first three hours of sepsis resuscitation is associated with reduced mortality: a retrospective cohort study.' Chest 146(4): 0.90.915

² Leisman, D., B. Wie, M. Doerfler, A. Bianculli, M. F. Ward, M. Akerman, J. K. D'Angelo and J. A. Zemmel D'Amore (2016) 'Association of Fluid Resuscitation Initiation Within 30 Minutes of Severe Sepsis and Septic Shock Recognition With Reduced Mortality and Length of Stay' Ann Emerg Med 68(3): 298-311.

³ Williams, J. M., J. H. Greenslade, C. A. Dymond, K. Chu, A. F. T. Brown and J. Lipman (2018) "Characteristics, treatment and outcomes for all emergency department patients fulfilling criteria for septic shack: a prospective observational study." Eur J Emerg Med 25(2): 97-104. ⁴ Leisman D, et al. (2017). Patterns and Outcomes Associated With Timeliness of Initial Crystalloid Resuscitations in a Prospective Sepsis and Septic Shick Cohort. Crit Care Med. Oct.45(10):1596-1606.



CULATION & Vascular Access

IFEWARMER

- Lightweight The Quantum™ has the lightest operational weight of any portable blood & fluid warming system (Total Operational Weight: 22 oz)
- **Powerful** Warms two units of 39°F refrigerated whole blood at 100mL/min+ on a single charge
- **Compact** Fewest components to carry (three)
- Fast Warm-up time of only 24 seconds
- Intuitive The thermal transfusion/infusion set looks, handles, and sets up/primes like any conventional IV set
- Safe Tested safe for blood, blood products & IV solutions

COMPLETE QUANTUM SYSTEM CONTENTS:

1 x Quantum Battery

1 x Quantum Charger

1 x Quantum Controller

2 x TTS-B

Thermal Transfusion Set - Blood

SPECIFICATIONS 🗉 CE R

Total Operational Weight: 22 oz (Quantum[™]Controller, Battery & TTS-B) Battery: 16 oz. Controller: 3 oz.

Hard Case; 3,22 lb.

22 oz Controller Cover: 0.23 oz. TTS-B: 2.7 oz.

Battery Charger:

Additional Quantum accessories available at www.NARescue.com


QUANTUM[™] COMPLETE SYSTEMS

OPTION	ITEM #	NSN #
Quantum System	35-0006	6515-01-693-7810
Trainer System*	35-0029	





- Effective The system is plug-and-play for ease of setup under stressful conditions such as tactical field care (only two connection points, with no plug orientation or set-up order requirements - system status constantly visible at a glance)
- Complete Does not require additional standard transfusion or infusion set – all other warmers do
- Tactical Only system FDA cleared allowing easy disable of audible alerts to protect operators in combat



IV FLUIDS From a single battery charge, capable of warming 1700 mL of 68°F (20°C) IV fluids to an output temperature of 100.4°F (38°+/- 2°C). Warm up time: 24 seconds. Delivery Flow rate: 200mL/min.

BLOOD or **BLOOD** PRODUCTS

From a single battery charge, capable of warming 1000 mL of 39°F (4°C) Whole Blood to an output temperature of 100.4°F (38°+/- 2°C). Warm up time: 24 seconds. Delivery Flow rate: 100mL/min.t

TTS-B Thermal Transfusion Set

OPTION

Trainer Tubing

TTS-B

- component therapy (including FDP), colloids, and isotonics
- Similar size and weight to traditional IV tubing
- Intelligent sensing & heating elements integrated into the walls of the tubing set
- No disruption to the fluid path or laminar flow of the fluid
- Easy bi-directional connection to the Quantum Controller
- 20 gtts/mL drip rate

- Compatible with whole blood, **SPECIFICATIONS** E CE RONLY TTS-B package (each): 6.5 in. x 11 in.
 - Tubing Length: 80 in. TTS-B Wgt (each): 2.6 oz

ITEM #

35-0005

35-0028

• Designed for the tactical

Quantum[™] BATTERY

environment- water resistant,

to disable the audible alarm

44V Lithium-Polymer Battery

Intelligent, state-of-the-art

charge demand and will

SPECIFICATIONS

overcharge*

state at any time

Weight: 16 oz

battery technology senses

charge as needed but never

Status button to check charge

subdued color, and the option

Packaged Wgt (2 TTS-B & box): 11 oz

TTS-B (2 Pack)

NSN #

6515-01-695-4444

TIS Thermal Infusion Set

- Similar size and weight to traditional IV tubing
- Intelligent sensing and heating elements integrated into the walls of the tubing set
- No disruption to the fluid path or laminar flow of the fluid
- Easy bi-directional connection to the Quantum Controller
- Compatible with standard IV fluids such as colloids and isotonics
- 20 gtts/mL drip rate

TIS (2 Pack)

ITEM #	NSN #
35-0004	

Quantum™

- SPECS 😂 Weight: 3.22 lb
- Rugged hard case designed to protect your Quantum from dust, dirt, and moisture
- Features pressure relief valve for automatic pressure equalization
- Custom laser cut high density foam holds components securely in place
- Flexible storage capacity for multiple batteries, controllers and thermal tubing sets

QUANTUM HARDCASE

ITEM # NSN

35-0008 ___

> **Quantum[™] CHARGER** E CE R ONLY **SPECIFICATIONS** Charger: H 6 in. x W 2.25 in. x D 1.75 in. AC power cord length: 6 feet Charger Wgt: 1 lb 4 oz Wgt with cord:

> > 1 lb 10 oz

```
• Fully charge the Quantum
```

- Battery in <90 minutes Smart, safe charging
- Includes 6 ft AC power cord
- Colored LED lights to inform the user of charging and battery status
- IP 22 rated for dust and water resistance
- 100V to 264V AC input; 50Hz, 60Hz
- Minimum service life-2500 insertions/removals

QUANTUM CHARGER

ITEM # NSN # 35-0002 ___



- x D 6.73 in.
- 6 H 4.5 in. x W 3.25 in. x D 1.25 in. CE RXONLY
- Quantum™ CONTROLLER
- Moderates the energy flow from the Quantum Battery to the Thermal Tubing

*Retain a ready charge by keeping

Always re-charge after each use,

NSN #

Battery plugged into Charger.

QUANTUM BATTERY

even if not fully discharged.

ITEM #

35-0001

- Designed for ease of connecting and durability
- Colored LED lights constantly show during administration of blood/fluid to show status
- Lightweight & durable
- IP53 rated for dust & water resistance with jacket

QUANTUM CONTROLLER

OPTION	ITEM #
Controller	35-0003
Trainer Controller*	35-0027
Cover (Replacement)	35-0010

Replacement cover is also available

 Minimum service life -1000 insertions/removals

SPECIFICATIONS

Controller Body: W 1.25 in. x H 3 in. x D 0.75 in. Controller Total Length: 51.25 in. Weight (Controller only): 2.5 oz Packaged Weight: 5 oz

*For Info on Quantum™

page 156

Trainer Components, see



HARDCASE

CE RXONLY **SPECIFICATIONS** TIS packaged (each):

6.5 in. x 11 in. Tubing Length: 80 in. Weight: TIS (each): 2.1 oz Packaged (2 TIS & box): 10 oz



CULATION & Vascular Access Quantum TTS-B

IN THE OWNER

EC P

Blood

- Comprehensive kit designed for use with the Quantum Blood & Fluid Warming System allowing rapid, consistent normothermic field blood transfusion in far forward and near point of injury (POI) prehospital casualty management.
- Includes the Quantum Thermal Transfusion Set (Blood) that incorporates an integrated heating system that does not disrupt the fluid path
- Equipped with Donor/Recipient Modules to verify blood types of the donor and recipient
- Also allows collecting of blood samples from the donor for additional surveillance testing

1 1 1 550 Cord Quantum 1 Single 1 Dono TTS-B Set Module Kit Module Ki Blood Bag 10 in QTY **1** 6.5" Marked оту **1** 2 Bear Claw 1 5.5" Kelly 1 Surgical Permanent 572-EWE eaded Cord Tape, 1 in. Gloves, Lg Tan _______ Marker, Large ASBP Card Each Donor Module Kit contains: BLOOD BAG LAP All the needed supplies to allow the user to rapidly aty **1** 450ml Blood QTY 2 NAR Alcohol ату 1 21ga Eclipse 2 4 5mL Purple 1 6.5" Marked 1 Constricting 5mL Red Blood Bag 550 Cord 1 1 perform a Beaded Cord field blood Vacutainer Holder Top Vacutainer Top Vacutaine Bag (Single) Sticke 10 in IV Band Prep Pad transfusion as outlined in the Joint Theater DONOR Trauma System Clinical оту **1** QTY 1 1 5.5" Kelly 1 Surgical 2 4" x 4" 2 Swabsticks, Bear Claw 4" x 5" 572-EWB 1 Dono **Practice** Tape, 1 in. Gauze Pad (2pk) Clear Film Dressing Antimicrobial Hemostat (Disposable) ASBP Card Marker, Larg Placard Gloves, Lg Tan Guidelines Each Recipient Module Kit contains: a SPECIFICATIONS L 10 in. x W 7 in. x D 2.5 in. 1 IV Catheter 1 Constricting 1 IV Catheter 1 2 Y-Type IV 1 Fldon 4" x 4 1 4" x 5" Weight: 1.09 lb IV Band Card Gauze Pad (2pk) 16qa x 1.25" 18ga x 1.25" Set w/ Filter Clear Film Dressing **QUANTUM FIELD** CIDIEN **BLOOD TRANSFUSION KIT** NSN # 1 2 Swabsticks, 1 1 Surgical SF-518 Permanen Bear Claw 2 NAR Alcohol 1 83-0028 ---Antimicrobial Tape, 1 in. Car larker. Larc Prep Pads Gloves, Lg Tan

QUANTUM FIELD BLOOD TRANSFUSION KIT CONTENTS:



CIRCULATION & Vascular Access **Q.U.I.C.K.** Quantum Ultimate Intensive Resuscitation Carry Kit E R_{XONLY} • Combines the blood and fluid warming system **SPECIFICATIONS** with individually packaged NAR Saline Locks Battery: 16 oz Controller: 3 oz • MOLLE/PALS configured nylon pouch, equips Thermal Transfusion Set (TTS-B): 2.7 oz providers with an optimized solution for carriage Charger: 22 oz to the point of need. Total Operational Weight: 22 oz Quantum TTS-B and TIS drip rates are 20 gtts/ml (Controller, Battery & TTS-B) Dimensions: L 8 in. x W 5.25 in. x D 4 in Q.U.I.C.K. CONTENTS: The Quantum System includes a charger that is not intended to be packed in the nylon pouch during deployment **1** 1 Quantum 1 Quantum 2 Thermal 2 Quantum Batterv Controller Charger Transfusion Set Saline Lock Kit Q.U.I.C.K. Advanced also contains: Q.U.I.C.K. KITS: OPTION NSN # Basic 35-0026 ___ 35-0025 Advanced ___ **1** 550 Cord 150ml Blood 35-0024 Bag Only Bag (Single) 10 in. Card **FBTK** Field Blood Transfusion Kits **FIELD BLOOD TRANSFUSION KIT-COMPLETE OPTIONS ITEM #** NSN # Ensures blood compatibility of recipient Complete Kit 83-0000 6515-01-707-2935 Capable of delivering blood transfusions in the field Donor Module 83-0001 ___ • A standard of Prolonged Field Care (PFC) **Recipient Module** 83-0002 ___ and Prolonged Casualty Care (PCC) DONOR MODULE DONOF SPECIFICATIONS E Dimensions: L 20 in. x W 13 in. **1** Blood Bag **1** 6.5" Marked 2 4 Purple Top 1 Vacutainer Donoi Red Top 1 Blood Bag 1 550 Cord, Weight: 1.42 lbs. Holder, 21ga 450ml (Single) Vacutainer 6ml -Beaded Cord Placard Vacutainer 6ml Sticke 10 1 Constricting 2 1 2 Swabsticks, 1 5.5" Kelly 1 1 572-EWB 1 Permanent NAR Alcoho Nitrile Surgical 4" x 5 Hemostat (Disp.) IV Band Prep Pads Gauze Pad, 2 PK Clear Film Dressing Antimicrobial Gloves, Lo ASBP Care Tape, 1 in. Marker, Large

1 Constricting

IV Band

SF-518

Card

Eldor

Card

Surgical

Tape, 1 in

Nitrile

Gloves, Lo

2 NAR Alcoho

Prep Pads



ze Pad. 2 PK



Antimicrobia

4" x 5'

Clear Film Dressin



DONOR

RCULATION & Vascular Access DONOR MODULE **FBTK** BASIC Contains the supplies and material necessary to perform a fresh, whole blood transfusion 1 Constricting 1 6.5" Marked 1 Blood Bag 5 NAR Alcohol 1 **1** Blood Bag Pairs with the Blood Surveillance Module, to test for 4" x 4" **Prep Pads** Gauze Pad 2 PK IV Band **Beaded** Cord Single, 450 ml Sticker ABO/Rh compatibility and testing for blood compatibility. SPECIFICATIONS 🔤 R NONLY Dimensions: L 14 in. x W 12 in.

Contents:

- •1× ASBP 572-EWB V29
- •1 x SF-518 Card

4" × 5"

1 IV Catheter

16G x 1.25'

1

RECIPIENT MODULE

550 Cord

1 IV Catheter

18G x 1 25"

Nitrile

Gloves. La

10"

- 2x 16G 1.25 in. IV Catheter
 2x Interlink Injection Site Adapter
- •1x Y-Type IV Set w/ Filter
- •1 x 11 in. Beaded Cord (Marked at 6.5")
- 1 x IV Constricting Band
- •1 x 450ml Blood Bag (Single)
- $\cdot\,2x\,$ 4 in. x 5 in. Clear Dressing
- 1x Blood Bag Sticker
- 2x Antimicrobial Swabsticks

LOW TITER O WHOLE BLOOD KIT

FBTK - BASIC

ITEM #

83-0022

- Best option for the management of casualties with hemorrhagic shock
- Simplifies the tasks related to fresh whole blood transfusions
- Reduces steps, supplies, material, and the time required
- Prescreens to identify Type O Low Titer Donors in the operational forces

Dimensions: L 14 in. x W 9.5 in. Weight: 0.64 lbs.



Weight: 0.7 lbs.

83-0029 6515-01-707-3174

Contents:

- 2x 16G x 1.25 in. IV Catheter
- 2x Interlink Injection Site Adapter
- •1 x 11 in. Beaded Cord (Marked at 6.5")

LTOWB COLLECTION

- •1 x 450 ml Blood Bag
- •1 x 10 in. 550 Cord
- •2x Antimicrobial Swabsticks
- •1x Constricting IV Band
- 2x 4 in. x 5 in. Clear Dressing
- 2x 4 in. x 4 in. Gauze Pad, 2 pk
 1x Bear Claw[®] Nitrile Gloves, Lg
- •1x ASBP 572-EWB Card
- •1x TCCC Card
- •1 x Blood Bag Sticker

 Dimensions:
 Weight:

 L 14 in. x W 9.5 in.
 0.6 lbs.

• Helps pre-screening to identify type O low titer donors in the operational forces

1

1

ατγ 1 572-EWB

ASBP Card

Y-Type IV

Surgical

Tape. 1 in

Set w/Filter

1

1

Nitrile

Fldon

Card

Permanent

Gloves. La

1 Permanent

1

Marker, Large

4" X 5

Clear Film Dressinc

1

5.5" Kelly

Hemostat (Disp.)

1 Constricting

1 Chloraprep

Swabsticks. 3Pk

IV Band

 All the supplies needed to collect blood from a LTOWB donor



6515-01-707-3201

83-0031

LTOWB ADMINISTRATION

Contents:

- 2x 16G x 1.25 in. IV Catheter
- 2x Interlink Injection Site Adapter
- •1x Y-Type IV Set w/ Filter
- 2x Needleless Connector Port
- •1 x 450 ml Blood Bag
- •1 x 11 in. Beaded Cord
- •1 x Constricting IV Band
- •1 x 10 in 550 Cord
- 2x Antimicrobial Swabsticks
 2x 4 in. x 5 in. Clear Dressing
- 2x 4 in. x 4 in. Gauze Pad, 2 pk
- •1x Bear Claw[®] Nitrile Gloves, Lg
- •1 x 5.5 in. Kelly Hemostat (Disposable)
- ·1x 572-EWB ASBP Card
- •1x Blood Bag Sticker
- •1x TCCC Card
- Dimensions: Weight:
 - L 14 in. x W 9.5 in. 0.74 lbs.

 All the supplies needed to administer blood collected from the LTOWB Collection Set-V to complete the field transfusion requirement.



PX ONLY	
ITEM #	NSN #
83-0030	6515-01-707-3160

CIRCULATION & Vascular Access

IIIIIIIIIII

BASIC

DEVELOPED WITH FEEDBACK FROM THE RANGER REGIMENT

BLOOD MODULE KIT - BASIC

BLOOD MODULE

• Contains the minimum supplies

needed to collect a unit of LTOWB

27

- 1 x Y-Type IV Set w/ Filter R_{Y ONLY} **SPECIFICATIONS** SPECIFICATIONS E RAONLY SPECIFICATIONS 😂 R ITEM # **ITEM #** Dimensions: L 14 in. x W 9.5 in. Dimensions: L 14 in. x W 9.5 in. L 10 in. x W 8 in. 83-0025 83-0014 Weight: 0.5 lbs. Weight: 0.5 lbs. PELICAN[™] GOLDEN HOUR CONTAINERS MOBILE SERIES ONE-V **ONE-F SLEEVE** Ultra-light storage and transport of Ultra-light storage and transport of 2 liters of whole blood 0.50 liters of whole blood Maintains 2°C - 8°C for 72 hours or Keep blood cool for up to 48 hours, regardless of weather conditions Dismount for up to 12 hours without Dismount for up to 12 hours without easy cleaning and external power external power replacement • Reusable, rugged design for easy cleaning and replacement **MFDIC** conditions options PELICAN™ GOLDEN HOUR CONTAINERS COLOR NAME ITEM # NSN # Mobile Series 35-0019 Tan ___ Marine Mobile Series 35-0018 ___ Mobile Series 35-0017 Desert ___ Mtc One-V 35-0016 ___ Tan One-F Sleeve 35-0015 ___ Mtc Medic 35-0014 ___
 - Ultra-light storage and transport of 0.50 liters of whole blood
 - Keep blood cool for up to 48 hours, regardless of weather conditions
 - Reusable, rugged design for

- Stores 2 liters of whole blood
- Keep blood cool for 24 hours under extreme conditions, up to 3 days under optimal
- Reusable carrier mounts on medic's kit
- GMC pouch includes accessory storage





83-0015

For Ordering Info, See Inside Back Cover

SPECIFICATIONS Mobile Series

W 9.25 in. x D 8.25 in. x H 8 in. Weight: 7.8 lbs One-V W 6 in. x D 5 in. x H 8 in.. Weight: 2 lbs **One-F Sleeve**

BLOOD

for blood compatibility

• 4 x Vacutainer, Purple Top (6ml) 2x Vacutainer, Red Top (6ml)

Contents:

•2x Eldon Card

Dimensions:

more

Weight: 0.4 lbs.

SURVEILLANCE MODULE

• Contains all the items needed to test

•1 x 21G Eclipse Vactainer Holder w/ Needle

W 4.5 in. x D 4.5 in. x H 9.25 in. Weight: 2.2 lbs

Medic

W 14 in. x D 9 in. x H 6 in. Weight: 6 lbs.

•1x Constricting IV Band •1x Blood Bag Sticker

Contents:

RIG

•1 x 11 in. Beaded Cord (Marked at 6.5") •1 x Y-Type IV Set w/ Filter

Contains the supplies needed to

collect a unit of LTOWB

•1x Constricting IV Band

1x Blood Bag Sticker

•1 x 450 ml Blood Bag

Contents:

RIG BLOOD MODULE

INTERMEDIATE



HYPOTHERMIA Prevention & Management

HPMK[®] Hypothermia Prevention & Management Kit

- Includes reinforced Heat Reflective Shell (HRS^{**}) of 4-ply, composite fabric with a protected non-conductive reflective layer
- Built-in hood, integrated fluid absorption pad & top-to-bottom taper providing excellent thermal insulation
- Continuous 1.5 in. hook & loop closures provide rapid 360° access to the casualty with minimal exposure to the elements
- Self-heating, 4-cell liner (Ready-Heat[™] Blanket) provides 10 hours of continuous dry heat up to 125°F (52°C)

SPECIFICATIONS

Shell Packaged: H 6.75 in. x W 10.5 in. x D 5.5 in. Shell Open: L 78 in. x W 43 in.

Weight: 3 lb 8 oz US Patent: 7.766.950 B2

🖳 C E 🕮

HPMK[®] CONTENTS:



НРМК

ITEM #	NSN #
80-0027	6515-01-532-8056
NOTE: Not for sale in Canada	

HRS[®] Heat Reflective Shell

As an individual unit, reinforced 4-ply, composite shell with built-in hood, weight tested to support 250+ lb

SPECIFICATIONS

Shell Packaged: L 10 in. x W 6.75 in. x D 2.5 in. Open: L 78 in. x W 43 in. Weight: 1 lb 13 oz US Patent: 7,766,950 B2

HRS - HEAT REFLECTIVE SHELL

ITEM # NSN #

ZZ-0051 6532-01-627-7888



www.NARescue.com • 888-689-6277

Aluminized, reflective PET to help retain up to 90% of your body heat

SURVIVAL BLANKET

 ITEM #
 NSN #

 ZZ-0038
 4240-01-697-8869

SPECS Unfolded: L 84 in.x W 52 in. Weight: 1.7 oz

NAR READY HEAT[®] 4-CELL

🖳 C E

- Blanket begins heating immediately upon opening, no activation required
- Approved for use on fixed wing and rotary aircraft by the US military
- Provides 10 hours of continuous dry heat up to 125°F (52°C)

SPECIFICATIONS

Packaged: L: 15 in. x W: 12.75 in. x D: 1in. Blanket: L: 26 in. x W: 22 in. x D: 0.5 in. Weight: 1.88 lbs

NAR READY HEAT 4-CELL

ITEM #

ZZ-1467

Emergency SURVIVAL WRAP

- Designed to reflect heat back to the body
- Reversible Silver / high visibility Orange or OD Green

SURVIVAL WRAP

COLOR	ITEM #
Orange/Silver	ZZ-0834
OD Green/Silver	ZZ-1390



READY-HEAT

NUMBER OF STREET, STRE

NOTE: Litter is sold separately

SPECI-ICATIONS Packaged: L 5 in. x W 3.75 in. Open Wrap: L 96 in. x W 60 in. Weight: 3.7 oz

28

HYPOTHERMIA Prevention & Management

HPMK-I[™] Hypothermia Prevention & Management Kit - Insulated

- Includes Heat Reflective Shell -Insulated (HRS-I™) constructed of 5-ply composite fabric with protected non-conductive reflective layer and NEW Climashield[®] insulation layer top & bottom
- Includes NAR Ready Heat® 4-Panel Blanket begins heating immediately upon opening





🖳 C E 🤬 SPECIFICATIONS

Packaged - H 8 in. x W 11 in. x D 6 in. Weight: 4 lbs 14 oz Heat Reflective Shell-Insulated™ (HRS-I™) (Open): L 78 in. x W 43 in. U.S. Patent 7,766,950 B2, U.S. Patent: Pending

HPMK-I™

ITEM #	PRODUCT	NSN #
80-1192	HPMK-I™	







NEW NON-WOVEN MATERIAL BACKING



CLIMASHIELD[®]

360° RAPID ACCESS HOOK & LOOP **CLOSURES**

NOTE: Litter is sold separately



NSULATED

HRS-I[™] Heat Reflective Shell - Insulated[™]

- Insulation value exceeds that of the Army Green Sleeping Bag in service today (HRS-I offers total clo of 2.79 compared to Army Green Sleeping Bag total clo of 2.52)
- Highly compressible insulation has excellent rebound after opening and features Aquaban® technology making it hydrophobic
- Rapid 360° access through 1.5 in. continuous hook & loop closures located along the perimeter of the covering

HK3-I				
ITEM #	PRODUCT	NSN #		
ZZ-1452	HRS-I™			

😂 C E **SPECIFICATIONS**

Packaged: H 11.25 in. x W 9 in. x D 4.25 in. Size: L 78 in. x W 43 in. Weight: 2.81 lbs



LIFE SAVING MISSION CRITICAL CUSTOM BUILT

COMBAT CASUALTY RESPONSE (CCRK®)

Warfighter/Operators · Combat Lifesavers
 1st Responders · Tactical Healthcare Professionals
 DoD Bleeding Control Response Kits pages 30-75





WWW.NARES

RICAN A

North American Rescue[®] is *THE market leader* for designing, producing, integrating and assembling tactical field medical sets and kits *supporting the services of the Department of Defense, federal agencies* as well as *state and local law enforcement.*

Over the past several years, our ability to provide rapid response products and services has aided in the delivery of critical battlefield medical care when and where it's needed most with an *end result of saving more lives*.



A comprehensive list of supply chain services affords a unique opportunity to North American Rescue®'s customers in the procurement, assembly, storage and management of their *complete medical and material logistics* requirements. NAR® maintains a 75,000 square foot warehouse facility which consists of 50,000 square feet for receiving and distribution staging and an additional 14,000 square feet solely dedicated to the assembly room where sets, kits and *custom medical solutions are built to order.*

Highly qualified logistics and warehouse staff ensure that orders, inventory and distribution processes *maintain the superior quality standards* associated with the North American Rescue brand. Our integral partnership with the South Carolina Vocational Rehabilitation *NISH Partner* is a pillar in the successful execution of these processes.



M-FAK LCL Mini First Aid Kit (Laser Cut Laminate)

KIT CAPABILITIES INCLUDE



- NEW ITEM: NAR's most compact, versatile Mini First Aid Kit featuring Laser Cut Laminate MOLLE
- Contains the First Responder's most requested critical point-of-wounding medical equipment for treating penetrating, blast or other traumatic injuries in the line of duty
- The LCL M-FAK is double-spaced for the MOLLE attachment points on the rear of the bag for maximum adjustability and super secure mounting to any platform
- Half the size of our popular T.O.R.K platform

M-FAK LCL

COLOR	LEVEL	ITEM #
Black	Basic	80-1667
Coyote	Basic	80-1668
OCP	Basic	80-1669
RGR Green	Basic	80-1672
Black	Combat Gauze LE	80-1673
Coyote	Combat Gauze LE	80-1674
OCP	Combat Gauze LE	80-1675
RGR Green	Combat Gauze LE	80-1678
Black	Advanced	80-1379
Coyote	Advanced	80-1680
OCP	Advanced	80-1681
RGR Green	Advanced	80-1684

Bag only option also available at NARescue.com

M-FAK LCL BASIC:



M-FAK LCI

Combat



M-FAK LCL







ETD[®] 4 in

1





1 HyFin[®] Vent

Compact, Twin Pk





LCL M-FAK Bag features laser cut MOLLE on front,

NEW!

side & rear

TAA

SPECIFICATIONS H 6 in. x W 3 in. x D 3 in. Weight: 13 oz





- Contains the essential point-of-wounding equipment needed for treating penetrating, blast and other traumatic injuries
- Super compact, rugged nylon platform that allows attachment both vertically (MOLLE backing) and horizontally (3 in. belt loop)
- Clam shell configuration utilizes (2) two main sleeves that open on both ends for easy access

COLOR	LEVEL	ITEM #	
Black	Basic	80-0494	
Coyote	Basic	80-0495	
Multi-Cam	Basic	80-0496	
OD Green	Basic	80-0497	
RGR Green	Basic	80-0996	
Black	Combat Gauze LE	80-0498	
Coyote	Combat Gauze LE	80-0499	
Multi-Cam	Combat Gauze LE	80-0500	
OD Green	Combat Gauze LE	80-0501	
RGR Green	Combat Gauze LE	80-0998	
Black	Advanced	80-0502	
Coyote	Advanced	80-0503	
Multi-Cam	Advanced	80-0504	R _X
OD Green	Advanced	80-0505	
Ranger Green	Advanced	80-0997	

M-FAK MINI FIRST AID KIT

M-FAK	BASIC:	/////
-------	--------	-------













M-FAK **ReSupply Kits** (#80-1030, #80-1031, #80-1032) Contains items for resupply in a clear resealable plastic bag - excludes nylon bag

۲

SPECIFICATIONS H 6 in. x W 3 in. x D 3 in. Weight: 13 oz

M-FAK Mini First Aid Kit

KIT CAPABILITIES INCLUDE:

L-FAK Lumbar First Aid Kit



• Durable 500-denier exterior carrier

on the body, the small of the back

Rapid access to medical gear

life-saving equipment

Compact design to reduce space needed for

• Designed for wear in one of the least utilized areas

• Multiple interior elastic loops for securing gear



fillin the

оту **1**

BASIC

Gauze

Wound Packing

Packaged - H 4.75 in. x W 5.75 in. Weight: 0.88 lbs Advanced Weight: 0.94 lbs



JMBAR FIRST AID KIT

LOR	LEVEL	ITEM #
k	Basic	85-3627
ote	Basic	85-3633
nger Green	Basic	85-3630
ack	w∕ Combat Gauze™	85-3628
Joyote	w∕ Combat Gauze™	85-3634
Ranger Green	w∕ Combat Gauze™	85-3631
Black	Advanced	85-3629
Coyote	Advanced	85-3635
Ranger Green	Advanced	85-3632

Bag only option also available at NARescue.com

Every L-FAK includes these core items: /////////

144





Combat

Gauze¹

2 Nitrile Gloves, Lg

HyFin®

1

NAR Mini Responder 4" ETD"



1

Combat

Gauze







- Essential equipment for medical and non-medical personnel to address injuries common to shooting and training ranges
- Treatment capabilities include penetrating injuries, chest wounds, burns, eye injuries, minor lacerations, sprains and fractures

RANGE TRAU	*NATO NSN#		
HEMOSTATIC	COLOR	ITEM #	NSN #
Combat Gauze	Orange	80-0299	
Chito Gauze	Orange	80-0213	6545-01-610-5411*

<u>6</u> **SPECIFICATIONS** H 7.75 in. x W 13 in. x D 9 in Weight: 5 lb 10 oz

RANGE TRAUMA K

Addresses injuries common to shooting and training ranges



RANGE TRAUMA A in Hard Case

- Water-tight case maintains the integrity of your medical products when you need them most
- Kit contents arranged in a modular system featuring rugged lid storage organizer and removable nylon pouches, in the main compartment, with easy-to-read treatment labels

RANGE TRAUMA AID KIT

COLOR	ITEM #
Orange	85-0889

Æ SPECIFICATIONS H 9.5 in. x W 13.5 in. x D 6 in. Weight: 8 lb 12 oz

RANGE TRAUMA AID KIT HARD CASE:



ROO® M-FAK LCL Mini First Aid Kit (Laser Cut Laminate)

Ť.

NLY

• **NEW ITEM:** Super compact, rugged nylon platform - featuring Laser Cut Laminate MOLLE

- Contains the essential point-of-wounding equipment needed for treating penetrating, blast or other traumatic injuries
- Unique front pouch that easily opens with the pull of a tab for rapid one-handed access to your tourniquet
- The LCL ROO® M-FAK is double-spaced for the MOLLE attachment points on the rear of the bag for maximum adjustability and super secure mounting to any platform, both vertically and horizontally

SPECIFICATIONS

H 7 in. x W 3.75 in. x D 4 in. | Weight: 13 oz

ROO® M-FAK LCL			
COLOR	LEVEL	ITEM #	
Black	Basic	80-1703	
Coyote	Basic	80-1704	
OCP	Basic	80-1705	
Ranger Green	Basic	80-1708	
Black	Combat Gauze LE	80-1709	
Coyote	Combat Gauze LE	80-1710	
OCP	Combat Gauze LE	80-1711	
RGR Green	Combat Gauze LE	80-1714	
Black	Advanced	80-1715	
Coyote	Advanced	80-1716	P
OCP	Advanced	80-1717	RX
RGR Green	Advanced	80-1720	

Bag only option also available at NARescue.com



ROO® M-FAK LCL with COMBAT GAUZE:



1 HyFin[®] Vent

Compact, Twin Pk

1 Responder

Black Gloves, LG



KIT CAPABILITIES INCLUDE:

▲ NEW! ROO[®] bag includes laser cut MED ID Cross and double-spaced LCL MOLLE

n - Rapid one-handed access to your tourniquet

T DESCUE MEL

38 www.NARescue.com • 888-689-6277



and other traumatic injuries

horizontally (3 in. belt loop)

SPECIFICATIONS

COLOR

Black

Coyote

Black

Coyote

OD Green

OD Green

Ranger Green

Contains the essential point-of-wounding

equipment needed for treating penetrating, blast

• Unique front pouch that easily opens with the pull

• Super compact, rugged nylon platform that allows attachment both vertically (MOLLE backing) and

of a tab for rapid access to your tourniquet

• Clam shell configuration utilizes (2) two main sleeves that open on both ends for easy access

L 7 in. x W 3.75 in. x D 4 in. | Weight: 13 oz

ROO® M-FAK MINI FIRST AID KIT

LEVEL

Basic

Basic

Basic

Basic

Combat Gauze LE

Combat Gauze LE

Combat Gauze LE

ROO[®] M-FAK Mini First Aid Kit

Ranger Green	Combat Gauze LE	80-1056	
Black	Advanced	80-1057	
Coyote	Advanced	80-1058	- R _{X ONLY}
OD Green	Advanced	80-1059	
Ranger Green	Advanced	80-1060	
Baa only option a	lso available at NAR	escue.com	
ROO® M-FAK B. Tourniquet 1 C-A-Te 1 C-A-Te 1 4 ROO® M-FAK W 1 4 ROO® M-FAK W 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4	ASIC: ETD [*] in. Flat in. Flat ith COMBAT GAUZ ith COMBAT GAUZ ith COMBAT GAUZ ith COMBAT GAUZ I Comba Gauze [®] LE DVANCED:	t t	Twin Gloves, Lg
1 C-A-T [®] 1 Tourniquet 4 in	ETD [*] 1 Combat Gauze [®] LE	1 Pre-lubed NAR® Naso, 28F	

ITEM #

80-1049

80-1050 80-1051

80-1052

80-1053

80-1054

80-1055

Rapid one-handed access to your tourniquet without ever having to open the full kit!

Nitrile

Gloves, Lg

1

ROO[®] bag includes

a Mini 1 in. PVC MED ID Patch

EL.

SIRK Supplemental IFAK ReSupply Kits



Weight: 7.4 oz



Black Gloves, LG

4 in. Flat

Tournique

Comba

Gauze[®] Z-Fold

S-Rolled

Combat

NAR[®] Naso, 28F

Needle Decomp.

Gauze® Z-Fold

E-FAK Expeditionary First Aid Kit

 Rugged nylon platform designed to meet the Expeditionary Military Forces First Responder requirements for critical



EAGLE IFAK
Compact and versatile Individual First Aid Kit

- Can connect to the assault vest/body armor or to a duty/pistol belt
- Contains the essential equipment needed for self-aid/ buddy-aid to address the leading causes of potentially preventable death in a tactical environment
- Quick Pull Tab easily opens the kit with just one hand
- Unique, detachable shock-cord inner panel that can be adjusted to your components
- Inner panel is removable for easy access to your kit

EAGLE IFAK

EAGLE IFAN			_
COLOR	LEVEL	ITEM #	
Black	Basic	85-0177	
Coyote	Basic	85-0178	
OD Green	Basic	85-0180	_
Ranger	Basic	80-1491	_
Multi-Cam	Basic	80-1490	_
Black	Basic w/ Combat Guaze®	85-0915	
Coyote	Basic w/ Combat Guaze®	85-0982	
OD Green	Basic w/ Combat Guaze®	85-1044	_
Ranger	Basic w/ Combat Guaze®	80-1492	_
Multi-Cam	Basic w/ Combat Guaze®	85-0191	_
Black	Advanced	85-0189	
Coyote	Advanced	85-0190	
OD Green	Advanced	85-0192	_ _{Rx} o
Ranger	Advanced	80-1496	_
Multi-Cam	Advanced	80-1495	_

Bag only option also available at NARescue.com

KIT CAPABILITIES INCLUDE:

SPECIFICATIONS

H 8 in. x W 4 in. x D 3 in. Basic Weight: 1.2 lbs Advanced Weight: 1.3 lbs

EAGLE IFAK BASIC:

EAGLE IFAK BASIC w/ COMBAT GAUZE®:

Dressing

Chest Seal, Twin Pk

Gloves, Lg

1 HyFin® Vent

Chest Seal, Twin Pk

1

14G ARS®

Needle Decomp.

1

Nitrile

Gloves, Lg



ETD[®] 4 in.

Dressing

1

1

Pre-lubed

NAR[®] Naso, 28F

Gauze[®] Z-Fold

Combat

1

C-A-T

Tourniquet

1

Wound Packing

Tourniquet

EATMENT SUPPORT TRAIN



KIT CAPABILITIES INCLUDE:

Ann

SPECIFICATIONS H 8 in. x W 4 in. x D 3 in. Kit Packed Weight: 1.18 lb

Empty Bag Weight: 7 oz

• Tourniquet attached for quick deployment by banding it to inside of front opening flap

- Protective hood with quick pull latch release helps protect IFAK components and includes sewn in embroidered medical cross identifier
- Detachable (hook & loop backed) shock-cord inner panel adjusts to secure internal components and is easily removable for rapid access

RIG EAGLE IFAK

RIG Series EAGLE IFAK New, low profile IFAK with rapid access to your C·A·T[®] and other equipment

	COLOR	LEVEL	ITEM #
	Black	Basic	80-0509
	Coyote	Basic	80-0510
	Multi-Cam	Basic	80-0511
	Ranger Green	Basic	80-0991
	Black	Combat Gauze	80-0517
	Coyote	Combat Gauze	80-0518
	Multi-Cam	Combat Gauze	80-0519
	Ranger Green	Combat Gauze	80-0993
	Black	Advanced	80-0513
 R _{y ONLY}	Coyote	Advanced	80-0514
XONLY	Multi-Cam	Advanced	80-0515
	Ranger Green	Advanced	80-0992

Bag only option also available at NARescue.com



RIG SERIES EAGLE with COMBAT GAUZE LE:



RIG SERIES EAGLE ADVANCED:



- KIT CAPABILITIES INCLUDE:

The NEW Tactical Operator Response Kit (TORK[®] LCL) is designed to meet the need for a compact individual first aid kit carrying basic life support equipment, in order to address leading causes of potentially preventable death in a tactical environment. **Now featuring Laser Cut Laminate (LCL) MOLLE.**

- Essential life-saving tools to address injuries caused by penetrating or blast trauma
- Compact Individual First Aid Kit (IFAK) providing Basic Life Support for immediate Self-Aid/Buddy-Aid
- Includes the added advantage of a hemostatic dressing for extra capability in the control of life threatening bleeding
- The LCL TORK[®] is double-spaced for the MOLLE attachment points on the rear of the bag for maximum adjustability and super secure mounting to any platform
- Also attaches to NAR's Quick Detach Panel (sold separately)
- Signature Red-Tip Technology® rapid opener for fast and easy, one-pull tab opening of the kit.

TORK LCL

COLOR	LEVEL/HEMOSTATIC	ITEM #	
Black	Basic	80-1685	
Coyote	Basic	80-1686	
OCP	Basic	80-1687	
RGR Green	Basic	80-1690	
Black	Basic w/Combat Gauze	80-1691	
Coyote	Basic w/Combat Gauze	80-1692	
OCP	Basic w/Combat Gauze	80-1693	
RGR Green	Basic w/Combat Gauze	80-1696	
Black	Advanced w/Combat Gauze	80-1697	
Coyote	Advanced w/Combat Gauze	80-1698	- KONLY
OCP	Advanced w/Combat Gauze	80-1699	- R
RGR Green	Advanced w/Combat Gauze	80-1702	

SPECIFICATIONS B M H 7 in. x W 4.5 in. x D 2.75 in.

Weight: 1 lb. 5 oz.





Tactical Operator Response Kit - Laser Cut Laminate

INTRO



TORK® Tactical Operator Response Kit



KIT CAPABILITIES INCLUDE:

- Streamlined, compact IFAK designed to MOLLE to the assault vest or body armor
- Includes essential life-saving equipment to be used at the point of wounding
- For self-aid/buddy-aid injuries caused by penetrating or blast trauma
- NEW Now available in MTC ALPINE color for Arctic environments

SPECIFICATIONS

RED 🍋 H 7 in. x W 4.5 in. x D 2.75 in. Weight: 1 lb. 5 oz.

Bag only options also available at NARescue.com

TORK TACTICAL OPERATOR RESPONSE KIT

	L OPERATOR RESPONSE R		
COLOR	COLOR LEVEL/HEMOSTATIC		
Black	Basic	85-0008	
Coyote	Basic	85-0009	
Digital Camo	Basic	85-2300	
Multi-Cam	Basic	85-0012	
OD Green	Basic	85-0054	
Ranger Green	Basic	85-2301	
MTC Alpine	Basic	80-1633	
Black	Basic w/Combat Gauze	80-1097	
Coyote	Basic w/Combat Gauze	80-1098	
Digital Camo	Basic w/Combat Gauze	80-1099	
Multi-Cam	Basic w/Combat Gauze	80-1100	
OD Green	Basic w/Combat Gauze	80-1101	
Ranger Green	Basic w/Combat Gauze	80-1102	
MTC Alpine	Basic w/Combat Gauze	80-1635	
Black	Advanced w/Combat Gauze	85-0048	
Coyote	Advanced w/Combat Gauze	85-0049	
Digital Camo	Advanced w/Combat Gauze	85-0050	
Multi-Cam	Advanced w/Combat Gauze	85-0052	
OD Green	Advanced w/Combat Gauze	85-0053	
Ranger Green	Advanced w/Combat Gauze	85-2302	
MTC Alpine	Advanced w/Combat Gauze	80-1636	
7 options online	Advanced w/ChitoGauze	NARescue.com	

TORK BASIC/BASIC with Combat Gauze: _____



TORK ADVANCED:

1 C-A-T®

Tourniquet

1 ETD[™] 6 in.

Dressing



2

Gauze

S-Rolled



SPECIFICATIONS

Weight: 2 lb 10 oz





Versatile modular system can be worn by the operator as a drop-down leg rig, duty-belt addon or assault vest/body armor attachment (via MOLLE-style connectors)

USCG IFAK BASIC

ITEM #	NSN #
80-1023	6545-01-682-2596

USCG IFAK Basic:

2 Nitrile

Gloves, Lg

arv 1 C-A-T[®] 1 Combat Gauze Z-fold Tourniquet T

1 Mini Duct

Tape, 2 in.

Bag only option also available at NARescue.com

1 Model 7

Rescue Hook

1 Permanent

Marker, Large

armor attacr	eg rig, duty-belt a 1ment (via MOLLE-	be worn by the operator as dd-on or assault vest/body style connectors)	an in		
JSCG IFAK					
COLOR	ITEM #	NSN #	Tooline La Tooline	I PAL	
Coyote	80-0158	6545-01-587-8513			
Black	80-0149	6545-01-572-7248			
Resupply*	85-0104		A G Part		
2 Petrolatum Gauze	Occlusive, Ind Nitrile	Gloves, LG Eye Shield Geo	•-Grip* *Resupply doe	in. x D 5.5 in z n also available at N s not include the Ny	
			SAULT R		
Designed to equirement Combat Con	ets specific require meet the unique 8 s of the Navy Expe nmand for a small, ASSAULT KIT	& specific SPECIFIC editionary H 7.4 in. x W	TIONS ≦ ^R x ^{on⊥} 6.9 in. x D 5 in I3 oz		
Designed to equirement Combat Con	meet the unique & s of the Navy Expe nmand for a small,	& specific SPECIFIC editionary H 7.4 in. x W	6.9 in. x D 5 in		
Designed to equirement Combat Con	meet the unique 8 s of the Navy Expension nmand for a small, ASSAULT KIT ITEM # 80-0245	k specific SPECIFIC editionary H 7.4 in. x W efficient IFAK Weight: 1 lb	6.9 in. x D 5 in		
Designed to equirement Combat Con MARITIME COLOR	meet the unique 8 s of the Navy Expension ASSAULT KIT ITEM # 80-0245 80-0015	A specific SPECIFIC editionary H 7.4 in. x W efficient IFAK Weight: 1 lb	6.9 in. x D 5 in		
Designed to equirement Combat Con MARITIME COLOR Multi-Cam	meet the unique 8 s of the Navy Expension nmand for a small, ASSAULT KIT ITEM # 80-0245	A specific SPECIFIC editionary H 7.4 in. x W efficient IFAK Weight: 1 lb NSN #	6.9 in. x D 5 in		

Bag only option also available at

NARescue.com

1 Casualty Reference Card



SEX

1 14G ARS[®] Needle Decomp.

ETD® 6 in.

Dressing

отү **1**

C-A-T®

Tourniquet

1 HyFin® Vent Chest Seal, Twin Pk OTY **1** NAR[®] Gauze

PAIR 2 Black Talon Nitrile Gloves, LG

S-Rolled

оту **1**

1 Combat Gauze[®] Z-Fold

1 7 Hook Safety Cutter **QTY 1** Pre-lubed NAR[®] Naso, 28F

> PES Eye Shield

οτγ 1 MMEDIATE

T2® Tag Triage Card

οτγ 1





Designed with all the tools for the Warfighter/ Operator to mitigate extremity bleeding, tension pneumothorax & airway obstruction

E RXONLY Weight: 1 lb 12 oz H 8.5 in. x W 8.75 in. x D 4.5 in.

INDIVIDUAL KIT

COLOR	ITEM#	NSN#
Coyote	80-0005	
OD Green	80-0004	
Black	80-0003	6530-01-529-1134

Bag only option also available at NARescue.com



0.0



Designed for Tactical Healthcare Professionals configurable based on individual skill set & mission requirement

MEDIC LEG RIG

COLOR	ITEM#	NSN#
Multi-Cam	80-0249	
Coyote	80-0048	6545-01-543-3170
OD Green	80-0047	6545-01-543-3174
Black	80-0046	6545-01-543-3185

SPECIFICATIONS ^RX^{ONLY} H 9.5 in. x W 9 in. x D 7.75 in. Weight: 3 lb 9 oz

Bag only option also available at NARescue.com

MEDIC LEG RIG: VIIII VII



KIT CAPABILITIES INCLUDE:

INDIVIDUAL K

Designed for the Warfighter/Operator

1

Casualty

Reference Card







- Contoured profile, large central compartment, multiple attachment points & front trauma-shear storage
- Multiple-load carriage capabilities (fanny pack, over the shoulder, attachments for 3-day assault packs & MOLLE-style webbing

Bag only option also

SQUAD KIT: WWWWWWWWWWWWWWWWWWWWWWWWWWWW





KIT CAPABILITIES INCLUDE: ·



D Provides several options for carrying essential life-saving equipmen

	RAID KI	T V2		
Astronomy Contraction	COLOR	ITEM#	OPTION	NSN#
	BLK	80-1545	Basic	
	COY	80-1546	Basic	
	MTC	80-1547	Basic	
	RGR	80-1548	Basic	
	BLK	80-1549	Basic w/ CG	
	COY	80-1550	Basic w/ CG	
	MTC	80-1551	Basic w/ CG	
	RGR	80-1552	Basic w/ CG	
	BLK	80-1625	Basic w/ CELOX™	
	COY	80-1626	Basic w/ CELOX™	
	MTC	80-1627	Basic w/ CELOX™	
	RGR	80-1628	Basic w∕ CELOX™	
	BLK	80-1553	Advanced	
	COY	80-1554	Advanced	
	MTC	80-1555	Advanced	
	RGR	80-1556	Advanced	
	BLK	80-1629	Adv. w∕ CELOX™	
	COY	80-1630	Adv. w∕ CELOX™	
	MTC	80-1631	Adv. w∕ CELOX™	
Sector and a sector a sector a s	RGR	80-1632	Adv. w∕ CELOX™	

Every RAID V2 Kit includes these core items:

1 NAR[®] Gauze



BASIC with PLUS+ BASIC OR also includes:

οτγ 1

Gauze® Z-Fold



S-Rolled



S-Rolled



CELOX"

Gauze Z-fold

NOR

l,

1 HyFin[®] Vent Compact, Twin Pk ADV. with COMBAT also includes:

Carter

1






- RAID V2 pouch's unique take on the industry standard hanger combined with the utility of a fanny pack allows user to decide how to wear it based on their needs during self-aid/buddy-aid
- Designed to meet the need for an individual first aid kit with multiple carry options
- First Spear Tube makes reattaching the pouch as easy as removal

SPECIFICATIONS H 8 in. x W 7 in. x D 2 in. Weight: 3 lbs 3.2 oz.

оту 1

10G ARS®

Needle Decomp



KIT CAPABILITIES INCLUDE:

AR-4™ A

Splint II

Shears, Lg

Gecko-Grip®

Nitrile Gloves, LG

Eye Shield

Casualty Card

Reference Card

Marker, Large

Med Case

Traction Splint

- KIT CAPABILITIES INCLUDE: -



• Auxiliary NAR-4 companion kit streamlined to provide rapid access to critical basic & advanced equipment from the chest

NAR-4[™] CHEST POUCH

Rapid access to critical medical equipment from your chest

- Designed to be secured to the front of the body armor using a MOLLE-style attachment system
- Ambidextrous accessibility to trauma shears




NAR-4 CHEST POUCH

COLOR	HEMOSTATIC	ITEM #
Multi-Cam	Combat Gauze	80-0247
Coyote	Combat Gauze	80-0175
OD Green	Combat Gauze	80-0289
Black	Combat Gauze	80-0173
4 options	Chito Gauze	Online

SPECIFICATIONS SPECIFICATIONS RX ONLY H 7.75 in. x W 9.75 in. x D 4.5 in Weight: 2 lb 4 oz.

Bag only options also available at NARescue.com

NAR-4 CHEST POUCH:





MINI MEDIC KIT Compact, multi-purpose trauma aid bag with vital medical gear

> Inside Back Compartment for stowing extra equipment

KIT CAPABILITIES INCLUDE:

MINI MEDIC KIT

COLOR	LEVEL	ITEM #			
Black	Basic	80-0979			
Coyote	Basic	80-0980			
OD Green	Basic	80-0981			
Multi-Cam	Basic	80-1231			
Ranger Green	Basic	80-1003			
Black	Combat Gauze	80-0985			
Coyote	Combat Gauze	80-0986			
OD Green	Combat Gauze	80-0987			
Multi-Cam	Combat Gauze	80-1232			
Ranger Green	Combat Gauze	80-1005			
Black	Advanced	80-0982			
Coyote	Advanced	80-0983			
OD Green	Advanced	80-0984			
Multi-Cam	Advanced	80-1233			
Ranger Green	Advanced	80-1004			

Slim Profile RUF KIT

 Slim profile that can be worn with single bandolier style sling strap and with a detachable waist strap





KIT CAPABILITIES INCLUDE:

56 www.NARescue.com • 888-689-6277

2

Y



• Back pack straps

the point of need

• Interfaces with any

TACEVAC asset

• Includes Hypothermia

Prevention & Management Kit[™] to help stabilize

patients during transport

standard or non-standard

provide easy transport from the vehicle to

Warrior Aid & Litter Kit WALK[®]

- Official vehicle life-saving kit of the U.S. Army
- For treatment of multiple trauma casualties and the immediate evacuation of one patient
- Includes full-size Talon® 90C quad-fold litter
- Pocket system holds self or buddy-aid medical supplies

WARRIOR AID & LITTER KIT

COLOR	ITEM #	NSN #
Black	80-0097	
Coyote	80-0089	6545-01-587-1199
OD Green	80-0060	
RGR	80-1564	
MTC	80-1563	

 SPECIFICATIONS
 №

 H 22.75 in. x W 16.5 in. x D 11.5 in.


 Weight: 29 lb 15 oz

WARRIOR AID & LITTER KIT:



WALK ReSupply Kit (Item# 85-0020): Contains WALK components for resupply - excluding nylon bag & litter

Bag only option also available at **NARescue.com**



Kit Designed to stow away perfectly in the Naval First Aid Box

VAL FIRST AID BOX



IAVAL GUN Response Aid Kit

6545-01-648-2705

8465-01-666-7328

Easily fits into the standard Naval First Aid Box (not included) and is ideal for restocking the Naval Gun Response Aid Kit (see below) as needed

KIT CAPABILITIES INCLUDE:

Bag only option also available at NARescue.com



1 Permanent

Marker, Large





80-0419

80-0357

 R_{XONLY} H 15 in. x W 6 in. x D 4 in. Weight: 1 lb 15 oz

See Above for Contents of the Naval First Aid Box Response Kit

- Designed for the rigorous requirements of the U.S. Navy for first responder emergency care equipment on board U.S. Naval Ships, Military Sealift Command Ships & afloat commercial vessels
- Ergo dynamic, low profile casualty response system features 2 removable equipment pouches that attach via hook-&-loop to a lightweight, durable outer bag
- Two internal pouches are identical & provide rapid access & organization of critical life saving equipment needed to render on-scene care at sea
- Both outer bag & 2 inner pouches are securable using anti-pilferage seals
- Slim-line, lightweight kit stores easily on a wall and can be carried over the shoulder or bandolier-style



NAVAL GUN RESPONSE AID KIT

OPTION	ITEM #	NSN #	
Kit	80-0418	6545-01-648-2690	
Bags only	80-0417	8465-01-666-7169	

Bag only option also available at NARescue.com

ANTRON	AN A	AL SUPPORT	ANA PREVENTION	SUPPORT	Specij	NAF fically desig	R-5 Ined for U.S	5A . Navy S	R A	Rescue S	KI		
France		3				0 0	d for U.S. Nav	•					
	CA.		 Vario hem 	ous sizec orrhage	modules ca control proc	an be self lak lucts and 2 la	eaturing 6 int beled for the s arger ones to g stowable s	specific accomr	mission set nodate airv	; 4 smaller	pouche		
	- Alexandre			0	102 29				NAR 5 SA	R KIT		NATO NSN*	
(PAL)			TE	TIME		SPECIFIC		^R X ^{ONLY}	OPTION	ITEM #	NSN #		
7	-	-				H 24 in. x V Weight: 16.	√ 15 in. x D 7 in. 1 lb		Kit	80-0416			
24		1			以自日				Bags only	80-0399	8465-0	1-669-5796*	
	Contraction of the second					NAR-5		Bag on	ly option al.	so availabl	e at NAF	Rescue.com	
	or				orry 4 C-A-T* Tourniquet	arv 4 Combat Gauze® Z-Fold	A NAR® Gauze, Compressed		4 in. ssing Abd.		Pre-lubed Naso, 28F	orry CPR Pocket Resuscitator	
E			orry 1	Cyclone Pocket BVM	OTY 4 HyFin® Vent Chest Seal, Twin Pk	otry 4 14G ARS® Needle Decomp.	aty 1 NAR [®] Survival Blanket	orry 4 3" El Wrap Ban		angular andage	SAM® Splint II	orry SAM [®] Pelvic Sling	
	0		ACE 4	PES Eye Shield	orry 1 Surgical Tape, 1 in.	ary 2 IV Solution 1000 cc	ory 12 Flexible Fabric Bandages	orry 1 Sterile S	Burn Sheet		AR Trauma Shears, Lg	orry 1 Mini MagLite®	

SUPPLEMENTAL TCCC UPGR For the NAR-5 SAR Aid Kit




Naval USCG

SUPP. TCCC UPGRADE		• Contains the products to upgrade the NAR-5 SAR Aid Kit to support the CNO SAR Model Manager's TCCC requirements
ITEM #	NSN #	
85-4108		
	ATIONS € ^R x ^{on} H 6 in. x W 4 in.	







Weight: 5 lbs

BOAT RESPONSE AID KITS

OPTION	ITEM #	NSN #
Naval Boat Response Aid Kit	80-0420	6545-01-648-3228
Naval Boat Response Aid Box Only	80-0354	8115-01-656-8316
USCG Boat Response Aid Kit	80-0353	6545-01-646-2623
USCG Boat Response Aid Kit Resupply	85-3120	

For additional information about these products designed for emergency medical care on military & commercial afloat vessels, contact North American Rescue or visit www.NARescue.com

4 Pre-lubed

NAR[®] Naso, 28F

Combat

Gauze® Z-Fold

4

USMC CLS KIT Combat Life Saver Kit



ARMY CLS RESUPPLY

ARMY CLS RESUPPLY KIT					
ITEM #					
85-0197					
85-0196					

- Convenient kit containing the essential items to resupply the US Army CLS Combat Life Saver Kit delivered in a durable and easy-to-open resealable plastic bag
- Availble with 2 Hemostatic options: Combat Gauze or ChitoGauze

- KIT CAPABILITIES INCLUDE: -





NAR[®] CLS RESUPPLY KIT

- Items for resupply for the NAR CLS Kit contained in a clear resealable plastic bag
- CLS nylon bag not included

I	NAR [®] CLS RESUPPLY KIT				
	ITEM #	NSN #			
	85-2495				



1



- Meets the requirements for the Explosive Ordnance Disposal Units Medical Kit
- Ergo dynamic, low profile & durable casualty response bag constructed of Berry Amendment 500D CORDURA® solution dyed nylon
- GhillieTEX™ hardware for near IR signature reduction and sand/water resistant, self repairing zippers with silent 550 cord pulls
- Designed to be hung in aircraft or other transport vehicle by top bag handle
- Featuring 6 hook-andloop clear vinyl internal pouches in various sizes which can be self labeled for the specific mission set; 4 smaller pouches for hemorrhage control products and 2 larger ones to accommodate airway & intravenous

8

1

6

Ear

Plugs

Combat

Casualty Card

1

TORG

Tactical Light

Casualty

Reference Card

4

1

Aviation

Pane

ETD[®]

Abd./Stump

6" Elastic

PES

Eye Shield

1 Permanent

Marker, Large

Wrap Bandage

l itte Strap Duct Tape, 2 in. Shears, Lg

7 Hook

2 NAR[®] Mini

1 NAR Trauma

1

EODMK Explosive Ordnance Disposal Units Medical Kit

Ex-Tract

1

REEL

1

- KIT CAPABILITIES INCLUDE:

Constructed of 500D Cordura[®] solution dyed nylon

- Sand- and water-resistant, self repairing zippers with silent 550 pull cords
- Separate lid compartment for the R.E.E.L. Non-Rigid Litter
- Six segregated removable pouches secured by hook and loop:
 - > 4 x Internal Bleed Pouches with Red pull handle
 - >1 x Airway Pouch with Blue pull handle
 - >1 x Accessories Pouch with Coyote pull handle
- 2 internal lid pouches to secure additional medical products
- 2 external side pouches on either side of the kit for additional medical products
- 2 external straps with dual adjust MILSPEC IR reduced buckles to secure the kit in a vehicle or boat

Case closed: H 17 in. x W 16.5 in. x D 10 in. Weight: 18 lb

ECRK

1		
	ITEM #	NSN #
	80-0889	

Bag only **#80-0888** also available at **NARescue.com**

Lightweight platform to rapidly access and organize all your essential trauma management equipment

EXPEDITIONARY CASUALTY RESPONSE KIT:

Expeditionary ECRK



d uitris is is in first

ERVERTS STARE I HER BITTAN

COMBAT GAUZE

ALBARDON .

KIT CAPABILITIES INCLUDE: -



EJMK Expeditionary Junior Medic Kit

- Meets the requirements for the Expeditionary Forces Junior Medic Medical Bag
- Ergo dynamic, low profile & durable casualty response bag constructed of Berry Amendment 500D CORDURA® solution dyed nylon
- GhillieTEX[™] hardware for near IR signature reduction and sand/water resistant, self-repairing zippers with silent 550 cord pulls
- Designed to be hung in aircraft or other transport vehicle by top bag handle
- Featuring 6 hook-and-loop clear vinyl internal pouches in various sizes which can be self-labeled for the specific mission set; 4 smaller pouches for hemorrhage control products and 2 larger ones to accommodate airway & intravenous products

E RXONLY SPECIFICATIONS


H 24 in. x W 15 in. x D 7 in. Weight: 20 lbs. 3 oz.

EJMK

ITEM #	NSN #
85-2532	


Designed to meet the rigorous requirements of the U.S. Navy **Expeditionary Force Junior Medics**

EXPEDITIONARY JUNIOR MEDIC KIT:





Multi Mission Expeditionary Response Kit 🙆 R_{XONLY}



SPECIFICATIONS

H 25.5 in. x W 11 in. x D 9 in. Weight: 25 lbs 12 oz



 3200-cubic inch backpack with (6) detachable clear vinyl internal pouches in various sizes

KIT CAPABILITIES INCLUDE:


Force Senior Medics

- Includes Multi-mission belt for different configurations
- Converts to trauma sheet for vehicles, boats, or aircraft
- Internal features include MOLLE straps covered in hook and loop and channeling for electrical communications wiring

• Designed to meet the rigorous requirements of the U.S. Navy Expeditionary

• Dedicated loops, providing rappelling or lowering of the bag

MULTI MISSION EXPEDITIONARY RESPONSE KIT:





K-9 LITTER & Carrying Strap Accessories

SPECIFICATIONS Litter: W 35 in. x H 48 in.

Adjustable Carry Strap:

W 5.5 in. x H 10 in. x D 2.5 in.

L 9 to 54 in. x W 2 in.

Carabiner open gate clearance: 27 mm

Weight: 1.38 lb

Packaged:

Æ

KIT.CAPABILITIES.INCLUDE:

• K-9 Litter can be carried in cargo pocket or pouch

- Leg cut outs to safety carry the canine in the litter
- Six large and four small carry handles that allow for one to four person carries
- Optional K-9 Carry Strap & 2 Carabiners for over the shoulder carry of injured K-9 also available

K-9 LITTER

OPTIONS	ITEM#
K-9 Litter Only	60-0074W
Carry Strap & Carabiners	ZZ-1004
K-9 Litter with Carry Strap & Carabiners	60-0076

- KIT CAPABILITIES INCLUDE:





ITEM # 80-0439

80-1507

K-9 HANDLER IFAK: 1 HyFin® Gauze C-A-1 ETD 1 2 Petrolatum lourniquet 4 in. Dressind Vent. Twin Pk 8 Alcohol 2 Nitrile 1 Surgical 1 Veterina Thermomete Gloves, Lo Tape, 1 in Pac +plus



Bag only option also available at NARescue.com

- KIT CAPABILITIES INCLUDE: K-9 TACTIC Kit is designed specifically to treat wounded K-9s

SPECIFICATIONS

Weight: 5 lb 2 oz

Gauze

S-Rolled

OR

H 7.75 in. x W 13 in. x D 9 in.

Plus:

1

K-9 TACTICAL FIELD KIT

COLOR	OPTION	ITEM #
Black	Basic	80-1436
Coyote	Basic	80-1437
OD Green	Basic	80-1438
Black	w/ Combat Gauze®	80-0300
Coyote	w/ Combat Gauze®	80-0301
OD Green	w/ Combat Gauze®	80-0303
Black	w/ CELOX® Gauze	80-1439
Coyote	w/ CELOX® Gauze	80-1440
OD Green	w/ CELOX® Gauze	80-1441
Black	Adv. w/ CELOX® Gauze	80-1442
Coyote	Adv. w/ CELOX® Gauze	80-1443
OD Green	Adv. w/ CELOX® Gauze	80-1444
Black	Adv. w/ Combat Gauze®	80-1444 80-1445
Coyote	Adv. w/ Combat Gauze®	80-1446
OD Green	Adv. w/ Combat Gauze®	80-1447

• Designed for the handler or medic to deliver lifesaving treatment to a wounded K-9 at the point of injury

RGR Green Advanced

- K-9 treatment capabilities for major trauma typical to tactical or patrol environments to more common K-9 emergencies
- Provides the essential equipment to render care to the injured K9 when veterinary care is not immediately available

1 Hydrogen

Peroxide 807

Celox

Gauze Z-fold

1



Basic Coyote

COLOR

Black

80-0440 Basic Multi-Cam OD Green Basic **RGR** Green Basic

Basic

wounded handler, operator or K-9 Treatment capabilities range from major trauma typical to operating in tactical or patrol

environments to K-9 emergencies

HEMOSTATIC

K-9 HANDLER IFAK

80-0441 80-0442 80-1504

Designed for immediate lifesaving treatment to a

Black Advanced 80-0443 Advanced 80-0444 Coyote 80-0445 Multi-Cam Advanced OD Green Advanced 80-0446

RXONLY

COMBA'I

GAUZE

SPECIFICATIONS H 7 in. x W 4 in. x D 2.75 in. Weight: 1 lb 3 oz

Bag only option also available at NARescue.com





K-9 MINI MEDIC KIT:

2 2 Gauze 4 ETD[™] 4 in. C-A-T® C-A-T® S-Rolled Tourniquet TQ Holder Mini Dressing 8 10 1 Surgical Gauze, Alcohol Flexible Fabric Bandages Petrolatum Prep Pad Tape, 2 in. 1 1 1 Tactical NAR 4 (6 Pk) Green K-9 Litter Muzzle ChemLight™ **IR Square 1** Veterinary 5 Responder **1** Permanent 1 Trauma Nitrile Gloves,Lg Marker, Large Shears, Lg Thermometer +Plus: 🖤 ASI 0R 20 2 m 2 Gauze Celox S-Rolled Gauze Z-fold auze Z-folo Ш **SPECIFICATIONS** ОR H 14 in. x W 11 in. x D 5 in. 2 (Depth expandable to 7.25 In.) Choice of 2 Pre-lubed

K-9 MINI MEDIC KIT Versatile, Multi-purpose Platform for K9 Trauma in the field

Compact, multi-purpose trauma aid bag with life-saving

trauma equipment and K9 specific gear for point of

wounding treatment of multiple traumatic injuries

• Versatile platform features two external pockets with two external tourniquet holders, one external pouch with additional drop-down pouch for extra storage External MOLLE on sides and bottom of bag, internal MOLLE rows on inside back of bag, three clear tear away pouches | two internal mesh pouches on the inside main

compartment, and one larger internal pouch on inner lid

• K9 specific gear enables handlers to render care to an injured canine when veterinary

care is not immediately available

• Internal tape roll strap also included

Inside Back Compartment for stowing extra equipment

Breaching Equipment Sold Separately

1

1

1

1

Com

Weight: 12.5 lb

HyFin[®]

Survival

Head

Lamp

Medical

R_{X ONI}

60

Cross Patch

Blanket, Org

Vent. Twin Pk

Bag only option also available at NARescue.com

K-9 MINI MEDIC KIT

	COLOR	OPTION	ITEM #
	Black	Basic	80-1448
	Coyote	Basic	80-1449
	OD Green	Basic	80-1451
	RGR Green	Basic	80-1452
	Multi-Cam	Basic	80-1450
	Black	w/ Combat Gauze®	80-1453
	Coyote	w/ Combat Gauze®	80-1454
	OD Green	w/ Combat Gauze®	80-1456
	RGR Green	w/ Combat Gauze®	80-1457
	Multi-Cam	w/ Combat Gauze®	80-1455
	Black	w/ CELOX® Gauze	80-1463
	Coyote	w/ CELOX® Gauze	80-1464
	OD Green	w/ CELOX® Gauze	80-1466
	RGR Green	w/ CELOX® Gauze	80-1467
	Multi-Cam	w/ CELOX® Gauze	80-1465
_	Black	Adv. w/ CELOX® Gauze	80-1468
	Coyote	Adv. w/ CELOX® Gauze	80-1469
	OD Green	Adv. w/ CELOX® Gauze	80-1471
	RGR Green	Adv. w/ CELOX® Gauze	80-1472
LY	Multi-Cam	Adv. w/ CELOX® Gauze	80-1470
	Black	Adv. w/ Combat Gauze®	80-1458
	Coyote	Adv. w/ Combat Gauze®	80-1459
	OD Green	Adv. w/ Combat Gauze®	80-1461
	RGR Green	Adv. w/ Combat Gauze®	80-1462
	Multi-Cam	Adv. w/ Combat Gauze®	80-1460
		·	

68 www.NARescue.com • 888-689-6277

Hemostatic

NAR[®] Naso, 28F

Needle, 14G

K-9 RUF KIT

Slimline Aid Pack ideal for K9 Handler or Tracking Team

K9 Handler or Tracking Team member

contents along with K9 medical supplies

- Slim profile trauma aid pack designed for the • Carries a minimum of two complete sets of IFAK
- Carriage options include single bandolier style sling strap as well as detachable waist strap
- Two tear away internal panels hold standard IFAK contents
- Two additional tear away clear accessory pouches to store additional equipment
- Internal shock cord area to hold K9 Litter
- External MOLLE on sides of bag for external tourniquet pouches
- Large exterior loop panel for ID patches

K-9 RUF KIT

	OPTION	ITEM #
	S-Rolled Gauze	80-1027
	with Combat Gauze®	80-1026
	with CELOX® Gauze	80-1421
	Advanced with Combat Gauze®	80-1422
ONLY	Advanced with CELOX® Gauze	80-1423

Bag only option also available at NARescue.com



Can be worn with single bandolier style sling strap as well as with a

detachable waist strap





ADVANCED with CELOX® GAUZE also includes:



MULTI-MISSION TRAUMA PACK Customizable modular solution ideal for personalized gear organization spanning multiple Mission profiles

- A 3200-cubic inch backpack with (4) compartments
- Multi-mission belt attached for different configurations
- Internal Molle straps covered in hook and loop
- Detachable compartments
- Converts to trauma sheet for vehicles, boats, or aircrafts
- Internal channeling for electrical communications wiring
- Dedicated loops, providing rappelling or lowering of the bag

SPECIFICATIONS

H 25.5 in. x W 11 in. x D 9 in. Weight: 7 lb 8 oz

MULTI-MISSION TRAUMA PACK 'NATO NSN

COLOR ITEM #		NSN #
Coyote	80-0950	6545-01-695-5545*
Black	80-0949	



NOTE: Bags only. All contents sold separately



Tiered Trauma Medical Bag TTMB

BLEED

RLEED

A. ReSupply Bag

Item# 80-0271 (MTC only)



B. NAR-4 Aid Bag Item# 80-0241 (MTC) Other colors available see NARescue.com



• 5-piece modular ensemble targeting the military medic's "Soldier-as-a-System" requisite

- Includes low-profile backpack-style aid bag, ample resupply bag, medical chest pouch, leg rig conversion panel & directional MOLLE converter
- Interchangeable internal pouches with removable labels compatible with the NAR-4 system or any hook and loop attachment
- Leg rig converter & directional change MOLLE panel allow the chest pouch to be mounted & carried using a drop-down, leg-attachment style platform

SPECIFICATIONS

A

В

D

(A) ReSupply Bag: H 20 in. x W 15 in. x D 5 in. (B) NAR-4 Aid Bag: H 20 in. x W 15 in. x D 5 in. (C) NAR-4 Chest Pouch: H 7.75 in. x W 9.75 in. x D 4.5 in. (D) Leg Rig Conversion Panel: L 14 in. x W 6 in. (E) MOLLE Conversion Panel: L 7.5 in. x W 6 in.

TIERED TRAUMA MEDICAL BAG (TTMB)

BAG	COLOR	ITEM #
TTMB Complete System	Multi-Cam	80-0274
Resupply Bag (A)	Multi-Cam	80-0271
NAR-4 Aid Bag (B)	Multi-Cam	80-0241
NAR-4 Chest Pouch (C)	Multi-Cam	80-0248
Leg Rig Panel (D)	Multi-Cam	80-0272
MOLLE Conv. Panel (E)	Multi-Cam	80-0273

NOTE: Bags only. All contents sold separately



71



D. Leg Rig Conversion Panel

C. NAR-4 Chest Pouch Item# 80-0248 (MTC)

Other colors available



E. MOLLE Directional **Conversion Panel** Item# 80-0273 (MTC only)

OCHO Low Visibility Accessory Bags

- Low visibility aid bags purposely designed to resemble standard off-the-shelf bags to minimize the threat of theft and maximize low visibility discretion
- Featuring hidden compartments with interchangeable pouches backed with hook and loop fields
- Compatible with CrossBreed Holsters (not included)

SPECIFICATIONS H 7 in. x W 2.25 in. x D 3.25 i Weight: 2.75 oz

>	COLON
D 3.25 in.	Black/G
	Blue/Gr

COLOR	ITEM #
Black/Gray	80-0370T
Blue/Gray	80-0371T

Versatile, rugged, lightweight equipment access platform for managing casualties during TACEVAC operations

• Oversized pockets & large grommet attachment points facilitate rapid set-up and equipment retrieval

- Quick attach and release straps allow for secure attachment to the inside wall of an aircraft or vehicle
- New and improved design: 2 piece construction allows for higher flexibility in small aircrafts and confined spaces. (Currently available in BLK, COY, and ODG.)

SPECIFICATIONS

The second

MEDIC TRAUMA SHEE

#85-3914 sold separately.

Available at

NARescue.com

Open: H 41.5 in. x W 21.5 in. x D 2.5 in. Folded: H 20.25 in. x W 21.5 in. x D 5 in. Weight: 4 lb 12 oz

> Bag only: contents and caribiners are sold separately

MEDIC TRAUMA SHEET

COLOF	2	ITEM #	NSN #
Black		80-0067	6515-01-540-7612
Coyote	;	80-0069	6515-01-540-7603
OD Gre	een	80-0068	6515-01-540-7585

Accessories NAR QUICK DETACH PANELS

Horizontal & Vertical Mounting capability available with the 4.5 x 6.5 in. Panel

Medium DUAL DIRECTION QUICK DETACH PANEL (4.5 in, x 6.5 in,)

• Utilizes 3 rows by 3 columns vertical mount or 2 rows by 4 columns horizontal mount

• Designed for compatibility with all NAR® IFAKs such as horizontal mount for M-FAK and vertical or horizontal mount of the TORK

SPECIFICATIONS

W 4.5 in. x H 6.5 in. x D 0.5 in .Weight: 4.5 oz

DUAL DIRECTION PANEL

SIZE	COLOR	ITEM #
4.5 x 6.5 in.	Black	80-0895
4.5 x 6.5 in.	Coyote	80-0896



- Allows the operator the fastest access to their kit during the critical moments after wounding
- Allows any Molle/PALS kit to be detachable
- Gives user faster access to Molle/PALS equipped kits
- Mil-Spec hook & loop and heavy duty snaps to ensure kit security
- Designed to be compatible with all of NAR® IFAK's, including a **NEW horizontal mount option** in the medium version (W 4.5 x H 6.5 in.)

Small QUICK DETACH PANEL (3 in. x 6 in.)

- Utilizes only 3 rows by 2 columns on user vest/bag, vertical mount configuration
- Designed specifically for NAR®'s most compact M-FAK kits

SPECIFICATIONS

W 3 in. x H 6 in. x D 0.5 in. Weight: 2.8 oz

SMALL PANEL

SIZE	COLOR	ITEM #
3 x 6 in.	Black	80-0893
3 x 6 in.	Coyote	80-0894



Large QUICK DETACH PANEL (9 in. x 6.5 in.)

- Utilizes 3 rows by 7 columns on user vest/bag, vertical mount configuration
- Designed specifically for use with NAR-4 Chest Pouch & Emergency Evacuation Litter (EEL)

SPECIFICATIONS

W 9 in. x H 6.5 in. x D 0.5 in.. Weight: 5.6 oz

LARGE PANEL

SIZE	COLOR	ITEM #
9 x 6.5 in.	Black	80-0897
9 x 6.5 in	Coyote	80-0898





BLEEDING CONTROL RESPONSE Individual Kits • 8-Packs • Wall Stations

D-BCRK Department of Defense Individual BLEEDING CONTROL RESPONSE KITS

- Individual Bleeding Control Response Kit designed to provide essential equipment that empowers DOD Forces and Federal Employee responders in public areas to take immediate action in stopping life threatening bleeding.
- Contained in a ruggedized, nylon carry bag or vacuumsealed pouch
- Provides intuitive and easy-to-use tools that are proven to help to save lives
- Available configurations: Basic, Intermediate, & Advanced

D-BCRK INDIVIDUAL KITS

LEVEL	BAG	WEIGHT	ITEM #
Basic	Red Nylon	15 oz	85-2057
Intermediate	Red Nylon	16.5 oz	85-2058
Advanced	Red Nylon	17.4 oz	85-2059
Basic	Vacuum Sealed	11.7 oz	85-1749
Intermediate	Vacuum Sealed	13.25 oz	85-2066
Advanced	Vacuum Sealed	14 oz	85-2069

Also available at NARescue.com:

#ZZ-1000 Individual Clear Polycarbonate Wall Cabinet

Every D-BCRK INDIVIDUAL BLEEDING CONTROL RESPONSE KIT:



PLUS these Individual Components based upon configuration of choice:



- Kits exceed ANSI/ISEA Z308.1-2021 Standards for Class A & B
- Kits exceed the ANSI and OSHA standards by adding additional bleeding control elements

www.NARescue.com • 888-689-6277

Designed to be easily carried to the patient's side





CLASS A: L 14./5 m. x H 8 m. x D 4 in. Weight: 2.94 lb CLASS B: L 14.75 in. x H 8 in. x D 7.5 in. Weight: 4.87 lb

TRAUMA & FIRST AID KITS

CLASS	LEVEL	ITEM #
А	Cmp. Gauze	80-0947
А	w/ BCD	80-1045
А	w∕ CELOX™	80-1477
В	Cmp. Gauze	80-0948
В	w/ BCD	80-1047
В	w∕ CELOX™	80-1478

*Resupply & Hard Case kits available at NARescue.com

Nylon Bag Option:

- Easy to restock in cases of use
- Convenient to carry and easy to open in stressful situations
- Opens flat for ease of use and immediate identification of enclosed devices
- Easily recognizable red nylon bag with ample hook & loop field for attaching an ID patch

Vacuum Sealed Option:

- Cost-effective alternative to Nylon
- Compact and rugged Vacuum-Sealed pouch

SPECIFICATIONS Nylon Bag: H 7 in.

x Ŵ 5 in. x D 2.75 in.

Vacuum Sealed: H 7 in. x W 5 in. x D 2.75 in.

• Large Identifying Card Vacuum-Sealed inside the pouch for ease of identification

74

LEEDING CONTROL

Nylon Folding

Carrying Case

H 7 in. x W 5 in. x D 2.5 in.		Nylon Folding rrying Case Bindividual D-BCRKNylonBag Dr contents of the Individual Kits
D-BCRK Wall Statio	Departmen Response K	t of Defense Bleeding Control (its (Nylon or Vacuum-Sealed)
 Wall Station contains One D-BCRK 8-Pack each containing Eig or Vacuum-sealed Individual Bleeding Control Response Kits Available in Basic, Intermediate, and Advanced configurations 		
 Includes a durable, clear polycarbonate cabinet with rounded provides both physical and environmental protection for med 		
 Includes a wire shelf to hold the 8-pack & an external eyelet that allows for a secondary safety seal to easily identify if the station has been opened or tampered with 	#ZZ-0822 Clear Polycarbonate	BLEEDING CONTROL
 External mounting tabs and hardware enable easy installation on any wall 	Wall Case Only also availble for separate purchase	Animeter v 682.007 Description of the second secon
Clear design allows visibility at any angle		Market North

SPECIFICATIONS

Clear Wall Case: H 18 in. x W 15.5 in. x D 10 in. Each 8-Pack: H 14 in. x W 11 in. x D 8 in. Individual Bleeding Control Kit: H 7 in. x W 5 in. x D 2.5 in.

D-BCRK WALL STATIONS

LEVEL	BAG	WEIGHT	ITEM #
Basic	Red Nylon	23.5 lb	85-2075
Intermediate	Red Nylon	24.3 lb	85-2076
Advanced	Red Nylon	24.7 lb	85-2077
Basic	Vacuum Sealed	23.5 lb	85-1751
Intermediate	Vacuum Sealed	24.3 lb	85-2068
Advanced	Vacuum Sealed	24.7 lb	85-2071

#ZZ-0921 Semi-Recessed Metal Wall Cabinet Cases are water resistant. To best protect your critical lifesaving products, cases are best mounted under cover and out of the direct elements.



LEVEL	BAG	WEIGHT	ITEM #
Basic	Red Nylon	8.5 lb	85-2072
Intermediate	Red Nylon	9.3 lb	85-2073
Advanced	Red Nylon	9.7 lb	85-2074
Basic	Vacuum Sealed	8.5 lb	85-1750
Intermediate	Vacuum Sealed	9.3 lb	85-2067
Advanced	Vacuum Sealed	9.7 lb	85-2070







BLEINT

1 Nylon Folding

Carrying Case

Also available at NARescue.com:

01

D-E

- Wall Static or Vacuum
- Available i
- Includes a provides b
- Includes a that allows the station
- External m easy insta
- Clear design allows visibility

• Eight (8) Nylon or Vacuum-sealed Individual Bleeding Control Response Kits inside an easy-toopen nylon carrying case • Available in Basic, Intermediate, and Advanced configurations

Each 8-Pack:: H 14 in. x W 11 in. x D 8 in. Individual Bleeding Control Kit:

SPECIFICATIONS

8 Individual

D-BCRKNylon Bag





Clear Wall Case

8 Individual

D-BCRK Vac-Pack




TACEVAC CASUALTY EVACUATION

• FRAMED LITTERS • ACCESSORIES • NON-RIGID LITTERS

• SPINE BOARDS

see pages 76-83



Rigid Litters | TACEVAC



Advanced, innovative combat evacuation system features portable quad-fold design, retractable handles, six IV-attachment points and two patient securing straps

- Standard 90 in. NATO-compatible evacuation platform
- Developed to U.S. Army requirements
- Certified Safe-to-Fly U.S. Army Rotary Wing

SPECIFICATIONS

Folded w/handles collapsed: H 20.5 in. x W 8.5 in. x D 9.5 in. Open w/handles collapsed: L 78 in. x W 22.5 in. x D 6 in. Open w/handles extended: L 90 in. x W 22.5 in. x D 6 in. Weight: 15 lb 6 oz (6.97 kg) Static Payload: 1,800 lb (816 kg) Ground Clearance: 1.5 in. U.S. Patents: 6,842,923 & 5,598,592, Patent(s) Pending

Retractable, ergonomic handles and automatic locking hinges

 Slip-resistant, chemicalresistant rip-stop fabric tested & approved by Federal & private labs using live warfare agents

TALON II 90C LITTER

	ITEM#	NSN#
	60-0002	6530-01-504-9051
CE	60-0002-EU	

RAVEN® 90C

Bi-fold Litter

- The official litter of the U.S. Navy and certified safe-to-fly by the U.S. Air Force
- Bifold design for reliable long-term storage
- Ergonomically designed handles
- Slip-resistant, chemical-resistant, rip-stop fabric tested & approved by Federal & private labs using live warfare agents
- Includes 6 IV-attachment points and 2 patient-securing straps

SPECIFICATIONS

Folded: H 45.5 in. x W 7.5 in. x D 8 in. Open: 90 in. x W 22.5 in. x D 6 in. Weight: 16 lb 8 oz (7.5 kg) Static Payload: 2,000 lb (909 kg) Ground Clearance: 1.5 in. U.S. Patents: 6,842,923 5,598,592, Patent(s) Pending

RAVEN 90C LITTER

NSN#	
6530-01-432-5114	
	CE



T3[™] LITTER Lightweight, Assault

- Ultra light, ultra strong litter weighing less than 12 lb
- Specifically designed for Special Operations Forces
- Provides maximum maneuverability during TACEVAC in urban terrains
- Overall length of 81 in. enables floor loading on a UH-60 helicopter
- 2 straps for securing patients
- Ergonomically designed handles
- Quad-fold design for maximum cube space storage

SPECIFICATIONS

Folded: H 21 in. x W 8.75 in. x D 7.25 in Open: L 81 in. x W 22.5 in. x D 6 in. Weight: 11 lb 13 oz (5.34 kg) Static Payload: 1,200 lb (544.3 kg) Ground Clearance: 1.5 in.

T3 LITTER

ITEM# 60-0022



TACEVAC | Litter Accessories

11

Wheeled LITTER CARRIER

Folded:

Weight:

- Lightest wheeled litter cart on the market for single person transport to and from MedEVAC vehicles
- Compatible with the Talon® II 90C, Raven® 90C, MedEvac & T3, in addition to all NATO litters
- Quick and easy to deploy or disassemble for storage
- Locking clamp system keeps the litter firmly in place and allows for different litter widths

SPECIFICATIONS Deployed: L 56.29 in. x W 27.5 in. x H 36.2 in.

L 42.1 in. x W 27.5 in. x H 9.84 in.

Carrier only: 38 lb 8 oz (17.5 kg) Carrier with Case: 88 lb (39.9 kg)

Payload: 550 lb (250 kg)

Case: L 48 in. x W 29.5 in. x H 12.5 in.

- Performs as litter stand in the field due to its unique wheel locking system
- Also available with optional Carrying Case

LITTER STANDS 33 in. Standard

- Set of 2 lightweight, foldable stanchions for standard sized litters
- Constructed of a lightweight aluminum frame that conveniently folds flat for ease in transport & storage
- Quickly locks open to safely secure the litter in place
- Accomodates the Talon[®], Raven[®], T3, and Medevac Litters to restrict the litter from sliding front to back.
- Stands 33 in. tall

33 in. LITTER STANDS

UNIT	ITEM#	NSN#
Set of 2	60-0014	6530-01-523-3314
Set of 2	60-0014-EU	

SPECIFICATIONS

H 34 in. x W 25.5 in. x D 6.92 in. Extended: 33 in. Base Width: 23.5 in. Weight: 8 lb 8 oz

BACKREST TALON® or RAVEN®

- Allows patients on a Talon® 90C or Raven® 90C litter to be placed at 90° or 45° angles
- Constructed of a lightweight aluminum frame with Nomex/Kevlar-blend fabric covering

SPECIFICATIONS

H 31.5 in. x W 29.25 in. x D 1.6 in. Weight: 2 lb 13 oz

LITTER BACKREST

ITEM#	NSN#
60-0027	6530-01-594-7444

	 						•	•	•	•
			-	-	-	-		-		÷
		- 4	U	-		8			ĸ.	
		- 1	18		- 1	ы			ŧ	1
		. 1	10			81			-	۲
			~			ĸ	2			

WHEELED LITTER CARRIER

ITEM #

60-0063

60-0041

60-0063-EU

OPTION

Carrier with Case

CE Carrier with Case

Carrier only



Exclusively designed to fit the premolded holes of our framed litters

SPECIFICATIONS

Retracted: H 18.5 in. x W 8.86 in. x D 0.5 in. Fully Extended Height: 32 in. Weight: 4.9 oz. Patent 8,863,333

IV POLE		<u>і</u> с є
	ITEM#	NSN#
	60-0008	6530-01-504-9054

Litter sold separately

NATO NSN

6530-01-663-2308*

NSN #

TACEVAC | Litter Accessories

RIG SERIES CARRIER Assault Litter Carrier

- Enhanced carrier with additional strap over the top of the litter to hold it in place during drastic movement and FRIES (Fast Rope Insertion Extraction System) operations
- Upgraded shoulder straps provide comfort for long wear
- Includes pocket in the top flap for storage and three additional handles facilitate packing and unloading of the litter
- Accommodates all NAR guadfold litter platforms

 Equipment attaching webbing (MOLLE) along the outside of the carrier allows attachment of additional equipment

SPECIFICATIONS <u>۶</u>

H 22 in. x W 9 in. x D 9 in. Weight: 3 lb (1.36 kg)

RIG SERIES LITTER CARRIER

COLOR	ITEM #	NSN #
Multi-Cam	60-0057	6530-01-647-8571*
Coyote	60-0056	6530-01-643-9138*
		*NATO NSN



SPECIFICATIONS

SPECS

L 102 in. x W 1 in.

Weight: 2 oz

Collapsed: H 20 in. x W 9 in. x D 2 in. Expanded: H 20 in. x W 9 in. x D 10 in. Weight: 1 lb 7 oz

RETENTION STRAP Litter Support Bar

Designed to prevent the litter support bar from collapsing

RETENSION STRAP

ITEM#

60-0026

LITTER BUCKLE Replacement Set

SPECIFICATIONS L 3.75 in. x W 2.38 in. x D 0.5 in. Weight: 1 oz

LITTER BUCKLE

ITEM# NSN#

77-0032 6530-01-435-7337

TALON[®] II CARRIER Assault Litter Carrier

- Transport any NAR quad-fold litter (Talon, MedEvac & T3)
- MOLLE-style attachment points
- Includes thin back plates, drain hole, non-slip, adjustable shoulder straps & top-carrying handle

TALON LITTER CARRIER 'NATO NSN

COLOR	ITEM #	NSN #
Coyote	60-0011	6530-01-531-6854
OD Green	60-0010	6530-01-504-9055
Black	60-0009	6530-01-531-6907

EQUIPMENT BAG

Store a casualty's personal items

- Roomy nylon bag with reinforced shoulder straps and info tag to bag & tag casualty's personal items during evacuation
- Lightweight & vacuum-packed for low cube, easy transport

SPECIFICATIONS

H 5 in. x W 5 in. x D 2.5 in. Weight: 6.25 oz

EQUIPMENT BAG

ITEM#	NSN#
80-0132	8465-01-575-6644



Specialty Litters | TACEVAC

INTRO

MEDEVAC LITTER

- The ultimate, cost efficient casualty evacuation stretcher for First Responders operating in Active Shooter, Mass Casualty and Disaster incidents
- Compact, collapsible, quad-fold litter is easy to deploy and carry
- Two patient securing buckles, six IV-attachment points, ergonomically designed handles & patented joint configuration with locking leg crossbar

SPECIFICATIONS

Folded: H 21.5 in. x W 8.5 in. x D 7.5 in. Open: H 84.5 in. x W 22.5 in. x D 4 in. Weight: 13 lb 8 oz Static Payload: 1,200 lb (544.3 kg) Ground Clearance: 1.5 in.

MEDEVAC LITTER

BED COLOR	FRAME COLOR	ITEM #	
Black	OD Green	60-0051	
Orange	Black	60-0052	

OSL[™] LITTER OverSized Litter

- Safely evacuate larger patients with 30% larger surface area compared to standard-sized evacuation platforms
- Bi-fold configuration enables lower cube storage capability
- 6 litter stirrups,
 6 padded carrying
 loops & 3 patient securing straps for
 firmer patient support as well as better
 weight distribution on the floor
- Flame-retardant cover & attached storage pouch made of a durable Nomex/Kevlar-blend
- Certified safe-to-fly by the U.S. Air Force

OSL OVERSIZED LITTER

ITEM#	NSN#
60-0023	6530-01-552-7708

SPECIFICATIONS

Folded: H 45 in. x W 9 in. x D 8 in. Open: L 90 in. x W 31 in. x D 6 in. Weight: 22 lb 6 oz (10.2 kg) Static Payload:: 2,000 lb (909 kg) Ground Clearance: 1.5 in. U.S. Patents: 5,598,592 & Patent(s) Pending



OSL[™] LITTER STANDS

IIII (€

for the OverSized Litter

- Set of 3 lightweight aluminum stanchions accommodate our oversized OSL™ Litter
- Quickly opens and securely locks the litter in place
- Easily folds for transport & storage

SPECIFICATIONS

Folded: H 34 in. x W 25 in. x D 2.5 in. Extended Height: 32 in. Base Width: 23.5 in. Weight: 28 lb 8 oz (12.93 kg)



60-0029

Set of 3

OSL[™] BACKREST for the OverSized Litter[™]

- for the OverSized Litter
- Position patient at 45° & 90° angles for maximized treatment options & increased comfort

TAA

- Constructed of a lightweight aluminum frame with durable Nomex /Kevlar-blend fabric cover
- Compatible with our OSL™ litter

SPECIFICATIONS

H 31.5 in. x W 30.25 in. x D 1.6 in. Weight: 2 lb 15 oz (1.33 kg)



OSL BACKREST

ITEM#

60-0024

TACEVAC | Non-Rigid Litters

TED Tactical Extrication Device

- Designed to allow two people to carry a casualty to safety
- Lighter, more compact non-rigid evacuation platform designed specially for use in high-threat environments & limited spaces
- Constructed of heavy duty vinyl with 4 sturdy carrying handles

60

• Packaged in a sturdy, transport-friendly bag with adjustable shoulder strap

SPECIFICATIONS

Folded: H 5 in. x W 10.25 in. x D 3.5 in. Open: L 43.5 in. x W 19 in. Weight: 1 lb 8 oz (0.68 kg) Payload: 600 lb (272 kg)

TACTICAL EXTRICATION DEVICE

COLOR	ITEM #	NSN #
OD Green	60-0006	6530-01-492-4114
Black	60-0005	6530-01-531-6808





R.E.E.L. Rapid Expeditionary Evacuation Litter

- Cost-effective, non-rigid casualty evacuation platform designed for quick and effective casualty evacuation
- Rugged, lightweight, nylon construction

SPECIFICATIONS

Packaged - L 13 in. x W 10 in. x D 0.75 in. Litter (Open) - L 78 in. x W 30 in. | Weight: 1 lb 3 oz Carrying Capacity: 700 lb

• 8 carry handles accommodate mission teams ranging from 2 to 8 rescuers

• Packaged in a compact, small cube, vacuum sealed pouch

R.E.E.L. LITTER

60-0075

NAR® K-9 LITTER

& Carrying Strap Accessories

- Lightweight, compact litter for the movement of an injured canine
- Litter can be carried in cargo pocket or pouch
- Leg cut outs to safety carry the canine in the litter
- Six large and four small carry handles that allow for one to four person carries
- Optional K-9 Carry Strap & 2 Carabiners for over the shoulder carry of injured K-9 also available

K-9 LITTER

ITEM#
60-0074W
ZZ-1004
60-0076

STINGRAY[®] Poleless Litter

- Ideal for decontamination roller systems & moving wet patients
- Non-skid, flame-retardant monofilament polypropylene fabric that is resistant to mildew, acids, alkalis and penetrating liquids

- Tested by Federal & private labs using live warfare agents
- Includes six heavy-duty carrying handles & 2 casualty securing straps
- Easy to store and clean

SPECIFICATIONS

Folded: H 20 in. x W 12 in. x D 2 in. Open: L 78 in. x W 24 in. Weight: 13 oz (0.37 kg) Payload: 1,000 lb (453.6 kg)

STINGRAY POLELESS LITTER

<u>6</u>

ITEM #	NSN #
60-0004	6530-01-492-4079



MED. SUDC

Litter: W 35 in. x H 48 in. Adjustable Carry Strap:

L 9 to 54 in. x W 2 in. Carabiner open gate clearance: 27 mm Packaged: W 5.5 in. x H 10 in. x D 2.5 in. Weight: 1.38 lb

TACEVAC | Spine Boards & Accessories

RESCUE SLEEVE II

- The industry's ultimate patient securing system refined for enhanced stability & ease of use
- Ideal for rescues requiring vertical and/or horizontalhoisting capabilities

SPECIFICATIONS

Folded: L 25.5 in. x W 13 in. x D 8 in. Open: L 73 in. x W 18 in. x D 2 in. Weight: 16 lb (7.26 kg) Payload: 1,000 lb (453.6 kg) Case: L 20 in. x W 35 in. x D .25 in. Weight: 1.7 lbs



RESCUE SLEEVE II

COLOR	ITEM #	NSN #	
Black	50-0011	6530-01-531-6649	
Orange	50-0012	6530-01-477-8525	NOTE: Spine board sold separately. Hoisting
Case	50-0002	4240-01-477-9408	straps & carabiners not included

NAR® CASUALTY **IMMOBILIZATION SYSTEM**

- Constructed of black polypropylene webbing with hook & loop closures
- Featuring 6 attachment points: 2 "suspender" type, over-theshoulder straps & 4 adjustable torso/limb straps with adjustable center strap
- No choking "V" configuration by the patient's neck

CASUALTY IMMOBILIZATION SYSTEM

ITEM # NSN # 50-0031 6530-01-586-2411 SPECIFICATIONS 11 с є Pkg: L 16.5 in. x W 4 in. x D 2.75 in. Weight: 1 lb 1 oz

В

D

NAR® CASUALTY **RESTRAINT STRAPS**

Heavy-duty nylon webbing & convenient seat belt buckle utility

- A. 2 piece Plastic Buckle L 5 ft x W 2 in. • Weight: 4 oz Black: 50-0023 • Orange: 50-0024
- B. 2 piece Plastic Buckle/Speed Clip 🔗 L 5 ft x W 2 in. • Weight: 7.8 oz Black: 50-0026 · Orange: 50-0025
- C. 2 piece Metal Buckle L 5 ft x W 2 in. • Weight: 8 oz Black: 50-0027 • Orange: 50-0028
- D. 2 piece Metal Buckle/Speed Clip L 5 ft x W 2 in. • Weight: 11.7 oz Black: 50-0029 • Orange: 50-0030

SPINE BOARD

- Thin & lightweight with tapered design
- Surface texture to prevent slippage & 14 raised, oversized hand-holds
- Black spine board includes ten rapid attachment pins

SPECIFICATIONS

Dimensions: L 72 in. x W 16 in. x D 1.75 in. Weight: 14 lb. (6.35 kg) Payload: 1,000 lb. (498.96 kg)

SPINE BOARD

COLOR	ITEM #	NSN #
OD Green	50-0013	6530-01-490-2487
Orange	50-0014	6530-01-531-6771
Black w/Pins	50-0021	

NAR[®] HEAD **IMMOBILIZER**

- Quick, effective head block constructed of soft, closed cell foam with hook & loop closures and padded straps
- Ears and head are accessible without removing the device

SPECIFICATIONS

H 10 in. x W 16 in. x D 5.75 in. Weight: 2 lb 3 oz

HEAD IMMOBILIZER

ITEM #	NSN #
50-0020	6530-01-619-1777

CERVICAL COLLAR ACE®

1.1

- Adjustable neck support with foam lining
- Extended back to ensure complete
- Adjusts to fit 16 adult neck sizes

SPECIFICATIONS

H 6.75 in. x W 20.5 in. x D 0.75 in. Weight: 5.2 oz

ACE CERVICAL COLLAR

COLOR	ITEM #	NSN #
OD Green	50-0010	6515-01-541-8147
White	50-1007	6515-01-650-0036





• DIAGNOSTICS • FIELD HOSPITAL • SURGICAL SURGICAL PRODUCTS • SURGICAL SURGIS * SURG

Contract Vehicles

NAR MD:


Tax ID: 43-1661453 Cage Code: OZSM5 DUNS: 88-301-2874 SAM Registered: Yes ECAT Equipment: SPE2DH-20-D-0022 DAPA Equipment: SP0200-10-H-0021 DAPA MedSurg: SP0200-97-H-5049 DLA TS FMS: SPE2DS21D0005 Awardee of VA MSPV BPA

North American Rescue[®]:

Tax ID: 27-1024029 Cage Code: 06ST7 DUNS: 83-24-26782 SAM Registered: Yes ECAT Equipment: SPE2DH-22-D-0003 CEC: SPE2DO-19-D-0005 DAPA MedSurg: SP0200-05-H-0029 DAPA Equipment: SP0200-13-H-0064

Henry Schein:

DLA ECAT Dental Contract: SPE2DE-19-D-0010 DLA ECAT Lab Contract: SPE2DE-20-D-0012 FEDERAL SUPPLY SCHEDULE — 65 II C Dental Equipment & Supplies: 36F79718D0314



MED/SURG | Diagnostics

VSCAN AIR[™]

Wireless Handheld Ultrasound

SEE MORE. TREAT FASTER. Make Clinical decisions by quickly ruling in or out a wide variety of conditions, without compromizing image quality for portability.

• Wireless

Dual-sided probe connects to your mobile device* to provide maximum portability

Whole Body Scanning

Crystal Clear images
 SignalMax[™] technology grants the power of a high-performance
 ulstrasound machine in a small, wireless solution

• Easy to Use App

Intuitive navigation optimized for your mobile device*

• Dual-Sided Probe

Complete both deep and shallow exams with a simple flip without compromizing image quality

Durable

Withstands everyday handling from scratches to drops and even a rainstorm**

Battery

Provides up to 50 min scan time before recharge

• *Recharge time* 75 min (from 10% to 90%)

Worrv Free

3-Year Warranty from GE



SPECIFICATIONS

Device Dimensions : H 5.2 in. x W 1.6 in. x D 1.2 in. (13.1 cm x 4 cm x 3.1 cm) Lens Footprint: 6.4 cm x 1.6 cm Weight: 0.45 lbs (205 g)

CLINICAL APPLICATIONS				
DEEP SCAN	SHALLOW SCAN			
Abdominal Ultrasound	Peripheral Vascular			
Urology	Lung/Thoracic			
OB-Gyn	Small Organs			
Lung/Thoracic	Muskuloskeletal			
Cardiac and Hemodynamic Assessment	Nerves			
Muskuloskeletal	Neck and Airway			
Procedure Guidance	Procedural Guidance			
Protocols	Opthalmic			
	Cephalic			
	Protocols			

Ĩ.

VSCAN AIR

ITEM #	NSN #		
20-0099			

*Compatible with a variety of Android[™] and iOS[®] mobile devices. **Probe withstands drops: tested to military drop standards (MIL-810G), waterproof, compatible with high level disinfection techniques.

© 2021 General Electric Company - All rights reserved. GE, the GE Monogram and Vscan Air are trademarks of General Electric Company. GE Healthcare, a division of General Electric Company. GE Medical Systems, Inc. doing business as GE Healthcare.

M.A.R.C.H

Diagnostics MED/SURG

MIGHTYSATTMRx Fingertip Pulse Oximeter from Masimo

Features Masimo SET[®] Measurethrough Motion and Low Perfusion™ Pulse Oximetry which overcomes the challenges of low perfusion and motion artifact that

limit conventional pulse oximetry.

This Signal Extraction Technology® (SET®) uses five parallel signal processing engines that measure through challenging conditions.

KIT CONTENTS:

- 1 x MightySat™Rx Device
- 1 x Lanyard
- 2 x AAA Batteries
- 1 x Carrying Case







Device Dimensions H 2.9 in. x W 1.6 in. x D 1.2 in.

SPECIFICATIONS

(7.4 cm x 4.1 cm x 3.0 cm) Weight (with batteries): 2.56 oz (73 g) Display: 3.3 cm

EMMA[®] CAPNOGRAPH from Masimo

- Clear, continuous capnograph of carbon dioxide values
- Simple, easy-to-use interface for quick set-up and one-touch programming
- Audible and visual alarm system for No Adapter, Clogged Adapter, No Breath (Apnea), Low Battery and adjustable High and Low EtCO2 alarm
- Rugged design for reliable operation in challenging environments
- Easy to maintain no routine calibration required
- Lightweight and Portable

KIT CONTENTS:

- 1 x Capnograph
- 1 x Lanyard

Weight: 2.1 oz

- 2 x AAA Batteries
- 1 x Carrying Case

SPECIFICATIONS RX ONLY Device Dimensions

L 2.1 in. x W 1.5 in. x H 1.5 in.



EMMA CAPNOGRAPH & AIRWAY ADAPTERS OPTION ITEM # 20-0098 Capnograph Airway Adapter - Adult/Ped (Box of 25) 20-0097

- Rotating and adjustable color screen
- Hi-Res Plethysmographic Waveform
- Touchpad for easy access
- Durable, Lightweight & Portable
- Flexible Pad
- Sianal IQ (SIQ[™]) SpO₂ measurement confidence
- Free Masimo Professional Health App Bluetooth Models (20-0094 & 20-0095)

FEATURES	20-0093	20-0094	20-0095
Masimo SET® Measure-through Motion and Low Profusion" Technology	1	1	1
Measurements SpO₂ (Oxygen Saturation)	1	1	1
PR (Pulse Rate)	1	1	1
PI (Perfusion Index)	 Image: A second s	 Image: A second s	 Image: A second s
PVI (Pleth Variability Index)			 Image: A second s
Display Pleth Waveform	1	1	1
3.3 cm Color Display	1	1	1
Rotational Screen	1	1	1
Bluetooth LE		1	1
Compatible with Masimo Professional Health App*		1	1
Four Year Limited Warranty	1	1	1

MIGHTYSAT PULSE OXIMETER

EMMA® AIRWAY

OPTION	ITEM #
Standard	20-0093
Bluetooth LE	20-0094
Bluetooth LE/RRp/PVi	20-0095


Airway Adapter - Infant (Box of 10) 20-0096

MED/SURG Diagnostics

FIELD CORPSMAN KITS

Portable ENT diagnostics

- Lightweight, durable ENT diagnostic sets for portable field care of the eyes, ears & nose
- FIELD CORPSMAN KITS:



отү 1

1

Eye Loop



• A wide selection of high intensity lights & magnifiers for enhancing both day and night examinations





Additional items **in Deluxe Kit onlv**





Strips

Lens

FIELD CORPSMAN KITS

KIT OPTIONS	ITEM #	NSN #
Basic	20-0001	6515-01-458-6057
Deluxe (with Heine)	20-0002	6515-01-458-6178
Ophthalmoscope only	20-0007	6540-01-491-6651

BP/STETHOSCOPE COMBO KIT from NAR®

- Ultra-compact, multi-pocketed BP kit that can be stored in most trauma kits
- Blood-pressure cuffs in 4 sizes (adult, large adult, child, infant).
- ADC stethoscope with extra-large bell & ultra-sensitive diaphragm
- Ambidextrous palm gauge

BP/STETHOSCOPE COMBO KIT NON

IIEM#	NSN#		
20-0057	6515-01-542-7723		

SPECIFICATIONS

H 6.75 in. x W 9 in. x D 5 in. Weight: 2 lb

HEINE MINI 3000 Ophthalmoscope

- High quality optics for examining the interior of the eye - in a pocket-size
 - Enhanced XHL Xenon Halogen Technology; concentrated white light for perfect illumination & crisp retinal detail

HEINE MINI 3000 ITEM # NSN # 20-0007 6540-01-491-6651

SPECIFICATIONS M RONLY H 6.75 in. x W 1.25 in. x D 0.9 in. Weight: 3.7 oz

STETHOSCOPE from ADC

- Best full-range stethoscope for auscultation & comfort
- Superior acoustics for accurate auscultation of heart, lung & blood-pressure sounds

SPECIFICATIONS Device Length: 30.5 in.

Weight: 13.5 oz **STETHOSCOPE**

ITEM #

20-0060



88 www.NARescue.com • 888-689-6277

INTRO

TAC-EVAC MED-SU

* NATO NSN

Storage & Transport | MED/SURG

- Compact solution for keeping critical medications safe, secure and easily accessible
- Features Automatic Pressure Equalization Valve
- Hardware constructed of Marine grade 316 SS
- Case is water-resistant and crush-proof
- Hook & loop attachment system allows storage compartment to be tailored to hundreds of custom configurations
- Adhesive hook discs provided

SPECIFICATIONS

Ext: L 7.95 in. x W 5.1 in. x D 2.14 in. Int: L 6.45 in. x W 3.87 in. x D 1.75 in. Weight: 10.5 oz

> Clear Lid ZZ-0259 only includes Loop Liner on the bottom

ARMADILLO

LID STYLE	ITEM #	NSN #		
Black	ZZ-0081	8145-01-573-2533		
Clear	ZZ-0259	6545-01-594-9399*		

also available: Half Inch Hook Discs with pressure sensitive adhesive Set of 250 • Item# ZZ-0258 • NSN# 8145-01-617-9075*

I&A CASE Injury & Ailment Case

• Superbly engineered medical equipment organization system

ARMADILLO

Medication & Storage Case

- Lid's clear pockets and hook & loop fasteners allow secure storage as well as superior inventory management
- Insert cover is 210 Denier Oxford Nylon
- Insert's padding and flexible fasteners support customization of the case's contents
- Polymer O-ring provides dust and water-proof seal
- Automatic Gore-TEX[®] pressure equalization valve stops moisture from entering the case – also prevents vacuum-lock
- Double-throw latches engineered to tolerate up to 400 lb of pressure
- All-weather, sure-grip handle and reinforced padlock protectors

SPECIFICATIONS H 8.5 in. x W 20.5 in. x D 17 in. Wgt: 13 lb 12 oz

81	
	ITEM #
	ZZ-0222

MED/SURG Storage & Transport

M.U.L.E. Multi-Use Luggage

& Equipment Carrier

- Heavy-duty, waterresistant nylon platform with large compartment and mesh pockets on the inside lid for maximum storage of critical items
- Outside end pockets feature open channels for expanded storage capability
- Suitcase-style carrying handles on top and side; Telescoping handle and wheels for easy transport
- Hidden rucksack shoulder pads

SPECIFICATIONS

H 30.5 in. x W 18.5 in. x D 11 in. Wgt: 11 lb 10 oz | Payload: 70 lb



M.U.L.E. II

Multi-Use Luggage & Equipment Carrier II

- Extra large, heavy-duty, water-resistant 1000 denier nylon platform featuring 9,000 cubic in. of storage with large reinforced open compartment and multiple zippered mesh pockets for maximum storage
- Top & side web carry handles and 3 durable 3.75 in. diameter wheels for easy transport



SPECS

Exterior: H 40 in. x W 21 in. x D 15 in Interior: H 40 in. x W 15 in. x D 15 in. Weight: 15.4 lb Capacity: 9,000 cubic in.

M.U.L.E. II		
COLOR	ITEM #	
Black	ZZ-1157T	
Coyote	ZZ-1158T	

MED/SURG | Field Hospital

M.U.L.E.

ITEM #

ZZ-0212

COAG IT NP7

- Nasal Pack
- 7 cm single use Nasal Pack
- Anatomically shaped for maximum comfort
- Physician designed epistaxis control
- Expands to apply pressure stopping nasal bleed
- Blue handle for easy extraction

SPECIFICATIONS Each: L7 cm W 3.2 oz

10-Pack: W 0.22 lbs

COAGIT NP/		
	QTY	ITEM #
	Each	ZZ-1483
	10-Pack	ZZ-1484



MARK IV Field Hospital Bed

- Lightweight solution designed for patient comfort in the combat support or field hospital/treatment tent
- Durable & easy-to-open, supporting up to 850 lb of static weight
- Designed to be rapidly deployed with minimal training in less than 60 seconds by a single person

SPECIFICATIONS

Folded: L 42 in. x W 17 in. x D 32 in. Opened: L 79.25 in. x W 33 in. x H 35.25 in. Weight: Mattress and Frame: 54 lb Mattress, Frame & Accessories: 68 lb Patent 8,875,323

- Constructed of a bi-fold aluminum frame that is adjustable to 6 positions
- 3 in. polyurethane foam pad with water-resistant decontaminable cover easily cleans with 10% bleach solution or other standard hospital cleaning products
- Includes IV Pole and a removable table platform that rests on its adjustable bed rails

MARK IV FIELD HOSPITAL BED

ITEM #	NSN #
66-0019	6530-01-624-7626

Wound Care | Sutures | MED/SURG

microMend[®] PRO

Skin Closure Devices

- Easy-to-use alternative to sutures or surgical staples when skin closure is required
- Safe, secure, and rapid skin closure
- Equivalent holding strength to sutures
- Patent pending microstaples anchor the device to the skin

Small

Device:

L 28mm x W 7mm

Box Wt: (24) 3.5 oz

- Three times faster to apply than sutures
- More comfortable and easier to remove than standard invasive methods of skin closure
- Can be used on a variety of lacerations and incisions and with wounds of various lengths, as the product can be applied right next to each other

Wide A Device: L 38mm x W 28mm

Box Wt: (24) 7.3 oz Wide S Device:

L 38mm x W 28mm Box Wt: (24) 7.3 oz



microMend" PRO microMend 1 1

> MEDIUM: Broadest application for closina most wounds. It is used for closing most lacerations (face, neck, and hands)

microMend[®] Wide

Medium

L 28mm x W 12mm

24

microMend" PRO

microMend PRO

0.00

(48) 7.1 oz

Box Wt: (24) 3.5 oz

Device[.]

SPECIFICATIONS

43mm x W 12mm

Box Wt.: (24) 3.5 oz

MM12LG

MM12XS2

Large

Device:

MH

h) he NE

LARGE: For closing larger wounds

on the extremities, back, chest, and abdomen. Great for closing hard to

microMend

repair skin tears

microMend"

6

- Three times wider for easier and faster closure of longer incisions with the same holding strength as other microMend sizes
- Ultra-flexible and elastic making it ideal for use in joint surgeries, Cesarean sections, and other procedures in areas of increased movement and varying skin architecture
- Available with apertures (Wide A) to allow drainage, or without apertures (Wide S) for a solid seal to keep the wound clean from contaminants

SMALL: Ideal for small areas, such as the fingers, toes, ears, and nose

> 24 == mcroMend WIDE-A

Available with Aperture or Solid Seal




STEP 1:

Remove device from packaging by pulling TAB upwards



Position device so the edge of narrow section on the TAB-side is over wound. Press MICROSTAPLE-side onto skin.



Pull TAB-side across the wound. Press MICROSTAPLE of tab-side down onto skin. Remove the tab with a twist.

microMEND DEVICES

DEVICE	UNIT (per box)	ITEM #
Large	24	30-0203
Medium	24	30-0230
Medium	48	30-0249
Small	24	30-0252
Wide A	24	30-0295
Wide S	24	30-0296
U.S. Patents Pending		



"

WED/SURG | Surgical Field Kits

R-SICK Rapid Surgical Intervention Convenience Kits

- Flexible austere and prolonged field care surgical instrument storage and recovery system tray
- For both major and minor surgical procedures in less than ideal or highly mobile environments
- Sequentially set up for rapid "incision, spreading, damage control, and closure"
- Ideal for complex, emergent procedures such as surgical airways, hemorrhage control, field amputation, and REBOA

R-SICK CONTENTS:

- 2 x Weitlaner Retractor, 3 x 4 Blunt (5.5 in.)
- 1 x Trousseau Tracheal Dilator (5.25 in.)
- 2 x Adson Forceps, 1 x 2 (4.75 in.)
- 1 x Ewald Forceps 1 x 2
- 1 x Plain Splinter Forceps (4.5 in.) Serr. Handle
- 1 x Kelly Forceps Heavy
- 1 x Converse Needle Holder (4.24 in.) Long
- 1 x Olsen-Hegar Needle Holder (7.25 in.) Serr
- 1 x Stevens Tenotomy Scissors Trbl/Bl
- 1 x Stevens Tenotomy Scissors Cvdbl/Bl
- 1 x Scissors, Mayo (5.5 in.) Str
- 1 x Mayo Dissecting Scissors, Crv (5.5 in.)
- 1 x Knife Handle (#3)
- 2 x Gigli Saw Blade (20 in.)
- 2 x Gigli Saw Handle (3.5 in.) Loop
- 1 x Hiupp Tracheal Hook, (6.5 in.)
- 2 x Forceps, Rochester-Pean (7.25 in.) Curv
- 6 x Scalpel #10 w/Handles

SPECIFICATIONS PX ONLY

Packaged: H 8 in. x W 7 in. x D 3.5 in. Fully deployed (flat): L 24 in. L x W 43 in. x D 0.1 in. Weight: Kits 3 lb Bag Only 11 oz

- 6 x Scalpel #11
- 6 x Scalpel #15
- 6 x Blade, #10 Pluss/S(Tefl)
- 10 x Blade, #15 Pluss/S(Tefl)
- 2 x Suture Ethilon 4-0 Blk Mono Fs-218
- 2 x Suture 3-0 Silk
- 2 x Black Braided Silk Suture, 2-0/2-60 in.
- 2 x 2-0 Suture Ct-2
- 4 x 4-0 Silk Suture Blk (30 in.)
- 1 x Sharps Shuttle
- 1 x Farabeuf Retractor

R-SICK


INSTRUMENTS	ITEM #	NSN
Floor Grade	83-0016	6545-01-701-6106
Bag Only	80-0871	

LATERAL CANTHOTOMY Set



- Compact kit allowing for ease of use in the field
- Tools to decrease orbital pressure to the optic nerve or globe

CONTENTS:



SPECIFICATIONS

Packaged: L 8 in. x W 4.5 in. x D 2 in. Weight: 5.5 oz

LATERAL CANTHOTOMY SET

ITEM #	NSN#
83-0012	

Surgical Kits MED/SURG

MINOR SURGERYSets

MINOR SURGERY Contents:

- 1 x Shallow Tray
- 2 x Kelly Hemostat, Straight, 5.5 in.
- 2 x Kelly Forceps, Curved, 5.5 in.
- 1 x Mayo Hegar Needle Holder, 6 in.
- 1 x Adson Forceps, Serr, 4.75 in.
- 1 x Forceps Tissue, 5 in.
- 1 x Collier Needle Holder, Straight, 5 in.
- 1 x Handle Scalpel #3
- 1 x Probe W. Eye, 6 in.
- 1 x O.R. Scissors, SB Straight, 5.5 in.

SPECIFICATIONS	\mathbb{X}	STERILE	${\rm P}_{\rm X^{\rm ONLY}}$
Packaged: L 9 in. x W	5 in. x	D1in.	
Weight: 5 oz			

MINOR SURGERY SETS		
ITEM #	UNIT	NSN#
ZZ-0960	Single	
ZZ-0959	Pack of 20	

SURGICAL SUTURE Kits

SURGICAL SUTURE Contents:

- 1 x Shallow Tray, Large 1 x Adson Forceps w/Teeth
- 1 x Webster Needle Holder, 5 in.
- 1 x Iris Scissors, Straight, 4.5 in.
- 1 x Mosquito Hemostat, Curved, 5"
- 1 x Reclosable Bag, 8 in. x 10 in., 2ml
- 1 x Twist Tie, 8 in. Plas Reel
- 1 x Poly-backed Towel
- 1 x Fenestrated Drape
- 1 x Alcohol Prep Swab
- 1 x PVP Prep Swab
- 1 x Gauze, 4 in. x 4 in., 8-ply

SPECIFICATIONSImage: Packaged: L 9.75 in. x W 4 in. x D 2 in.Weight: .36 lbs

. 30	IURI	- KILS	
ts:	FEA		
Sutures not included		100	
ı	展	The	2
		~	

SURGICAL SUTURE KITS

ITEM #	UNIT	NSN#
ZZ-0958	Single	
ZZ-0961	Pack of 20	6515-01-311-0360

TOENAIL REMOVAL Trays

TOENAIL REMOVAL Contents:

- 1 x Half Deep Tray 1 x Kelly Hemostat, Straight ,5.5 in. 1 x Kelly Forceps, Curved, 5.5 in. 1 x Adson Forceps, 1 x 2 Teeth, 4.75 in. 1 x Iris Scissors, Straight, 4.5 in.
- 1 x Cuticle Nipper, 4.5 in.

R_{X ONLY}


- 1 x Probe w/Eye, 6 in.
- 10 x Gauze, 4 in. x 4 in. , 12-ply

Packaged: L 9.72 in. x W 5.4 in. x D 2 in. Weight: 11 oz

		-
Z		
E	graphe	1

TOENAIL REMOVAL TRAYS

ITEM #	UNIT	NSN#
ZZ-0956	Single	
ZZ-0957	Pack of 10	6515-01-630-8050



94 www.NARescue.com • 888-689-6277



Custom Procedure Trays/Kits available · Contact North American Rescue for information

MED/SURG | Dental Kits & Instruments

DENTAL EMERGENCY RESPONSE Kit

3 X Dental Operative Kit - Sterile

5 X Oral Exam Disposable Pack 3-in-1

1 X Tofflemire Matrix Band – Pack of 36

1X Dental Tofflemire Retainer - Sterile

MERRIAM FORCEPS

2 X Dental Scaler Kit - Sterile

1X Meriam Forceps - Sterile

1 X Dental Mixing Pad 3" X 3"

• Angled with serrated tip

SPECIFICATIONS

Each: L 6.0 in. x W 0.5 in.

Weight Each: 0.05 lbs

MERRIAM

ITEM #

STERILE

FORCEPS PLIERS

ZZ-1409 1 Each

ZZ-1428 10-Pack

QTY

NSN

Weight 10-Pack: 0.5 lbs

Provide an optimum angle to

R_{X ONLY}

6520-01-700-7985

STERILE

perform oral procedures

PLIERS Sterile

- Small, Compact, Airtight, Waterproof and Sealable rugged hard case
- The pouches are designed to easily and quickly access the Dental products necessary to respond to Dental emergencies at sea, isolated assignments, and austere environments
- The pouches are attached by hook and loop to allow independent medical or dental healthcare professionals to remove the specific pouch to provide dental care to the patient.

DENTAL EMERGENCY RESPONSE KIT CONTENTS:

- 1 X ACCU Film 11 DS
- 1 X Dental Fuji IX Cement
- 1 X Cavity Dycal Liner
- 2 X Dental Roll Braided Sponge 3/8" X 1.5"
- 1 X Fractured Tooth Detector Pack of 4
- 1 X Wedge Sycamore Set
- 1 X Dental Aspirating Syringe Sterile
- 1 X Dental Needle 27 GA 5 Pack Sterile

DENTAL TOFFLEMIRE RETAINER Sterile

- Permits accurate trimming of wider bands
- Easy insertion and adjustment; handles any width band
- Contra-Angle can be used buccally and lingually

SPECIFICATIONS

Each: L 7 in. x W 2.75 in. Weight Each: 0.016 oz Weight 10-Pack: 4.8 oz

DENTAL TOFFLEMIRE RETAINER - STERILE

ITEM #	QTY	NSN
ZZ-1408	1 Each	6520-01-700-8026
ZZ-1427	10-Pack	

SYCAMORE WOOD WEDGE DENTAL SET Assorted

- Square end for easy insertion and removal
- Concave sides conform the matrix band to the tooth's anatomy, helping to avoid overhangs
- Round tip easily passes over the gingiva
- Set contains assorted UT/13T/13/15 (ORG/GRN/YEL/BLU)

SPECIFICATIONS
Packaged: L 5.75 in. x W 4.50 in.
Weight: 0.04 lbs
SYCAMORE WOOD

WEDGE DENTAL SET

	a.r.
ZZ-1416	400 Wedges

DENTAL SCALER KIT Sterile

- 1 X Canine Tartar Scraper
- 1 X McCall Curette 13/14 designed with elliptical blade shape with a rounded toe to remove both supragingival and subgingival calculus

R_v only

SPECIFICATIONS

Packaged: H 6 in. x

W 14 in. x D 10.5 in.

DESCRIPTION

Case Only

DER Kit

DENTAL EMERGENCY

RESPONSE KIT

ITEM #

80-1180

80-1181

Weight: 7.36 lbs

SPECIFICA	TIONS		RXONLY
Each: L 7.75			
Weight Each	n: 0.12 lbs	5	
10-Pack: L 1	9.5 in. x V	V 15.5 in. :	x H 14 in.
Weight 10-F	Pack: 4.8 (DZ	
DENTAL S	SCALE	R KIT 🗉	
ITEM #	QTY	NSN	L
ZZ-1410	1 Kit)-01-701-6776

DENTAL OPERATIVE KIT Sterile

- 1 X Rigid Spatula #324 that is used in mixing restorative materials and cements
- 1 X Woodson # 2 Plugger for transporting and placement

77-1429 10-Pack ----

• 1 X Interproximal Carver (IPC) used to shape, form, or cut tooth anatomy into amalgam restorations



	DENTAL OPERATIVE KIT STERLE $R_{X \text{ ONLY}}$			
SPECIFICATIONS	ITEM #	QTY	NSN	
Each: L 9 in. x W 4 in. Weight Each: 0.14 lbs	ZZ-1411	1 Kit	6520-01-701-5743	
Weight 10-Pack: 1.4 lbs	ZZ-1430	10-Pack		

ç

	al Syringe	DENTAL S	ction with a n	needle	27 GAUGI NEEDLE K		27 GAUG NEEDLE	E DENTAL
		hetic cartridge for	injection of a	anesthetic	Self-threading		ng ITEM #	QTY
CW-Type	solutions in the oral cavity		universal hub consistent fit	to ensure a	ZZ-1413	5 Needles		
ASPIRAT					• 1-3/8" long ne	edle with an	ZZ-1432	50 Needle
DENTAL		E	_	STERILE RXONLY	ultrasharp, trib	eveled, anticorir		
ITEM #	QTY	NSN		FICATIONS	lancet point			PECIFICATION ch: L 9 in. x W 4
ZZ-1412	1 Each	6515-01-701-7910	,	9 in. x W 4 in. Each: 0.15 lbs	ú, 4 mm isleiteiteit			ight Each: 0.64
ZZ-1431	10-Pack		•	-Pack: 1.5 lbs	0.11		Weig	ht 10-Pack: 6.4
RAID	ED RC	OLL DENTA	L		TOOTH SI	LOOTH F	RACTUR	ED
PONG	E Pack	r of 50			TOOTH D			
		y will not stick 📘	Courses	and the second second	Diagnostic	Tooth Sle		ECIFICATION
to the mu			nided Cotton Rolls	Richmond	device for detection of a			25 in. x W 6.25
		or wrapped in woven fabric	Braided Cotton Rolls	Zichmond Zichmond	cracked tooth	Device Proposition	nini in anna anna anna anna anna anna a	Weight: 0.07 l
BRAIDE	D ROLL		Braided Cotton Rolls	Richmon .	or teeth		FRACT	URED
DENTAL	SPONG	E SPECIFIC	ATIONS		 Pinpoint suspected 		тоот	H DETECTO
ITEM #	QTY	L 1.5 in. x V			cusps that		ITEM #	-
ZZ-1414	50 Ro	lls Weight: 0.1	11 lbs		cause pain		ZZ-14	15 4-Pack
OFFLI	EMIRI	Ξ			ACCU FILI	M 11 DS		
		D Pack of 36			Double sided [Black/Red	Ac	
Surgical o	grade stai	nless steel	Waterpik- Original Tof	flemire'	• Super thin for	areater precisior	OCCLUSA	
	our free e		FT ADULT UNIVERSAL OTY.36, STAINLESS ST REF 34578-9 LOT: FRV923888	OO15 IN.	-		Mid	for
Sinooth, k				SERV.	 Consistently place 	roduces snarp,	0	
patient co	omfort	U I	"COMONSTEER"		 Consistently pressure of the constant of the cons		40 P	Revood NY 11717 Parkel.com
patient co		J	COMPACTURE 202			ret marks	40 - 10 - 10	Minusa · Account
	MIRE		*-CREASESTREE		easy-to-interp • No false marki • It stretches, do	ret marks ings besn't break, and	9.1 10 - 10	Weed Low Print Comments
patient co	MIRE BAND QTY	SPECIFICA	"CREATING		easy-to-interp • No false marki • It stretches, do without snap b	ret marks ngs pesn't break, and pack	ACCU F	ewood, NY 11717 Parkel.com Ne In USA + Account
patient co	MIRE BAND	SPECIFIC/	"CREATING	5	 easy-to-interp No false marki It stretches, do without snap b SPECIFICATIO 	ret marks ngs pesn't break, and pack	ACCU F ITEM # 77-141	TILM 11 DS QTY
TOFFLEI MATRIX ITEM # ZZ-1417	MIRE BAND QTY 36-Pa	specific ck L 6 in. x W 4		D1 oz	 easy-to-interp No false marki It stretches, do without snap b SPECIFICATIO L 1.5 in. x W 0.37 	ret marks ings besn't break, and back INS R _x ow 5 in. Weight: 0.11 lb	ACCU F ITEM # ZZ-141	TILM 11 DS QTY
TOFFLEI MATRIX ITEM # ZZ-1417	MIRE BAND QTY 36-Pa	SPECIFIC/	ATIONS Hin. Weight: 0.0	D1 oz	 easy-to-interp No false marki It stretches, do without snap b SPECIFICATIO 	ret marks ings besn't break, and back INS 5 in. Weight: 0.11 lb	ACCU F ITEM # ZZ-141	TILM 11 DS QTY
TOFFLEI MATRIX ITEM # ZZ-1417 -IN-1 RAL E 1 disposa	MIRE BAND QTY 36-Pa DISP(EXAM ble denta	nck L 6 in. x W 4 OSABLE PACK Sterile	ATIONS Hin. Weight: 0.0	D1 oz	easy-to-interp No false marki It stretches, do without snap b SPECIFICATIO L 1.5 in. x W 0.37 IN. X 3 IN MIXING PA Extra-heavy-du	ret marks ings besn't break, and back INS 5 in. Weight: 0.11 lb I. DENTAI D	ACCU F ITEM # ZZ-141	Openantial Strategy Image: Strategy
TOFFLEI MATRIX ITEM # ZZ-1417 -IN-1 RALE 1 disposal with anti-	QTY 36-Pa DISP(EXAM ble denta fog coatir	specific L 6 in. x W 4 OSABLE PACK Sterile	ATIONS Hin. Weight: 0.0	D1 oz	easy-to-interp No false marki It stretches, do without snap b SPECIFICATIO L 1.5 in. x W 0.37 3 IN. X 3 IN MIXING PA • Extra-heavy-du a high-gloss fin	ret marks ings besn't break, and back INS 5 in. Weight: 0.11 lb I. DENTAI	ACCU F ITEM # ZZ-141	Openantial Strategy Image: Strategy
TOFFLEI MATRIX ITEM # ZZ-1417 -IN-1 RAL E 1 disposal with anti- 1 disposal	DISP(EXAM ble denta fog coatir ble doubl	specific L 6 in. x W 4 OSABLE PACK Sterile	ATIONS Hin. Weight: 0.0	D1 oz	easy-to-interp • No false marki • It stretches, do without snap b SPECIFICATIO L 1.5 in. x W 0.37 3 IN. X 3 IN MIXING PA • Extra-heavy-du a high-gloss fin foam base	ret marks ings besn't break, and back NS R ow 5 in. Weight: 0.11 lb I. DENTAI ND uty poly pads fea ish and a non-sk	ACCU F ITEM # ITEM # ZZ-141 itures itures	TILM 11 DS OTY B 1 Each
TOFFLEI MATRIX ITEM # ZZ-1417 -IN-1 PRAL E 1 disposal with anti- 1 disposal ended pro	ATY 36-Pa DISPO EXAM ble denta fog coatir ble doubl obe and e	ck SPECIFICA L 6 in. x W 4 OSABLE PACK Sterile	ATIONS in. Weight: 0.0	D1 oz	easy-to-interp No false marki It stretches, do without snap b SPECIFICATIO L 1.5 in. x W 0.37 3 IN. X 3 IN MIXING PA • Extra-heavy-du a high-gloss fin	ret marks ings besn't break, and back NS R ow 5 in. Weight: 0.11 lb I. DENTAI ND uty poly pads fea ish and a non-sk ds ensure a clear	ACCU F ITEM # ZZ-141	CILM 11 DS
TOFFLEI MATRIX ITEM # ZZ-1417 -IN-1 PRAL E 1 disposal with anti- 1 disposal ended pro Probe is r style, tapo	DISPO DISPO	specific L 6 in. x W 4 OSABLE PACK Sterile Il mirror ng e explorer -6-9 mm universal round tip for	ATIONS In Weight: 0.0	D1 oz	 easy-to-interp No false marki It stretches, dowithout snap b SPECIFICATIO L 1.5 in. x W 0.37 B IN. X 3 IN MIXING PA Extra-heavy-dua high-gloss fin foam base Poly mixing page 	ret marks ings besn't break, and back NS R ow 5 in. Weight: 0.11 lb I. DENTAI D uty poly pads fea ish and a non-sk ds ensure a clear	ACCU F ITEM # ZZ-141	CILM 11 DS
TOFFLEI MATRIX ITEM # ZZ-1417 -IN-1 PRAL E 1 disposal with anti- 1 disposal ended pro Probe is r style, tapo readabilit	DISPE States of the second sec	SPECIFICA L 6 in. x W 4 OSABLE PACK Sterile I mirror ng .e explorer -6-9 mm universal round tip for ient comfort	ATIONS in. Weight: 0.0	D1 oz	 easy-to-interp No false marki It stretches, do without snap b SPECIFICATIO L 1.5 in. x W 0.37 B IN. X 3 IN MIXING PA Extra-heavy-du a high-gloss fin foam base Poly mixing paos smooth mix wit paper shreds SPECIFICATION 	ret marks ings besn't break, and back NS R ow 5 in. Weight: 0.11 lb I. DENTAI VD uty poly pads fea ish and a non-sk ds ensure a clear hout lint or	ACCU F ITEM # ZZ-141	TILM 11 DS TILM 1
TOFFLEI MATRIX ITEM # ZZ-1417 -IN-1 PRAL E 1 disposal with anti- 1 disposal ended pro Probe is r style, tapo readabilit SPECIFIC	DISPE States and the second se	SPECIFICA L 6 in. x W 4 OSABLE PACK Sterile It mirror ng Le explorer -6-9 mm universal round tip for ient comfort	ATIONS In. Weight: 0.0	D1 oz	 easy-to-interp No false marki It stretches, do without snap b SPECIFICATIO L 1.5 in. x W 0.37 B IN. X 3 IN MIXING PA Extra-heavy-du a high-gloss fin foam base Poly mixing page shreds 	ret marks ings besn't break, and back NS R ow 5 in. Weight: 0.11 lb I. DENTAI VD uty poly pads fea ish and a non-sk ds ensure a clear hout lint or	ACCU F ITEM # ZZ-141 tures tid- n, 3 IN. X 3 II DENTAL	TILM 11 DS
TOFFLEI MATRIX ITEM # ZZ-1417 -IN-1 PRAL E 1 disposal with anti- 1 disposal ended pro Probe is r style, tapo readabilit SPECIFIC	A Constant of the second secon	SPECIFICA L 6 in. x W 4 OSABLE PACK Sterile I mirror ng te explorer -6-9 mm universal round tip for ient comfort ient comfort ient comfort	ATIONS in. Weight: 0.0	D1 oz	 easy-to-interp No false marki It stretches, do without snap b SPECIFICATIO L 1.5 in. x W 0.37 B IN. X 3 IN MIXING PA Extra-heavy-du a high-gloss fin foam base Poly mixing paos smooth mix wit paper shreds SPECIFICATION L 3 in. x W 3 in. Weight: 0.11 lbs 	ret marks ings besn't break, and back NS R ow 5 in. Weight: 0.11 lb I. DENTAI D uty poly pads fea ish and a non-sk ds ensure a clear hout lint or NS	ACCU F ITEM # ZZ-1410 ACCU F ITEM # ZZ-1410 ACCU F ITEM # ZZ-1410 ITEM # ZZ-1421	TillM 11 DS
TOFFLEI MATRIX ITEM # ZZ-1417 -IN-1 PRAL E 1 disposal with anti- 1 disposal ended pro Probe is r style, tapo readabilit SPECIFIC	ATTERNE ACTIONS ACTION	SPECIFICA L 6 in. x W 4 OSABLE PACK Sterile I mirror ng Le explorer -6-9 mm universal round tip for ient comfort $\boxed{mee} R_x \circ NEY$ sight: 0.03 lbs UJI IX DEN	ATIONS ATIONS A in. Weight: 0.0 A A A A A A A A A A A A A	D1 oz	 easy-to-interp No false marki It stretches, dowithout snap be SPECIFICATIO L 1.5 in. x W 0.37 BIN. X 3 IN MIXING PA Extra-heavy-dua high-gloss fin foam base Poly mixing pace smooth mix with paper shreds SPECIFICATION L 3 in. x W 3 in. Weight: 0.11 lbs DYCAL CA 	ret marks ings besn't break, and back ins R _x om 5 in. Weight: 0.11 lb 1. DENTAI 3. DENTAI 4. DENTAI 4. DENTAI 5. ty poly pads feat ish and a non-sk ds ensure a clear hout lint or NS	ACCU F ITEM # ZZ-1411 dures did- n, 3 IN. X 3 II DENTAL N ITEM # ZZ-1421	TillM 11 DS
TOFFLEI MATRIX ITEM # ZZ-1417 -IN-1 PRAL E 1 disposal with anti- 1 disposal ended pro Probe is r style, tapo readabilit SPECIFIC	ATTERNE ACTIONS ACTION	SPECIFICA L 6 in. x W 4 OSABLE PACK Sterile I mirror ng te explorer -6-9 mm universal round tip for ient comfort ient comfort ient comfort	ATIONS in. Weight: 0.0 ATIONS in. Weight: 0.0 ATIONS ATIO	D1 oz	 easy-to-interp No false marki It stretches, do without snap b SPECIFICATIO L 1.5 in. x W 0.37 BIN. X 3 IN MIXING PA Extra-heavy-du a high-gloss fin foam base Poly mixing pace smooth mix with paper shreds SPECIFICATION L 3 in. x W 3 in. Weight: 0.11 lbs DYCAL CA Saves time and time of condem 	ret marks ings besn't break, and back INS R _x ow 5 in. Weight: 0.11 lb I. DENTAL I. DENTAL I. DENTAL I. DENTAL I. DENTAL I. Set COMPANY I. Strong at critited at critited at compared to the set of the se	ACCU F ITEM # ZZ-1411 tures tid- n, 3 IN. X 3 II DENTAL N ITEM # ZZ-1421 ER cal	TillM 11 DS
TOFFLEI MATRIX ITEM # ZZ-1417 -IN-1 PRAL E 1 disposal with anti- 1 disposal ended pro Probe is r style, tapo readabilit SPECIFIC	ATIONS	SPECIFICA L 6 in. x W 4 OSABLE PACK Sterile I mirror ng e explorer 6-9 mm universal round tip for ient comfort $\boxed{\text{me}}$ R_{XONLY} eight: 0.03 lbs UJI IX DEN Packable posterior restorative ceme Fluoride releasing	ATIONS I in. Weight: 0.0 ATIONS I in. Weight: 0.0 ATIONS	D1 oz D1 oz	 easy-to-interp No false marki It stretches, do without snap b SPECIFICATIO L 1.5 in. x W 0.37 3 IN. X 3 IN MIXING PA Extra-heavy-du a high-gloss fin foam base Poly mixing pace smooth mix with paper shreds SPECIFICATION L 3 in. x W 3 in. Weight: 0.11 lbs DYCAL CA Saves time and time of condem easy to place w 	ret marks ings besn't break, and back ins R _x ow 5 in. Weight: 0.11 lb I. DENTAI I. DENTAI I. DENTAI I. DENTAI I. DENTAI I. Set COMPANY I. Strong at criti is strong at criti is strong at criti is strong at criti	ACCU F ITEM # ZZ-1411 tures tid- n, 3 IN. X 3 II DENTAL N ITEM # ZZ-1421 ER cal	TillM 11 DS
TOFFLEI MATRIX ITEM # ZZ-1417 -IN-1 PRAL E 1 disposal with anti- 1 disposal ended pro Probe is r style, tapo readabilit SPECIFIC	ATIONS	SPECIFICA L 6 in. x W 4 OSABLE PACK Sterile I mirror ng .e explorer -6-9 mm universal round tip for ient comfort [mu] Rx ONLY eight: 0.03 lbs UJI IX DEN Packable posterior restorative cement Fluoride releasing handle and place	ATIONS In. Weight: 0.0 ATIONS In. Weight: 0.0 ATIONS ATIO	D1 oz D1 oz	 easy-to-interp No false marki It stretches, do without snap b SPECIFICATIO L 1.5 in. x W 0.37 B IN. X 3 IN MIXING PA Extra-heavy-du a high-gloss fin foam base Poly mixing pace smooth mix with paper shreds SPECIFICATION L 3 in. x W 3 in. Weight: 0.11 lbs DYCAL CA Saves time and time of condem easy to place w where needed 	ret marks ings besn't break, and back NS R ow 5 in. Weight: 0.11 lb I. DENTAI I. DENTAI I. DENTAI I. DENTAI I. DENTAI I. Set 1 I. DENTAI I. Set 1 I. Set 1	ACCU F ITEM # ZZ-1411 tures tid- n, 3 IN. X 3 II DENTAL N ITEM # ZZ-1421 ER cal	TillM 11 DS
TOFFLEI MATRIX ITEM # ZZ-1417 -IN-1 PRAL E 1 disposal with anti- 1 disposal ended pro Probe is r style, tapo readabilit SPECIFIC	ATIONS	SPECIFICA L 6 in. x W 4 OSABLE PACK Sterile I mirror ng e explorer 6-9 mm universal round tip for ient comfort $\boxed{\text{me}}$ R_{XONLY} eight: 0.03 lbs UJI IX DEN Packable posterior restorative ceme Fluoride releasing	ATIONS In. Weight: 0.0 ATIONS In. Weight: 0.0 ATIONS ATIO	DI oz	 easy-to-interp No false marki It stretches, do without snap b SPECIFICATIO L 1.5 in. x W 0.37 3 IN. X 3 IN MIXING PA Extra-heavy-du a high-gloss fin foam base Poly mixing pace smooth mix with paper shreds SPECIFICATION L 3 in. x W 3 in. Weight: 0.11 lbs DYCAL CA Saves time and time of condem easy to place w 	ret marks ings besn't break, and back NS R ow 5 in. Weight: 0.11 lb I. DENTAI J. DENTAI I. DENTAI S uty poly pads feat ish and a non-sk ds ensure a clear hout lint or NS VITY LINI I is strong at critit isation while beint with ability to flow while staying in alcium	ACCU F ITEM # ZZ-1411 tures tid- n, 3 IN. X 3 II DENTAL N ITEM # ZZ-1421 ER cal	TillM 11 DS
patient co TOFFLEI MATRIX ITEM # ZZ-1417 -IN-1 PALE 1 disposal with anti 1 disposal ended pro Probe is r style, tapore readabilit SPECIFIC L 9 in. x W	QTY 36-Pa 36-Pa DISPE EXAM ble denta fog coatir ble doubl obe and e narked 3- ered with y and pat ATIONS 2.25 in. We	SPECIFICA ack L 6 in. x W 4 OSABLE PACK Sterile It mirror ng .e explorer -6-9 mm universal round tip for round tip for ient comfort Immer $R_x \circ NLY$ eight: 0.03 lbs UJI IX DEN Packable posterior Packable posterior eight and place and is very wear to bonds to tooth st coefficient of the	ATIONS ATIONS A in. Weight: 0.0 A in. Weight: 0.	DI oz	 easy-to-interp No false marki It stretches, do without snap b SPECIFICATIO L 1.5 in. x W 0.37 B IN. X 3 IN MIXING PA Extra-heavy-du a high-gloss fin foam base Poly mixing pace smooth mix with paper shreds SPECIFICATION L 3 in. x W 3 in. Weight: 0.11 lbs DYCAL CA Saves time and time of condem easy to place w where needed Radiopaque Ca Hydroxide com 	ret marks ings besn't break, and back NS R ow 5 in. Weight: 0.11 lb I. DENTAI J. DENTAI J. DENTAI J. DENTAI S uty poly pads feat ish and a non-sk ds ensure a clear hout lint or NS VITY LINI It is strong at critit isation while beint with ability to flow while staying in alcium aposition	ACCU F ITEM # ZZ-1411 tures tid- n, 3 IN. X 3 II DENTAL N ITEM # ZZ-1421 ER cal	TillM 11 DS
patient co TOFFLEI MATRIX ITEM # ZZ-1417 -IN-1 PRAL E 1 disposal with anti- 1 disposal ended pro Probe is r style, tapo readabilit SPECIFIC L 9 in. x W	QTY 36-Pa 36-Pa DISPE EXAM ble denta fog coatir ble doubl obe and e narked 3- ered with y and pat ATIONS 2.25 in. We	SPECIFICA L 6 in. x W 4 OSABLE PACK Sterile I mirror ng e explorer -6-9 mm universal round tip for ient comfort I mere R ONLY oight: 0.03 lbs UJI IX DEN Packable posteria restorative cemer Packable posteria restorative cemer Packable posteria restorative cemer bonds to tooth st	ATIONS ATIONS A in. Weight: 0.0 A in. Weight: 0.	DI oz DI oz BLE MMPACK QTY 1 Pack EMENT mer e, easy to mely hard emically tooth-like ion R _X ONLY	 easy-to-interp No false marki It stretches, do without snap b SPECIFICATIO L 1.5 in. x W 0.37 BIN. X 3 IN MIXING PA Extra-heavy-du a high-gloss fin foam base Poly mixing pace smooth mix with paper shreds SPECIFICATION L 3 in. x W 3 in. Weight: 0.11 lbs DYCAL CA Saves time and time of condem easy to place w where needed Radiopaque Ca Hydroxide com 	ret marks ings besn't break, and back NS R ow 5 in. Weight: 0.11 lb I. DENTAL I. DENTAL I. DENTAL I. DENTAL I. DENTAL I. S I. DENTAL I. S I. DENTAL I. S I. DENTAL I. S I. DENTAL I. DENTAL I. S I. DENTAL I. S I. DENTAL I. DENTAL I. DENTAL I. S I. DENTAL I. S I. S I. DENTAL I. S I. DENTAL I. DENTAL I. S I. DENTAL I. S I. S I	ACCU F ITEM # ZZ-1411 tures tid- n, 3 IN. X 3 II DENTAL N ITEM # ZZ-1421 ER cal	TILM 11 DS OTY TO USA - MONTHAN TILM 11 DS OTY B 1 Each TILM 11 OS OTY B 1 Each TILM 11 DS OTY B 1 Each TILM 11 DS OTY TILM 11 DS OTY TILM 11 Each TILM 11 DS OTY TILM 11 Each TILM 11 Each TI

MED·SURG

98 www.NARescue.com • 888-689-6277

NULLEUR



see pages 98-115



PEGASUS ROPE[®]

8MM HAVOC Assault Rope

Innovative Synergy of 2 unique Fibers engineered for unmatched Confidence & Resilience from Ropes in Challenging Environments

North American Rescue & Edelrld, the industry leader in rope manufacturing with 150 years of experience, have joined forces with multi-disciplinary vertical specialists to innovate the **most tenacious** small diameter rope on the market today – engineered to counter the most severe environmental pathologies found throughout full-spectrum operations... whether at work or at play.

The unique material engineering of the 8mm HAVOC core, specifically it's Innegra[™] Braided Fiber Core Integration, provides superior durability, low fatigue properties, an extremely low specific gravity, and superior resistance to the harshest contaminates (acids, bases, and organic solvents). The novel tensioning and fiber refinement techniques utilized within the 12-braid Innegra[™] core amplfies its overall robustness and resilience providing an operational rope which acts as a counter-measure to anticipated environmental challenges.

This specialized core of the 8mm HAVOC is protected by a higher density, precision double braided **Technora sheath** to synergistically interface with the core for **optimized strength**, **elongation**, **decreased creep**, **heat resistance**, and **operational safety**. To reinforce the **abrasion resistance**, **cut resistance**, and **overall durability**, the 8mm HAVOC's sheath was bulked up to a **52% sheath ratio**.

100 www.NARescue.com • 888-689-6277



Engineered to counter the pathologies innate to the following environments and/or mission sets:

- Mountain/Rough Terrain Movement
 & Evacuation
- Urban Access, Extraction, & Rescue
- Waterborne/Maritime Access & Rescue
- Cave/Subterranean Response
- Snow/Ice Rescue
- Shipboard Response, Rescue,
 & Evacuation
- Canyon Movement & Rescue (Class B & C)
- Confined Space Rescue
- Wilderness SAR
- Wildland REMS



Wreak Confidence

INNZGRA

CORE

52%





8MM HAVOC ASSAULT ROPE

LENGTH	ITEM #
50 ft	90-8501
75 ft	90-0403
100 ft	90-1402
150 ft	90-0404
200 ft	90-2402
300 ft	90-3402
600 ft	90-6402

Specifications: 🔟

- Diameter: 8 mm
- Weight: 2.9 lb/100 ft
- Elongation: 300 lb: 3.58%
- 3-Sigma MBS: 5,615 lb (25 kN)
- Fibers (Core/Sheath): Innegra™/Technora®
- Sheath Ratio (by wt.): 52.5%

SHEATH

- 52% Technora Sheath Ratio (by weight) The most robust on the market!
- Resistant to Cuts, Abrasion & Heat
- Optimized Strength
- Decreased Creep
- Increased Durability & Safety

For Ordering Info, See Inside Back Cover 101



Technora® Sheath

CORE

- Innegra[™] Lightest Weight Structural Fiber on the market with a very Low Specific Gravity
- Hydrophobic
- Resistant fo Harsh Contaminents
- Low Flex Fatigue
- Superior Durability
- Meets EN 564



ROPES

WARHORSE[™] SERIES

100% Innegra[™] fiber braided core

- High quality, multipurpose rope
- Static rope provides reliability, high performance and great handling
- Excellent knot-ability with high strength-to-weight ratio
- Low stretch/sheath slippage wet, dry or in any other climatic condition
- Ultra-lightweight, strong Innegra[™] core for reliable strength, durability & flotation

ITEM #

Black/Red 90-1401

Black/Blue 90-1400

- Properties remain unchanged even when wet, dry or contaminated with chemicals
- Low dielectric and UV stable

SPECIFICATIONS

Diameter Weight: Tensile Strength: Fibers (core/sheath): Sheath Ratio: Ratings:

9.1 mm 4.88 lb/100 ft 5,670 lbf (22.7 kN) Innegra™/Polyester 63% Polyester NFPA 1983/2012 Throwline (Pending)

9.5 mm 3.34 lb/100 ft 5,100 lbf (22.7 kN) Innegra™/Polyester 28% Polyester NFPA 1983/2012 Throwline (Pending)

WARHORSE[™] SERIES - 100 ft

DIAMETER	COLOR	RUNNER	ITEM #
9.1 mm	Black	Gray*	90-1207
9.5 mm	Black	Gray Reflective	90-1206
9.5 mm	Yellow	Blue Reflective*	90-1205
9.5 mm	White	Blue*	90-1208

*200 ft, & 300 ft also available at NARescue.com

OLYMPUS[™] SERIES Engineered for rough terrain

- Ideal for use in challenging and abusive environments
- Durable, lightweight and great handling offers reliability in all weather conditions
- Technora sheath adds strength and abrasion resistance
- Buoyant even with a 62% Technora sheath (9.5mm)

SPECIFICATIONS

- Diameter Weight: Tensile Strength: Fibers (core/sheath): Sheath Ratio:
- 9.5 mm 3.82 lb/100 ft 5,495 lbf (24.4 kN) Innegra™/Technora 62% Technora

11 mm 4.99 lb/100 ft 6,834 lbf (30.4 kN) Innegra™/Technora 60% Technora

A



DIAMETER

9.5 mm


11 mm

OLYMPUS[™] SERIES - 100 ft

Gold

Gold

COLOR RUNNER



TRITON[™] SERIES Specially designed for water rescue

- 10% lighter & 250% stronger than polypropylene alone
- 100% Innegra™ fiber braided core, the lightest structure fiber available, provides additional buoyancy, low elongation and consistent strength

SPECIFICATIONS

Diameter
Weight:
Tensile Strength:
Fibers (core/sheath):
Sheath Ratio:
Ratings:

7.5 mm 2 lb/100 ft 3,050 lbf (13.6. kN) 46% Polypropylene NFPA 1983/2012 Throwline (Pending)

Innegra™/Polypropylene

STALLION[™] SERIES Low visibility - high performance

RUNNER

Yellow

Blue Reflective

• 100 ft of this 9.5 mm rope offers 5,100 lb of strength under 3 lb - wet or dry

ITEM #

90-1303

90-1305

- Chemically resistant to acids, bases & common industrial chemicals
- Low sheath slippage, excellent strength-to-weight ratio and hydrophobic

SPECIFICATIONS

TRITON™ SERIES - 100 ft

DIAMETER

7.5 mm

7.5 mm

COLOR

Yellow

* 100 ft, 200 ft, & 300 ft available at NARescue.com

Red

Diameter
Weight:
Tensile Strength:
Fibers (core/sheath):
Sheath Ratio:

9.5 mm 2.9 lb/100 ft 5,100 lbf (22.7. kN) Innegra™/Innegra™ 24% Innegra™

STALLION			
DIAMETER	COLOR	RUNNER	ITEM #
9.5 mm	Black	Blue	90-1104

* 100 ft, 200 ft, & 300 ft available at NARescue.com

6 MM XTEC ROPE

- Hollow braid Construction
- Technora® sheath and core
- Maximum abrasion and cut resistance
- Withstands up to 932° Fahrenheit

SPECIFICATIONS

Diameter
Weight:
MBS Rating:
Fibers (core/sheath):

6 mm 1.76 lb/100 ft 4,721 lbf (21 kN) Technora®

RIT 900 SEARCH ROPE

ITEM #

- Hollow braid Construction
- Twaron® Sheath

6 MM XTEC ROPE

DIAMETER

6 mm

6 mm 6 mm

• Withstands up to 932° Fahrenheit

LENGTH

Abrasion and chemical resistant

SPECIFICATIONS

Diameter Weight: MBS Rating: Fibers (core/sheath): Twaron®

6.8 mm 1.8 lb/100 ft 4,136 lbf (18.4 kN)

RIT 900 SEARCH ROPE - 75 FT

DIAMETER	LENGTH	ITEM #
6.8 mm	75 ft.	90-0146

30 ft. 90-0145 50 ft. 90-0144 75 ft. 90-0143



50 Foot THROW BAG

- Must-have necessity for water rescue
- Durable, easy-to-use rescue device with highly visible orange nylon bag and mesh panels that drain quickly for use in multiple rescue operations
- Packed with 50 ft of 7.5 mm Triton Pegasus Rope[®] rated at 3,050 lbf
- Triton rope is strong enough for multiple uses: as a throw line, tension diagonal, tow line and for pinned kayak recovery





50 FT THROW BAG

ITEM # 90-0064

SPECIFICATIONS SPECIFICATIONS SPECIFICATIONS SPECIFICATIONS CONTRIBUTED SPECIFICATION SPECIFICATION

104 www.NARescue.com • 888-689-6277



HELO TAGLINE KIT

• Help control litter movement during hoist operations – a requirement on all Army MEDEVAC helicopters

Rope Kits **RESCUE**

 Contains 250 ft of 7.5 mm Triton Pegasus Rope[®] featuring a highly visible polypropylene sheath with an Innegra[™] core

HELO TAGLINE KIT CONTENTS:



A-VRR Adaptable Vertical Response Rack Kit

SPECIFICATIONSPackaged: 12 in. x 15 in.Weight: 3.25 lb

The Adaptable Vertical Response Rack was designed meet and exceed full-spectrum operational vertical requirements for urban through mountain / canyon access, rescue, and evacuation variables. The kit capabilities were driven utilizing NFPA 1006 (Operations & Technician Level) JPR's and the KPP's (Key Performance Parameters) within the USSOCOM SOF CASEVAC Program framework. The A-VRR Kit's organic versatility allows it to be scaled up to meet all relevant job performance requirements (JPR's) for complex team access and/or rescue or be scaled down for a "fast & light" mission specific assault configuration.

P-A-C-E methodology was engineered throughout the kit design, enabling multiple options for progressive capture and rope grab capabilities depending on the environmental pathology.

- Haul / Mechanical Advantage Capability Multiple simple, compound and complex configurations ranging from a 2:1 through 9:1
- Full spectrum Friction Configurations for Rappels, Bail-outs, And One or Two Person Lowering Systems
- Traditional and MA-assisted Ascending Techniques
- Multiple Basic and Anchor Configurations to Include Contingency and Releasable Systems
- Load Transfer Capabilities to include Knot Passing on Rappel and within a system and casualty Pick-Offs

Carabiner Carabiner Carabiner Wire Ev Decent Control Device **1** 16 ft 6mm 1 Pulley H-Frame Auto-**1** Ascender 1 7mm 120cm 7mm TRC Cord **HMPE Sling** vith Rope Grab Carabiner_{wPulley} / Rope Clamp **VT Prusik** Screw Link

1 Totem

Land Contraction

Oval Auto-lock

A-VRR

ITEM # 90-5000

Oval Auto-lock

3 HMS Auto-lock



R.A.C.E. SUB-T Rapid Access Casualty Extraction Subterranean Kit

Specifically designed for full-spectrum vertical

• HRO (High Reliability Organizing) Engineered

Innate requisite variety (redundancy)

operations within harsh environments

• Ultra-Lightweight Components

Hydrophobic Software

• Easy sustainment

1 R.A.C.E.

Nylon Bag - MTC

- Scalable based on mission context, organic assets, & end-user
- Resilient to environmental pathology

1 Rope

Edge Guard

Pulley

FLIGHT RISK KIT

that easily fits within pocket, bag, or harness

Counter-balance casualty evacuation capability

assist in the event of a panic grab • Gives the end-user a rapid, smooth,

and safe egress capability

vith Rope Grab

- Capability focused up to Technician Level JPR's (Job Performance Requirements)
- Meets and exceeds operational requirements of SOF CASEVAC Program

1 150 ft 8mm HAVOC Rope

1 H-Frame Auto-lock

Carabiner_{w/Pulley}

R.A.C.E. SUB-T CONTENTS:

1 Totem

Decent Control Device

1 Ascender

/Rope Clamp













SPECIFICATIONS H 6.5 in. x W 6 in. x D 3.5 in. Weight: 3.75 lb

FLIGHT RISK KIT

1 Oval Auto-lock

Carabiner_{w/}Wire Eye

1 7mm

VT Prusik

ITEM # 90-5003

1 Oval Auto-lock

Carabiner

1 16 ft 6mm

TRC Cord

FLIGHT RISK KIT CONTENTS:

Ultra-lightweight, compact rescue, and emergency egress / bail-out modular system

• Auto-Locking F3 Descent device engineered with a double-action lever to give a brake

Subterranean Deep Hydro | Cave Mountain | Rough Terrain Access | Evac Class B & C Canyon | Slot Mountain | Jungle

> **SPECIFICATIONS** H 15 in. x W 10 in. x D 7.5 in. Weight: 10 lb 8 oz **R.A.C.E. SUB-T**

ITEM #

90-5002



3 HMS Auto-lock

Carabiner

1





H 7.75 in. x W 13 in. x D 9 in. Weight: 5.7 lb



•	Ultra-compact, lightweight -
	Grab & Go "Piggy-Back" Mechanical
ä	Advantage System engineered for full
	spectrum operational requirements

- Simple to use yet expandable to the level of expertise of the rescuer and the complexity of the rescue
- Easily carried or packed/attached onto an aid bag, mountain pack, cargo pocket, harness gear loop, or fast-rope bag
- Traditional hauling operations (3:1, 4:1, 5:1, and 9:1)



VT Prusik

/ Rope Clamp



SPECIFICATIONS TAA H 7 in. x W 4.5 in. x D 2.75 in. Weight: 4.25 lb

1 5mm

Screw Link

1 50ft 6mm

XTEC Cord

1 JAG Traxion

Double Pulley

120cm

HMPE Sling

1 JAG Traxion

Double Pulley

iMAS KIT ITEM # 90-5005

1 22ft 1 in. Nylon

Tubular Webbing









2 Lg. Rigging

Rubber Band

High Threat Extraction **RESCUE**





HIGH THREAT EXTRACTION KIT

COLOR	ITEM #
Black	80-0139
OD Green	80-0140
Coyote	80-0141

- Facilitates immediate casualty extraction so that Care Under Fire casualty treatment may be performed as soon as possible
- Self-contained kit with all of the essential tools for tactical operators and rescue personnel
- Includes a C-A-T[®] tourniquet to immediately address extremity hemorrhage at the point of wounding
- Rugged nylon bag attaches to the duty belt as a drop down leg rig or to the assault vest/body armor with PALS/MOLLE-style connectors

HIGH THREAT EXTRACTION KIT:



EDEL

RESCUE | Rescue Gear

IRUPU HARNESS

10



UIAA: Yes Certification: EN 12277 Type C Waist: 65-110 cm | Leg Loops Max: 70 cm Weight: 21.16 oz (600 gm)

- Multi-disciplinary rugged harness for use in operational environments (*Mountain evac*, *Sub-T*, *Canyons*, & *Caves*)
- 2 robust, floating gear loops
- Enhanced stitching and replaceable seat provide uniform protection in environments with abrasion hazards
- Stitched clip-in buckles with tension straps for easy on & off
- Left/ right leg loop markings make it easier to put the harness on correctly
- Large, textile tie-in point

IRUPU HARNESS

ITEM # 90-4020



The first & only foldable climbing helmet on the market

EDELRID

SPECS

CE marking: CE 0123 Weight: 13.76 oz (390 gm)

MADILLO HELMET

90-4019

MADILLO HELMET

- Robust and impactresistant injectionmoulded ABS shell
- Innovative combination of 3 different foam types (EPS, EPP and EVA) deliver optimum safety and comfort
- Fully adjustable chinstrap for optimal fit
- 4 robust headlamp clips
- Detachable, washable padding
- Side/front/back impact tested to EN 12492



RAT STRAP

Rescue Assault Tether

- For head/feet first linear drags during shield-assisted, openfield/indoor-corridor rescues or single-rescuer extractions
- Innovative Daisy Chain configuration offers multiple reinforced attachment points

SPECIFICATIONS

Pkg: H 1 in. x W 4 in. x D 5.5 in. Extended: L 62 in. Minimum Break Strength: 2,702 lb Weight: 12.7 oz

RAT STRAP

ITEM # NSN # 6530-01-632-7872 90-0002

DRAGON

Under the Vest Harness

- Built-in handle system for immediate high threat extraction
- Operator harness to aid in the rescue of downed personnel without the need to holster or sling weapons
- Prevents the "ride up" of the casualty's ballistic vest, reducing exposed, unprotected body regions

SPECIFICATIONS

Height: 20 in. from waist to non-deployed handle Length: 14 in. from harness attachment point to top of handle Weight: 1 lb 1.6 oz. Waist Size: 30 in. to 45 in. Patent 7,467,419

DRAGON HARNESS

ITEM # 90-0003

HASTY HARNESS Multi-purpose Harness

Æ

- Indispensable gear for every webbing equipment toolbox
- Resourceful, multi-purpose harness for unlimited applications & maximum versatility
- Constructed of 22 ft loop of 1 in. Tech Tape (MBS: 4,400 lb) with opposing color thread to aid in visual safety inspection

SPECIFICATIONS

Loop: L 10 ft 11 in. x W 1 in. Circumference - 21 ft 10 in. Min. Break Str: Tech Tape (4,400 lb) Sewn Sling (6,000 lb)

HASTY	HARNESS	NATO NSN'
COLOR	ITEM #	NSN #
Red	90-0044	
Black	90-0001	6530-01-674-9774*

EX-TRACT STRAP

Point of Wounding Extraction

- Point of wounding extraction
- Back pack carry
- Hasty harness for traditional and confined space lowering and hauling

SPECIFICATIONS

Pkg: H 18 in. x W 3.5 in. x D 1 in. Extended: L 58 in. Weight: 9.3 oz

EX-TRACT STRAP

ITEM #

90-0082

DRAGON HANDLE

Tool offering head/feet first drags

• Maintain an anatomically correct posture for rapidly extracting greater weight

- Decreases manpower needs in 'zeroed in" locations
- Black Omega, non-locking "D" carabiner rated for 31kN (6.968.8 lb).

H 6.3 in. x W 4.1 in. x D 2.25 in. Device Length: L 42 in.

DRAGON HANDLE

ITEM #	NSN #
90-0004	6530-01-598-9595









RESCUE Carabiners & Gear

TIBLOC

Ascender/Rope Grab by Petzl®

Ultra-light Compact Ascender/Progress Capture Device for rope ascents, hauling systems or friction knot replacement in selfrescue situations

SPECS

Rope Size: 8-11 mm Weight: 1.23 oz (35 g)

ITEM #

ZZ-0547

PIRATE CARABINER by Rock Exotica

Ideal as a belay biner at the harness, or as a connector in a system

SPECS

Gate Opening: 25 mm MBS Major: 26 kN MBS Minor: 12 kN MBS Open: 7 kN H 107 mm x W 71 mm Weight: 3.09 oz (87 g)

ITEM

90-4003

ROCKO NON LOCKING

Carabiner by Rock Exotica® Non locking enhanced Oval biner with Snag-

SPECS

Gate Opening: 25 mm MBS Major: 22 kN MBS Minor: 10 kN MBS Open: 6 kN H 107 mm x W 71 mm Weight: 2.36 oz (67 g)

ITEM

90-4022

ALPHA FIX Y SLING

30/60 cm by Edelrid Y-Shaped self belay sling for edge restraint, DCD extender, knot passing on rappel, edge transition safety, & hasty pick-offs

ITEM

90-4021



ROPE GRAB PULLEY-SPOC by Edelrid

1.1

Ultra-light pulley designed for lifting loads, crevasse rescue operations, or as an emergency ascender

SPECS

Rope Size: 7-11 mm Weight: 2.12 oz (60 g) Diameter Pulley: 20 mm

ITEM #

90-4005

ROCKO AUTO LOCK

Carabiner by Rock Exotica 3-stage Autolocking carabiner with intuitive pull-down and twist action

SPECS

Gate Opening: 24 mm MBS Major: 24 kN MBS Minor: 11 kN MBS Open: 6 kN H 107 mm x W 71 mm Weight: 2.88 oz (81.65 g)

ITEM # 90-4001

QUICK LINK SCREW LOCK

7mm Oval Stainless Steel

Quick Link Carabiner

SPECS

Rod stock Diameter: 7 mm Gate opening: 16 mm Major Axis: 25 kN Minor Axis: 10 kN H 3.25 in. x W 1.25 in. Weight: 2.4 oz

ITEM # ZZ-0544



ROLLCLIP A H-FRAME

Von-Locking Pulley-carabiner with a non-locking gate opening

SPECS

Rope.: 7 to 13 mm Major axis: 20 kN Minor axis: 8 kN Open gate: 7 kN 5.25 in. x 3 in. x 1.25 in. Weight: 3.76 oz



90-4006

ROCKO WIRE EYE

Carabiner by Rock Exotica Standard carabiner with the safety and capability of a lanyard pin,

or captive eye SPECS

Gate Opening: 22 mm MBS Major: 24 kN MBS Minor: 9 kN MBS Open: 6 kN H 107 mm x W 71 mm Weight: 2.96 oz (84 g)

ITEM #

90-4011



SPECS

ITEM #

90-4002

Rod stock Diameter: 5 mm Gate opening: 6 mm Major Axis: 25 kN H 1.97 in. x W 0.98 in. Weight: 0.7 oz

HMPE CORD BLUE SLING

Sewn sling made of high-strength kernmantle material, ideal as a full-spectrum anchor, harness extension, alternate prusik, & canyon quickdraw for Rig to Raise conversions







Not for use as

a via ferrata set

ĬM

SPECS

CE 0123

Load capacity: 23 Kn

Weight: 4.16 oz (118 gm)

resistant keylock nose design



BASIC ASCENDER

bv Petzl

Compact ascender with excellent grip for rope ascent on a fixed line or as progress capture in a hauling system

SPECS

Rope Size: 8-11 mm Weight: 3 oz (85 g)



ITEM

ZZ-0554

MINI MACHINED PULLEY by Rock Exotica

Mini pulley with recessed axle screw, machined sideplates & integrated axle for a stronger, compact, snag-free profile

SPECS

Rope Size: up to 11 mm Weight: 2.9 oz (83 g)

ITEM #

ZZ-0548

TRIRIG RIGGING PLATE

A

by Rock Exotica

Lightweight. high performance 3 hole rigplate with numbered holes to assist with detailed rigging

SPECS

Break Strg: 36 kN Weight: 1.8 oz (51 g)

144

ITEM #

ZZ-0553

7MM VT PRUSIK

For use on personal ropes 8mm -9.5mm in diameter

The VT Prusik is a versatile open-end

Prusik. Use to tie: Symmetric

Prusik, Asymmetric Prusik (Schwabisch/Distal), Valdotain Tresse, French Prusik SPECS

ITEM

90-4050

nocke Ø\$11 m

Weight: 2.08 oz (59 g)

77-0546

bv Petzl

SPECS

ITEM # ZZ-0545

Compact, ultra-light

belay device allowing

braking capability

Rope Size: 8-11 mm

Weight: 6 oz (170 g)

REVERSO 4

amount of braking

Regulates the

friction on the

rope according

to diameter and

condition

SPECS

Belay/Rappel device by Petzl

ROCKD CARABINER by Rock Exotica

Narrow asymmetric "D" shape machined frame with snag resistant keylock nose and large, ergonomic angled gate opening

Gate Opening: .24 mm Weight: 2.6 oz (73 g)

ITEM #

ZZ-0543

FOOTAPE

Adjustable Foot Loop by Petzl®

foot loop for attachment to the BASIC rope clamp for rope ascents

SPECS

Weight:

Weight: 1.6 oz.

Length: 33 in.

Diameter: 7 mm

ITEM #



ROPE TOOTH **KNIFE**

by Edelrid®

- Ideal for all cutting requirements outdoors
- Perfectly suitable to shorten static lines or ropes
- Large swivel hole for attaching to harness or backpack with carabiner
- Sharp, locking blade (partly serrated)
- High-quality Stainless Steel

SPECIFICATIONS

L 3 in. x W 1 in. (closed blade) Blade Length: 3 in. Weight: 1.69 oz (48 gm)

ROPE TOOTH KNIFE

ITEM # 90-4027

ANNEAU SLINGS by Petzl Polyester sling to set up a belay or an anchor SPECS W 19 L 60 d

Wgt: 6

120 c

120 cm

W 19 mm L 60 or 120 Wgt: 60 cm 120 cm - 3.5	- 2 oz	C	120 cn
LENGTH	ITEM :	#	
60 cm	ZZ-05	49	_

60 cm

Rescue Knives





ITEM #

SPECS

Adjustable nylon

2.3 oz (65 g)

ZZ-0551

ZZ-0550







НООК	SAFETY	CUTTERS
by Renchmo	nde®	

- Hook cutters designed to quickly and reliably cut through a wide array of materials
- Extensively tested and widely used by the US Military for medical and egress purposes

ITEM #	STYLE	NSN #	S
ZZ-0652	7 Hook		7 8
ZZ-0250	8 Hook		W

PECS Hook: L 4.3 in. Hook: 6.5 in. Veight: 1.5 oz

6

S	0	СР	RES	CUE	TOOL	
	_					

by Benchmade®

- Fixed 440C high-chromium stainless steel blade hook for rescue performance and less-than-lethal self-defense
- Includes carbide glass breaker, oxygen wrench, single-piece handle with finger loop & molded sheath
- Designed by Special Operations Combatives Program (SOCP)

SPECS	ITEM #	NSN #
Blade: 2.5 in. Overall: 6.75 in.	ZZ-0760	
Weight: 1.88 oz		

SPECS

ITEM #

90-0078

Weight: 3.2 oz

Blade: 3.5 in. Overall: 8.02 in.

NSN #

1095-01-677-1013



NAVY SAR SOML 112 SBK by Benchmade®

Approved for Navy SAR -" So Others May Live"

- N680 ultra stainless steel blade with opposing fixed bevel blade style with blunt tip, integrated rescue hook and carbide glass breaker
- Boltaron[®] sheath designed to fit current Navy SAR kits

TRIAGE 917 SBK bv Benchmade[®]

- Premium drop point style CPM-S30V steel blade in a tactical black finish with a partially serrated edge
- 440C folding hook and carbide glass breaker for rescue and tactical applications

ITEM #	NSN #
90-0093	

Æ SPECS Blade: 3.48 in Overall: 8.33 in. Weight: 5.24 oz



- Dynamic triple utility tool featuring three essential rescue tools in a single compact design
- N680 high corrosion resistant, partially serrated, opposing bevel blade, 440C folding hook & carbide glass break

SPECS

Blade: 3.5 in Overall: 8.2 in. Weight: 5.1 oz

ITEM #	HANDLE	NSN #
90-0060	Black	



Leatherman[®] Multi-Tools **RESC**

RAPTOR MULTI-TOOL

HANDLE ITEM # NSN # Black 70-0014 5110-01-626-8766 Coyote 70-0265 4 See our Treatment Support Section on page 87 for the compatible Scissor Leash RAPTOR **RESPONSE SHEARS** HANDLE **ITEM #** Cement 70-0328 Crimson 70-0329 Navy 70-0330 6

RESPONSE SHEARS

HANDLE

COLORS:

4

1. Stainless Steel folding shears

6

- 2. Integrated ring cutter
- 3.5 cm ruler
- 4. Oxygen tank wrench
- 5. Lanyard connection in handle
- 6. Removable pocket clip

HANDLE COLORS:

SPECS

Shear Length: 1.9 in.

Closed Length: 5 in. Weight: 5.8 oz

SPECS

Length: Closed 4.3 in. Shear Length: 1.9 in. Width: 1.7 in | 4.3 cm

Open 7.25 in. Overall Thickness: .85 in. Weight: 5.5 oz

High-performance multi-tool equipped with a variety of mission critical tools essential to emergency medical practitioners in the field

- 1. 420HC Stainless Steel Folding Medical Shears
- 2. Strap Cutter
- 3. Oxygen Tank Wrench

Leatherman®

- 4. Ring Cutter
- 5. Carbide Glass Breaker

1

3

- 6.5 cm Ruler
 - 7. Holster with Clip

RAPTOR MULTI-TOOL

For Ordering Info, See Inside Back Cover 113

ESCUE | Tactical Lights & Accessories

TORQ by First Light®

- Right angle tactical light, rotating head and 3 button control
- White, Red. Green, and Red+Green LED mix for highlighting blood
- Includes momentary and three intensity levels of constant-on (all output colors)
- Features integrated high intensity white tactical strobe and red/white/green flashing safety beacon
- 10 hour Runtime on high output

TORQ

ITEM #	NSN #
70-0118	6515-01-646-2636

SPECIFICATIONS

Wavelengths: White, Red, Green, & Red+Green (Blood Highlighting) Max Runtime: 10 hours (ANSI Tested) With mount: H 3.9 in. x L 2.6 in. x W 1.3 in. Weight (with mount & batteries): 7.1 oz

TOMAHAWK TC3 NIGHT VISION

- by First Light
- Right angle tactical light with rotating head and 3 button control panel for one-handed thumb actuation
- Provides White, IR, and Red+Green LED mix for highlighting blood during casualty treatment
- Featuring Integrated high intensity IR signaling beacon
- Includes momentary and three intensity levels of constant-on (all output colors)
- Can be used handheld or hands-free with MOLLE TRS Blade Mount

TOMAHAWK TC3 MULTI-COLOR

- by First Light[®]
- Right angle tactical light with rotating head and 3 button control panel
- Provides White, Red. Green, and Red+Green LED mix for highlighting blood during casualty treatment
- Includes momentary and three intensity levels of constant-on

NAR HEADLAMP

- 100 Lumen LED Light
- Dual color (white and red)
- High and low lighting modes (White)
- Sturdy and simple to rotate single arm bracket
- Large push button for operation
- Splash and water resistant (IPX4)
- Comes with 2 AAA batteries
- 58 hour burn time

TASK LIGHT	ITEM #
None	70-0016
None	70-0117
UV Task	70-0116
UV Task	70-0115
Blue Task	70-0114
Blue Task	70-0113
	None None UV Task UV Task Blue Task

SPECIFICATIONS

Output Wavelengths: White, IR, & Red+Green (Blood Highlighting), IR Signaling Beacon Maximum White Light Output: 425 lumens Max Output Runtime: 2 hours (ANSI Tested) Power Source: CR123 Batteries (2) Material: Aerospace-Grade Aluminum With mount: H 3.4 in. x L 2.4 in. x W 1.5 in. Weight: (with mount & batteries) 8 oz

TOMAHAWK NIGHT VISION

7.2 oz

CASE COLOR	TASK LIGHT	ITEM #
Coyote	UV Task	70-0015
OD Green	UV Task	70-0112
Coyote	Blue Task	70-0111
OD Green	Blue Task	70-0110

SPECIFICATIONS

Output Wavelengths: White, Red, Green, & Red+Green (Blood Highlighting) Maximum White Light: 425 lumens Max Output Runtime: 2 hours (ANSI Tested) Power Source: CR123 Batteries (2) Material: Aerospace-Grade Aluminum With mount: H 3.4 in. x L 2.4 in. x W 1.5 in. Weight (with mount & batteries):

A

NAR HEADLAMP		
ITEM #		NSN #
	ZZ-0106	6515-01-542-7937

KITS

AED-SURG

RESCUE

TMENT SUPI

TRA

Tactical Lights & Accessories **RESCUE**



ARIA 2 RGB Headlamp by Petzl[®]

- Dustproof, waterproof (IP67), & impact resistant (IK07)
- Wide, uniform beam for close-range vision
- Mixed beam for easier movement
- Red, Green or Blue lighting in both continuous and strobe modes provide versatile stealth and visual comfort.
- 3 White Light Modes: Max Burn Time, Standard, & Max Power
- Mounting plate is compatible with a variety of helmet mounts
- Adjustable orientation gives you light where you want it
- AAA batteries included
- Also compatible with rechargeable CORE battery (not included)

GECKO GRIP Multi-purpose Tape

Laminated polyethylene cloth tape featuring an aggressive natural rubber based adhesive formulation and perfect for heavy-duty applications

SPECIFICATIONS

Pack of 6 Rolls: L 12.25 in. x W 0.9 in. x D 0.7 in. Individual Roll: W 2 in. x L 5 yd Weight: Roll: 2.7 oz Pack: 1 lb 8.7 oz Pack of 6 Flat (tape tri-folded inside kit): Packaged: H 7.5 in. x W 3 in. x D 0.34 in. Min Pk Size: H 5.25 in. x W 2 in. x D 0.34 in. Strip Size: 2 in. x 15 in. per strip Weight: 0.13 lbs (2.13 oz)

GECKO GRIP		
UNIT	ITEM #	
Pack of 6 - Flat	ZZ-1523	
Pack of 6 - Roll	80-0131	

GECK

GECKO G

ARIA 2 RGB HEADLAMP

ITEM # 77-9038 **SPECIFICATIONS**



E/T TRIAGE LIGHTS

Weight: 3.74 oz.

- Offers 15 different program modes with optional features
- Four color option with, or without, IR modes for each color
- Long lasting battery offers 50-200+ hours depending on mode selected
- Tested for extreme temperatures and environments





Battery Type: Replaceable 3 Volt CR2 Weight: 1.53 oz with lanyard, no packaging Size: 3.125 in. X 1.125 in.

Packaged size: 3.5 in. X 1.375 in., includes one E/T Light, one lanyard, storage tube and instructions

Shape: Cylindrical with a tapered end, cone shaped

Colors included in each: Infra-Red/Red/Green/Blue or Red/Yellow/ Green/Blue

Light Source: LED's - approximately 100,000 hrs life

Battery Life: 50 hrs – 200+ hrs (dependant on battery make and color/ mode selection)

Operating Temperatures: -30° F to 130° F

Depth rating: Pressure tested for 1 hour down to 66ft of water









OPTION	ITEM #
Color Only	ZZ-1177
Color w/ IR	ZZ-1178

6





TREATMENT SUPPORT | Hyperthermia

POLAR SKIN[™]

- The latest cooling technology for effective Human Thermo-regulation
- Polar Skin Mini-Mesh,™ a unique smart textile with a hydrofunctional polymer that allows for liquid absorptive capacity 350% greater than base weight
- ArcticAqua,[™] a proprietary solution that prevents rigidity at temperatures well below 0°F while providing the requisite moisture to support evaporative, convective and conductive cooling
- Adheres to current U.S. Army and National Athletic Trainers' Association protocols for heat illness treatment
- Protracted direct cooling of high blood flow regions

COMPREHENSIVE COOLING SYSTEM

- Highly-effective portable cooling system with C.O.R.E. technology for the treatment of heat-related illnesses
- Scientifically proven to reduce core temperature by .09°F/ minute in 100°F heat when used according to protocol

COMPREHENSIVE COOLING

ITEM # ZZ-0674

SPECIFICATIONS 🗉

L 16 in. x W 12.5 in. x H 3.25 in. Weight: 9 lbs

COMPLETE CARE PACK

- Portable, highly insulated option
- Contains one Polar Skin Comprehensive Cooling System and one heavy-duty, leak & sweat proof cooler that keeps ice from melting for 24 hours in +100°F heat

COMPLETE CARE PACK

ITEM # 80-0451 SPECIFICATIONSW 14 in. x L 12 in. x D 7 in.Weight: 10 lb 3.2 oz

COMPLETE CARE BACKPACK

Available in either Single Patient (one comprehensive cooling system) or Double Patient (two cooling systems) configurations

COMPLETE CARE BACKPACK

SIZE	ITEM #
Single	80-0543
Double	80-0544

SPECIFICATIONS

W 19.5 in. x L 15 in. x D 7.5 in. Single Weight: 12 lb 13 oz Double Weight: 22 lb



COOLERS Available in Standard, Large

Standard size accommodates one Polar Skin™ Comprehensive Cooling System and Large or Backpack Size accommodates two cooling systems

POLAR SKIN COOLERS

COLOR	SIZE	ITEM #
Red	Standard	ZZ-0682
Black	Standard	ZZ-0759
Black	Backpack	ZZ-0794



SPECIFICATIONS Standard: L 14 in. x W 12 in. x H 7 in. Weight: 2.2 lb. Backpack: L 19.5 in. x W 15 in. x D 7.5 in. Weight: 3.8 lb.

ICE SHEETS Standard

- Principle cooling component of Polar Skin[™] cooling systems, featuring C.OR.E. technology
- Adheres to current National Athletic Trainers' Assoc and U.S. Army protocols for heat illness treatment



• Sheet Size: W 36 in. x L 30 in.

STANDARD ICE SHEETS

UNIT	ITEM #	NSN #
Single Pack	ZZ-0668	6532-01-653-6054
Double Pack	ZZ-0669	
Triple Pack	ZZ-0755	

SPECIFICATIONS

Single: L 4.5 in. x W 7.75 in. x H 0.5 in. Double: L 9.5 in. x W 8 in. x H 0.5 in. Triple: L 12.5 in. x W 7.5 in. x H 0.5 in.

Wgt: 9.6 oz Wgt: 1 lb 6.4 oz Wgt: 2 lb 3.2 oz A

ICE SHEETS Large

Same characteristics as the standard size Ice Sheets, but in a larger 36 in. x 60 in. size

LARGE ICE SHEETS

ITEM

6 SPECIFICATIONS L 8.5 in. x W 5.5 in. x H 1.5 in. Weight: 1 lb 8 oz

ZZ-0758

C2E ICE PACK BUNDLE

- Four cooling pads featuring C.O.R.E. Technology
- Facilitates Conductive, Convective, and Evaporative (C2E) cooling of high blood flow (large artery) regions of the body

SPECIFICATIONS

ITEM #

C2E ICE PACK

ZZ-0675

ITEM #

ZZ-0670

Indiv. Gel Pk: L 15 in. x W 11 in. x D 1.5 in. Weight: 4.6 lb

COOLING COLLAR

 Two gel packs encased in integrated pouches Designed to align with the carotid artery

COOLING COLLAR

SPECIFICATIONS

Indiv. Gel Pk: W 6 in. x L 10 in. Pkg: L 8 in. x W 9.5 in. x H 1.3 in. Weight: 2.7 lb

Splinting

SLISHMAN TRACTION **SPLINT**(STS)

- One of the smallest and lightest traction splints on the market
- One size fits all, from small children to large adults
- Can be applied in under a minute with minimal training
- Single connected device-no loose parts, which may get lost
- Application possible even in cases of lower leg/foot amputation
- Aluminum is barely visible on X-ray. Thumb screws on locks are steel and are visible on X-rav

OPTION	ITEM #	NSN#
STS-Standard	50-0041	6515-01-631-3182
STS-Compact	50-1008	6515-01-694-7603

STS-

COMPACT

TC SPLINT

STS-

Standard:

Compact

Weight: 1.32 lbs

L 13 in. x W 3 in.

Weight: 0.81 lbs

STANDARD

SPECIFICATIONS

Packaged: L 23 in. x W 3 in. x D 3 in.

SLISHMAN TRACTION SPLINT

Fully Extended: L 45.5 in. x Diameter 0.75 in.

Telescoping Collapsible Splint

- Multi-capable device for splinting a wide variety of major and minor fractures
- Lightweight and compact for easy field carry with 6 easily adjustable interconnected telescoping poles and 4 wide elastic bands with hook and loop securing
- Includes clearly marked directions on the device as well as an easy-to-use, step-by-step instructional insert



TC SPLINT

ITEM # 50-0039

SPECIFICATIONS

Packaged: L 8 in. x W 5 in. x D 3 in. Open: W 9.5 in. x L 34 in. Weight: 1 lb 4 oz

For Ordering Info, See Inside Back Cover 119



EATMENT SUPPORT | Splinting

CT-6 TACTICAL LEG TRACTION SPLINT

- Carbon Fiber Tubing: Corrosion resistant, temperature stabile, extremely high strength to weight ratio, x-ray translucent.
- 4:1 Purchase Traction System makes it easy to apply ample traction for even the largest patient. The V-Jam cleat makes it easy to readjust traction, key in long transport situations. Includes safety clip to prevent accidental releases.
- The CT-6 comes out of the bag ready to go; all of the necessary parts are attached to the splint. There is no way to lose pieces, resulting in very fast application times.
- Instruction Manual: Each splint comes with its own "quick reference" two sided instruction manual that is water proof and tear resistant.

CT-6 Femoral Leg Traction Pediatric and Adult

SPECIFICATIONS Packaged - L 12 in. x W 4 in. x D 3 in. Weight: 1.1 lbs

CT-6 TACTICAL LEG TRACTION SPLINT		
ITEM #	NSN #	
50-1009		

UNO EMERGENCY SPLINT

- Modular design allows attaching multiple UNO frames to each other easily by low-profile hookand-loop straps
- Stepless adjustment with ultra-low profiles straps, that adhere strongly and allows you to easily adjust the angles, tightness, and joints
- Can be packed into a flat frame or cylindrical tube, that can travel anywhere with you
- Compatible with TCCC Equipment and designed to work in trauma situations where critical bleeding or blocked airways may be present

SPECIFICATIONS

Packaged - L 21.50 in. x W 10.55 in. x D 1.50 in. Unpackaged - L 15.75 in. x W 2.17 in. x D 2.36 in. Weight: 0.91 lbs (Single) 2.27 lbs (3 Pk)

UNO EMERGENCY SPLINT

OPTION	ITEM #	NSN #
Single Pack	50-0045	
Three Pack	50-0046	

Splinting | TREATMENT SUPPORT

SAM[®] SPLINT II





- Versatile, malleable splint easily molds to fit most fractures
- Lightweight, comfortable & strong
- Specifically designed to meet military requirements
- Waterproof, Reusable, Easy to clean, Compact
- Impervious to environmental extremes
- Includes illustrated step-by-step instructions

SPECIFICATIONS E CE H 9.25 in. x W 4.25 in. x D 1 in.

Unfolded: L 36 in. x W 4.25 in. Weight: 4.5 oz

SAM SPLINT II

 ITEM #
 NSN #


 50-1005
 6515-01-494-1951

SAM[®] PELVIC SLING II for Pelvic Ring Fractures



SPECIFICATIONS

H 7.25 in. x W 7.75 in. x D 4 in. Hip Circumference: 32 in. to 50 in. Weight: 9.8 oz SAM PELVIC SLING



- Force-controlled, ideal compression every time without the guesswork
- Rapid, simple, three-step application, usually in less than one minute
- The only force-controlled circumferential pelvic belt scientifically & clinically proven to safely & effectively stabilize open-book pelvic ring fractures
- Patented Autostop buckle allows a compression force no greater than 33 lb
- "Click" provides clear feedback to confirm correct application
- Posterior slider for facilitating transfers

PELVIC BINDER from CRO Medical

6

- BOA Precision Dial System
- Hook and loop retention for Pressure Delivery Device
- Approximately half the size in cubic inches of other binders
- Lightweight 4 in. double-back wrap
- Easy, one-hand tightening
- Easily achieves at least 33 lb (150N) of circumferential force
- Easily reduces and stabilizes open-book pelvic fractures using its patented tightening system

SPECIFICATIONS

Standard Waist Size: 32 in. - 50 in. hips Weight: 0.75 lb

PELVIC BINDER

ITEM # 50-0044



REATMENT SUPPORT | Shears

SPECIFICATIONS

L7.5 in x 3.5 in. x 0.118 in.

Cutting area length: 2 in.

Weight: 4 oz.

NAR® TRAUMA SHEARS

- Premium-grade stainless steel with precision sharpness
- Enhanced serrated lower edge cuts through the toughest materials
- Clothing-lift lip and rounded tip for ultimate patient safety
- Soft-grip, non-slip contoured handles for maximum control even when wet

TRAUMA SHEARS * NATO NSN SIZE ITEM # NSN # S 6.25 in. ZZ-0064 6510-01-622-1624* ZZ-0063 6515-01-538-9276 L 7.25 in.

Heavy Duty Trauma XSHEAR®

- Hardened stainless steel blades that are twice as thick as most trauma shears, sharpened to a razor edge
- Patented blunt tip and curved design for gentler edge near the skin
- Soft touch inner handles for comfort and slip resistance
- Heavy duty center bolt that won't loosen over time

XSHEAR

HANDLE	BLADE	ITEM #
Black	Black	70-0290
Blue	Silver	70-0291
Orange	Black	70-0292
Pink	Black	70-0293
Red	Black	70-0294
Coyote	Black	70-0415
Green	Silver	70-0424

SCISSOR LEASH[™]

SPECIFICATIONS (Clip)

Retracted: H 6 in. x W 1.6 in. x D 0.6 ir Cable Length - 36 in. Weight: 1.6 oz



SPECIFICATIONS (MOLLE)

Retracted: H 3.5 in. x W 1.6 in. x D 1 in. Cable Length - 36 in. Weight: 2.0 oz.

SCISSOR LEASH

OPTION	ITEM #	NSN #
Clip	70-0005	6515-01-540-7226
MOLLE	70-0155	

SHEARS SPECIFICATIONS

SMALL: L 6.25 in. x W 2.75 in. x D 0.3 in. | Weight: 1.5 oz. LARGE: L 7.25 in. x W 3.7 in. x D 0.4 in. | Weight: 2 oz.

XSHEAR® TACTICAL HOLSTER

- Custom designed for the XSHEAR[®] Heavy Duty Trauma Shears
- MOLLE Compatible adjustable belt clip secured holster in place and offers flexible orientation of holster with simple Philips head screw
- Flex lock design securely holds shears in place

SPECIFICATIONS

L: 5 in. x W 3.75 in. x D 1.75 in. Weight: 3.2 oz

SALTY BRITCHES®

SPECIFICATIONS

Single Use (10 pk)

Weight: 0.10 lbs.

OPTION

Tube W25 in x1 4 in

Box: L 12 in. x W 4.5 in. x D 6 in.

2 oz. Skin Barrier (Box of 24)

0.1 oz. Single Use (Pk of 10)

Other options available at www.NARescue.com

Weight: Box - 3.9 lbs. Tube - 0.15 lbs.

Tubes

SKIN BARRIER

- Universal design allows shears to be inserted either direction
- Rugged injection molded ABS Plastic

Shears sold separately

XSHEAR®

TACTICAL HOLSTER ITEM # 70-0295

XSHEAR[®] Gen 2 TACTICAL HOLSTER

- Rugged molded ABS construction
- Flex-lock Dual Band retention system
- Smooth, rapid deployment
- Configurable for left or right carry
- Universal Belt Clip Bracket
- Discreet Carry Concepts clip included
- Made in the USA

SPECIFICATIONS

Box - L: 6 in. x W 4.25 in. Weight: 5.76 oz.

70-0425

XSHEAR® GEN 2

HOLSTER

ITEM #

- Soothing, longlasting barrier against skin irritation from windburn. friction. and chafing
- Waterproof/ Sweatproof
- Year-round protection

Packaged: W 3 in. x L 5 in. SALTY BRITHCES® **ITEM #** 2 oz. Skin Barrier 75-0014

75-0018

75-0017

122	www.NARescue.com • 888-689-6277

Personal Protection | TREATMENT SUPPO

NITRILE GLOVES BEAR CLAW[®]

SEAB(IA))

Nitrile gloves available in Black or Tan colors and come either as pre-packaged pairs (kits) or in bulk (box)

BLACK

TALON

- Form-fitting, ambidextrous design with textured fingertips
- Thick palm ensures durability
- Textured for improved wet and dry gripping
- Longer and thicker than standard nitrile gloves

😑 😿 c č SPECIFICATIONS

Kit: L 4.75 in. x W 6 in. x D 4 in. Weight: 1 lb 1 oz Box: L 11 in. x W 5 in. x D 3.75 in. Weight: 2 lb 4 oz

BEAR		CE *NATO NSN		
SIZE	PKG QTY	ITEM #	NSN #	
S	Bag 25 pair	ZZ-0246	6515-01-619-5350	
S	Box 50 pair	70-0009	6515-01-600-6059*	
М	Bag 25 pair	ZZ-0247	6515-01-619-5689	
М	Box 50 pair	70-0010	6515-01-600-6057	
L	Bag 25 pair	ZZ-0248	6515-01-600-0262	
L	Box 50 pair	70-0011	6515-01-600-6039	
XL	Bag 25 pair	ZZ-0249	6515-01-619-5367	
XL	Box 45 pair	70-0012	6515-01-600-6052*	

NAR® RESPIRATOR

- Certified to the NIOSH N95 standard for disposable particulate respirators
- Secure, comfortable fit with adjustable nose bridge
- Minimal breathing resistance
- Reduced packaging volume for easy storage

SPECIFICATIONS

Packaged: L 5 in. x W 4.25 in. x H 0.75 in. Mask size: Adult | Wgt: 0.9 oz

NAR	TOP	
RESPIRATOR ITEM # NSN #		

70-0006 6515-01-537-1531

BLAC	CK TALON® GL	CE *NATO NSN	
SIZE	PKG QTY	ITEM #	NSN #
S	Bag 25 pair	ZZ-0218	
S	Box 50 pair	70-0001	6515-01-515-0195
М	Bag 25 pair	ZZ-0217	6515-01-672-7977*
М	Box 50 pair	70-0002	6515-01-515-0200
L	Bag 25 pair	ZZ-0216	6515-01-632-0059
L	Box 50 pair	70-0003	6515-01-515-0197
XL	Bag 25 pair	ZZ-0215	6515-01-672-7985*
XL	Box 45 pair	70-0004	6515-01-515-0190

NAR® PPE KIT

1 x N95 certified Face Mask & 2 pair Bear Claw Nitrile Gloves

SPECIFICATIONS

L 3.5 in. x W 4 in. x H 1.5 in. Weight: 2 oz

NAR[®] PPE KIT

ITEM # NSN # 70-0007 6515-01-537-1534

BIOLOGICAL PERSONAL PROTECTION KIT SPECIFICATIONS

Designed to maximize personal protection when handling and managing detainees, refugees, etc.

BIOLOGICAL PERSONAL PROTECTION KIT:





BIOL		OGICAL PPE KIT
ITEM #		NSN #

80-0488 6515-01-388-1351



TREATMENT SUPPORT | Burn Dressings

BurnTec® EMERGENCY BURN KIT

- Easy to handle without spilling or damaging the hydrogel
- Does not leave a mess like other burn care products
- Cool, soothing effect for up to 24 hours
- Impermeable to bacteria
- Biocompatible and hypoallergenic
- Reduces risk of hypertrophic scars
- Award winning technology

Recommended Uses

- First, second and third-degree burns (thermal, chemical, electric)
- Sunburns
- Abrasions and skin irritations
- Bruises and swelling (insect bites)
- Other skin injuries

SPECIFICATIONS

Ĩ.Ă.

Kikgel

Small Kit Dimensions: L 8 in. x W 14 in. x D 3 in. Weight: 3 lbs 3.2 oz Large Kit Dimensions: L 10 in. x W 20 in. x D 3 in. Weight: 4 lbs. 1.6 oz.



BURNTEC EMERGENCY BURN KIT

OPTION	ITEM #	NSN #
Small Kit	80-1661	
Large Kit	80-1662	
Small Case	30-0150	



Burn Dressings TREATMENT SUPPORT

CRITICAL BURN KIT

- Easy to handle without spilling or damaging the hydrogel
- Does not leave a mess like other burn care products
- Cool, soothing effect for up to 24 hours
- Impermeable to bacteria
- Biocompatible and hypoallergenic
- Reduces risk of hypertrophic scars
- Award winning technology



NORTH AMERICAN RESCUE www.NARescue.com • 888.689.6277 35 Tedwall Ct • Greer, SC 29450 • USA KT PK: 80-0415 | 84G PR: 30-0150 | REV07502020 KT BK 810-01446-527 | 84G NEV AVA

Recommended Uses

VWW.kikgel.com.pl

- First, second and third-degree burns (thermal, chemical, electric)
- Sunburns
- Abrasions and skin irritations
- Bruises and swelling (insect bites)
- Other skin injuries

BurnTec Critical Burn Kit

SPECIFICATIONSDimensions: L 8 in. x W 14 in. x D 3 in.Weight: 3 lbs 3.2 oz

BURNTEC CRITICAL BURN KIT

OPTION	ITEM #	NSN #
Kit	80-1663	
Small Case	30-0150	

UPPORT Burn Dressings

BurnTec[®] Hydrogel Dressings

- Sterile non-stick hydrogel dressings for treating 1st, 2nd & 3rd-degree burns (thermal, chemical, electric)
- Also treats other skin injuries, such as sunburns, abrasions, skin irritations, bruises and swelling (insect bites)
- Applied dressings provide a cool, soothing effect for up to 24 hours
- Easy to handle without spilling or damaging the hydrogel
- Permeable to water vapor and oxygen but impermeable to bacteria

REA

• Biocompatible and hypo-allergenic; Reduces risk of hypertrophic scars

BURNTEC DRESSINGS			
SIZE	ITEM #	NSN #	
2 in. x 2 in.	30-0114	6510-01-631-1913	
2.5 in. x 5 in.	30-0115	6510-01-631-2080	
4 in. x 4 in.	30-0110	6510-01-631-1883	
5 in. x 5 in.	30-0116	6510-01-631-2138	
5 in. x 10 in.	30-0117	6510-01-631-1907	
8 in. x 8 in.	30-0118	6510-01-631-1897	
8.5 in. x 11 in.	30-0119	6510-01-631-1890	
4 in. x 16 in.	30-0111	6510-01-631-2124	
8 in. x 16 in.	30-0112	6510-01-626-2990	
16 in. x 24 in.	30-0120	6510-01-631-1886	
10 in. x 10 in. Face	30-0121	6510-01-627-1834	
12 in. x 16 in. Face	30-0113	6510-01-627-1855	
16 in. x 24 in. Face	30-0122		

DRY STERILE BURN DRESSING

- Dry sterile, non adherent burn dressing & bandage
- Includes two No. 3 closed safety pins and rubber band individually packaged

SPECIFICATIONS

Bandage: 45 in. x 45 in. x 63 in. Pkg: W 4.5 in. x H 4 in. x D 0.5 in. Weight: 1 oz

DRY STERILE BURN DRESSING

ITEM #	NSN #
30-0162	6510-01-587-6579



- Convenient array of BurnTec[®] dressings in a handy carrying case
- Kit contains (1) each of the following dressings:
 - 2 in. x 2 in. 2.5 in. x 5 in. 4 in. x 4 in. 5 in. x 5 in.
- 5 in. x 10 in. 8 in. x 8 in. 4 in. x 16 in. 8.5 in. x 11 in.

8 in. x 16 in. 10 in. x 10 in. (face) 12 in. x 16 in. (face)

BURNTEC BURN KIT

OPTION	ITEM #	NSN #
Kit	80-0361	6515-01-630-9177
Bag Only	30-0123	6510-01-626-6079



BurnTec

```
online video
available
A scan to view
```

SPECIFICATIONS L 12 in. x W 15.5 in. x D 3.5 in. Weight: 6 lb 4 oz



™(€

- Variety of BurnTec[®] dressings in a handy carrying case
- Kit contains the following: Two 4 in. x 4 in. dressings Two 4 in. x 16 in. dressings One 8.5 in. x 11 in dressing

BURNTEC MINOR BURN KIT

OPTION	ITEM #	NSN #
Kit	80-0415	6510-01-644-5427
Bag Only	30-0150	

SPECIFICATIONS L 14 in. x W 8.5 in. x D 2.5 in. Weight: 3.10 lb

Eye Care & Protection | TREATMENT SUPPORT

REATMENT SUPPORT T

PES Polycarbonate Eye Shield

- Meets CoTCCC treatment protocols for penetrating eye trauma
- Convex eye shield accommodating either eye
- Translucent orange shell features perforations to allow air circulation



SPECIFICATIONS 3 in. x 2.38 in.

3 in. x 2.38 in. Weight: 0.2 oz

POLYCARBONATE EYE SHIELD UNIT ITEM # NSN # Single 20,0142 0515,01.047

Single	30-0142	6515-01-647-5456
Box of 100	30-0143	6515-01-630-5551



- Convex rigid eye shield made of lightweight aluminum with perforations allowing air circulation
- Meets CoTCCC treatment protocols for penetrating eye trauma
- Available with or without garter

SPECIFICATIONS

3 in. x 2.38 in. Weight: 0.2 oz

FOX EYE SHIELD

STYLE	UNIT	ITEM #	NSN #
No Garter	Box of 12	30-0144	6515-01-449-1016
Garter	Single	30-0055	
Garter	Box of 50	30-5550	6515-01-598-1877

NAR® **IPRO**® Tactical Goggle System

- Fully enclosed, high-impact eye protection
- Compatible with helmet and night-vision goggles
- 2 clear and 2 tinted lenses (neutral gray) with 100% UV shield
- Hexo-vents for fog-free viewing
- Certified to ANSI Z87.1-2003 & EN 166:2001 standard

• Meets U.S. Military Eyewear Ballistic Impact Requirements (MIL-PRF-31013 CLAUSE 3.5.1.1)

SPECIFICATIONS

Packaged: L 2.6 in. x W 7 in. x D 3 in. Weight: 8 oz

NAR IPRO

ITEM # ZZ-0109

OTW GOGGLES Outside the Wire - with Case

- 100% UVA/B/C protection with maximum ballistic protection
- Tapered, neutral tint gray lenses with anti-fog and scratch resistant coating, reduced glare and correct distortion

OTW GOGGLES

ITEM # 90-0066



SPECIFICATIONS Goggles: W 7.5 in. x H 2.75 in. Case: L 8.75 in. x W 3.5 in. x H 3 in. Weight: 1.10 lb



Low visibility EyePro option with classic, subtle styling

GRAY MAN EYEPRO

ITEM # 90-0068



SPECIFICATIONS

Glasses: W 5. in. x H 2 in. x D 5 in. Case: L 6.625 in. x W 3 in. x H 2.5 in. Weight: 9 oz

















bollé RUSH TACTICAL GLASSES

- Panoramic field of vision, ultra-light, perfect optical quality, bi-material temples, non-slip nose bridge, and single-lens frame
- Certified K&N(EN166) PLATINUM® ASAF permanent lens coating provides high scratch resistance, delays fogging, chemical resistant
 - CSP coating is effective for alternating between bright and low light and is suitable for extreme hot and cold temperature environments



BOLLE RUSH TACTICAL GLASSES			
SIZE	COLOR	ITEM #	
Standard	Clear	90-0119	
Standard	Smoke	90-0121	
Standard	CSP	90-0123	
Small	Clear	90-0120	
Small	Smoke	90-0122	
Small	CSP	90-0124	

SPECIFICATIONS

STANDARD: L 5.00 in. x W 3.25 in. x D 2.40 in. Weight: 0.95 oz

SMALL:

L 5.00 in. x W 3.10 in. x D 1.70 in. Weight: 0.95 oz

bollé SILEX TACTICAL GLASSES

- Panoramic field of vision, bi-material FLEX160° PC/TPR temples for absolute support without pressure points, non-slip nose bridge, and single-lens frame
- Certified K&N(EN166) PLATINUM® ASAF permanent lens coating provides high scratch resistance, delays fogging, chemical resistant
- CSP coating is effective for alternating between bright and low light and is suitable for extreme hot and cold temperature environments

BOLLÉ SILEX TACTICAL GLASSES

COLOR	ITEM #	-
Clear	90-0125	
Smoke	90-0126	
CSP	90-0127	- Colori

SPECIFICATIONS

L 5.00 in. x W 3.25 in. x D 2.25 in. Weight: 1.06 oz

Weight: 1.00 02

bollé TRYON TACTICAL GLASSES

- Panoramic field of vision, co-injected FLEX160° temples, adjustable flex nose bridge, and single-lens frame
- Certified K&N(EN166) PLATINUM® ASAF permanent lens coating provides high scratch resistance, delays fogging, chemical resistant



L 4.25 in. x W 3.25 in. x D 1.50 in.

SPECIFICATIONS

Weight: 1.24 oz

• CSP coating is effective for alternating between bright and low light and is suitable for extreme hot and cold temperature environments

BOLLÉ TRYON TACTICAL GLASSES

ITEM #
90-0130
90-0131
90-0132

Tactical Glasses | TREATMENT SUPPOR

BOLLÉ CONTOUR II TACTICAL GLASSES

COLOR	ITEM #
Smoke	90-0133
CSP	90-0134

Ť44

SPECIFICATIONS

L 5.00 in. x W 3.00 in. x D 1.50 in Weight: 0.74 oz



- Certified K&N(EN166) PLATINUM® ASAF permanent lens coating provides high scratch resistance, delays fogging, chemical resistant
- CSP coating is effective for alternating between bright and low light and is suitable for extreme hot and cold temperature environments

bollé SENTINEL TACTICAL GLASSES

- Certified to MIL-PRF-31013 and ANSI Z87.1-2010, these ballistic sunglasses ensure maximum protection in all circumstances
- Adjustable bridge, flexible non-slip temples, and ultra wrap-around fit
- Certified K&N(EN166) PLATINUM® ASAF permanent lens coating provides high scratch resistance, delays fogging, chemical resistant
- CSP coating is effective for alternating between bright and low light and is suitable for extreme hot and cold temperature environments

bollé COMBAT TACTICAL GLASSES KIT

- Newest generation of hybrid ballistic glasses, MIL-PRF-31013 and 32432 certified, Platinum[®] COMBAT protective glasses provide unique adaptability thanks to their easy-to-change mono-lens in clear, smoke, and CSP versions, and their dual temple strap system
 - Certified K&N(EN166) PLATINUM[®] ASAF permanent lens coating provides high scratch resistance, delays fogging, chemical resistant
 - CSP coating is effective for alternating between bright and low light and is suitable for extreme hot and cold temperature environments

BOLLÉ SENTINEL TACTICAL GLASSES

ITEM #

90-0137

90-0138

COLOR

Smoke

CSP

ITEM # 90-0139

SPECIFICATIONS

L 4.25 in. x W 3.25 in.

x D 4.00 in.

Weight: 0.88 oz

BOLLÉ COMBAT

SPECIFICATIONS L 4.70 in. x W 3.50 in. x D 2.00 in. Weight: 1 oz



bollé GUNFIRE 2.0 TACTICAL GLASSES KIT • STANAG 4296 & EN172 certified and comes SPECIFICATIONS with interchangeable temples and a mono lens L 4.60 in. x W 5.70 in. x D 1.7 in. Certified K&N(EN166) PLATINUM[®] ASAF Weight: 0.91 oz permanent lens coating provides high scratch **BOLLÉ GUNFIRE 2.0** resistance, delays fogging, chemical resistant

TACTICAL GLASSES KIT ITEM # 90-0140

bollé X1000 DUO TACTICAL GOGGLES

- Double lens provides ballistic resistance to over 275 m/s. more than 990 km/h
- Equalizer technology ensures ultra-effective anti-fogging
- Panoramic field of vision, TPV ventilated foam lined frame, wide Adjustable 35 mm non slip strap, quick release system, pivot for helmet wearers
- Z87+ Rating (tested and approved to ANSI Z87.1-2010)

BOLLÉ X1000 DUO TACTICAL GOGGLES **ITEM #** 90-0141

SPECIFICATIONS

Ballistic PC Outer Lens: 2.95 mm Ballistic PC Inner Lens: 1.30 mm Adjustable Strap: Min 18 in. x Max 24 in. Weight: 4.25 oz. Goggles: L 7.0 in. x W 2.5 in. Case: L 7.5 in. x W 4 in. x H 3.25 in.

14



system: clear, smoke, and CSP

CSP coating is effective for alternating between

bright and low light and is suitable for extreme

hot and cold temperature environments



ZZ-0057

6515-01-537-4161

Weight: 2.3 oz

130 www.NARescue.com • 888-689-6277

6515-01-587-1700

ZZ-0262

25 Pack

SCUE MB

Triage System | TREATMENT SUPPORT



SPECIFICATIONS Pkg: H 10 in. x W 8 in. x D 5 in. Weight: 1 lb 14 oz

- Mid-range solution providing initial triage of up to 20 casualties
- Compact bag with mesh storage pockets equipped with T2/SALT triage cards
- Includes a laminated S.A.L.T. Triage Flowchart & Casualty Count Card

TRIAGE OFFICER KIT

COLOR	ITEM #	NSN #
OD Green	20-0023	6545-01-537-4189
Digital Camo	20-0075	
Red	20-0076	

COMMAND KIT 72°

- Organized, rapid response system for Incident Commanders during a mass casualty/tactical triage incident
- 3 laminated, detachable Command Boards
- Pad of 50 Patient-Tracking Boards
- 3-ring, clear storage sheets for bar codes & mesh pockets to store extra accessories

SPECIFICATIONS

Case Closed: L 21 in. x W 17 in. x D 6 in. Weight: 4 lb 14 oz





COMMAND KIT

COLOR	ITEM #	NSN #
OD Green	20-0025	6545-01-537-4197
Red	20-0026	



T2 MCIM:



SPECIFICATIONS E H 21 in. x W 17 in. x D 9 in Weight: 15 lb 2 oz

T2[®] MCIM KIT Mass Casualty Incident Management

- Comprehensive triage system ideal in disaster response, field hospitals & military troop concentrations.
- Lightweight, modular, man-portable triage kit.
- includes user-friendly tools for every aspect of the uniformed S.A.L.T. model for disaster triage

MCIM KIT

COLOR	ITEM #	NSN #
OD Green	20-0029	6545-01-537-3138
Red	20-0077	

TAC·EVAC MED·SURG RESC

EATMENT SUPPORT Accessories

MEDIC CROSS **ID PATCHES** PVC



- Soft flexible PVC rubber patch
- Backed with hook material for easy attachment and removal
- Ideal for use on medical kits such as the M-FAK and T.O.R.K
- Available in 1 in. & 2 in. sizes
- An additional loop field lined sheet is included for sewing onto clothes or protecting hook back when not in use



2 in. MEDIC CROSS PATCH

COLORS ITEM # Coyote & Black ZZ-0797 Black & Gray ZZ-0798 ZZ-0800 OD Green & Black Black & Orange ZZ-0799

SPECIFICATIONS

L 2 in. x W 2 in. x D 0.125 in. Weight: 0.6 oz

1 in. MEDIC CROSS PATCH		
COLORS	ITEM #	
Coyote & Black	ZZ-1084	
Black & Gray	ZZ-1082	
OD Green & Black	ZZ-1085	
Black & Orange	ZZ-1083	

SPECIFICATIONS

L1 in. x W1 in. x D 0.125 in. Weight: 0.32 oz

NAR[®] IR SQUARES (6-Pack)

- Infrared patch printed on honeycomb reflective material
- Black hook fasteners on the back for easy attachment
- Clearly visible under IR light illumination

SPECIFICATIONS Each: 1 in. x 1 in. Weight: 0.2 oz. Sold in Packs of 6

NAR IR SQUARES 6-PACK

ITEM#

ZZ-0108

Luminous MED ID PATCH

- Soft flexible custom rubber PVC
- Ultimate glow-in-the-dark identification technology
- 1 in. block letters
- 2 medical patches per package

SPECIFICATIONS

Each: L 3 in. x W 2 in. x D 0.125 in. Weight: 0.4 oz

LUMINOUS MED **ID PATCH**

ITEM#

ZZ-0121



Shown:

1 in. Patch on TQ Case

MED





NORTH AMERICAN RESCUE[®]

Education and Training

North American Rescue Education and Training (NAR Training)

has roots that run deep and wide in the world of pre-hospital medicine and technical rescue. Our team was built from the ground up on the vision and experience of seasoned military medics seeking to fill the training gaps commonly encountered in the operational environment.

Since then, we have continued to broaden our vision to include other invaluable first responder perspectives such as pre-hospital healthcare providers in civilian, law enforcement, emergency medical services and community public safety initiatives.

CORE Competencies **Continuing Medical** Education (CMEs) Prolonged Casualty Care competence and confidence. Austere Medicine Using **Professional Role** Players, Moulage Artists, Technical Rescue Subject Matter Experts, High Fidelity Manikins, Emergency **Re-animated Cadavers** and Medical Services State of the Art Facilities, our Critical Care team delivers unparalleled medical Flight Medicine instruction to today's heroes. ONLINE INSTRUCTOR IMMERSIVE HANDS ON МТ NV МО NM ocations: NAR Training ТΧ Training Partners ACCREDITATIONS: NAE IBS American AUTHORIZED TRAINING Heart PCF

NAR Training

delivers a broad range of curricula which frequently include Hands-on Skills Stations and Field Scenarios designed to develop both

Training

& Affiliates

UTHORIZED

Association

Now SAME DAY Cards Issued At End Of Coursel

Explore training opportunities online

NAReducation.com

Phone: 888.689.6277 > Email: NARTraining@NARescue.com

COURSES

PUBLIC ACCESS

NAR BCON

6-hour course oriented towards civilians; students are exposed to realistic trauma scenarios and taught how to treat major hemorrhaging injuries, receiving critical knowledge on how respond to preventable bleeding deaths prior to arrival of EMS. Stop the Bleed certification issued upon completion.

First Responder - Work Place Safety

8-hour course designed for civilians. Students will learn CPR, bleeding control, and basic first aid to the most common workplace injuries. AHA BLS and NAR First Responder certification upon successful test completion.

Civilian Medical

3-day medical course designed for civilians. Students will learn basic emergency medicine, med bag packing, and med supply procurement. AHA BLS and NAEMT TECC certification upon successful test completion.

🕨 First Responder - Trauma Care

8-hour course for law enforcement and first responders that will provide students the ability and confidence to apply trauma care in the field. Upon completion of testing, students receive NAEMT TECC certification.

NATIONAL REGISTRY

EMT Hybrid

Self-paced, online learning designed to prepare entry-level students for National EMT testing and certification.

AEMT Hybrid

Self-paced, online learning designed to prepare EMT students for National AEMT testing and certification.

ONLINE NREMT RECERTIFICATION

Full EMR, EMT, AEMT, and Paramedic refresher courses for recertification.



5-day course designed specifically for federal law enforcement officers. Students learn how to diagnose and treat various illnesses and injuries utilizing role players and simulations. Upon successful completion, AHA BLS and NAEMT TECC certifications are achieved; for EMTs, this course also serves as a full EMT re-certification.

NORTH AMERICAN RESCUE®

Education and Training

Phone: 888.689.6277 > Email: NARTraining@NARescue.com



Uma42-hour in-
house course for
IBSC critical care
course certification
or recertification
(FP-C or CCP-C)
and national registry
recertification. Students
will learn or refresh all skills
and knowledge needed to
certify/re-certify, and will earn
42 hours of IBSC and National
Registry Continuing Education.

Vent Hero

Supporting literature that provides an introduction into the theory of successful ventilation management geared towards the critical care provider and clinician responsible for managing complex patient ventilation support.

Essentials In Critical Care 4.0

Online refresher course which exceeds the minimum requirements (above 16 hrs) for approved IBSC certifications.

LAW ENFORCEMENT

► TECC-LE

8-hour course specifically designed for law enforcement. Covers hemorrhage control, airway control, splinting, extraction techniques, and stop the bleed scenarios. Upon passing test, students receive NAEMT TECC-LE certification.

COURSES

MILITARY

► TCCC-AC

This 40- hour course is designed for non-medical military personnel that provides a 4 year NAEMT TCCC certification upon completion. Students will learn emergency battlefield medicine focusing on preventable causes of death.

► TCCC-MP

This 16-hour course is designed for non-medical military personnel that provides a 4-year NAEMT TCCC certification upon completion. Includes standard training with addition of scenarios utilizing role players and moulage.

EGT-AC

This 5-day course is designed for small military units that provides a 4-year NAEMT TCCC-AC certification. Provides students with TCCC medicine and drills, field maneuvers, and trauma lanes with role players and CASEVAC trainers.

EGT-MP

This 5-day course is designed for military medical provider units that awards a 4-year NAEMT TCCC-AC certification upon completion. Provides students with TCCC medicine and drills, field maneuvers, and trauma lanes with role players and CASEVAC trainers.

SOFMED

This 8-day course is specifically designed for Special Operations Medics that provides the following certifications: BLS, ACLS, PALS, TCCC-MP, and a full NCCP 60-hour CEU/ NRP refresher. Students focus on medicine while enhancing tactics via use of simulations, role players, and trainers.

SOTM

This 8-day course is specifically designed for Special Operations Medics that provides the following certifications: BLS, ACLS, PALS, TCCC-MP, and a full NCCP 60-hour CEU/NRP refresher. Students focus on medicine while enhancing tactics via use of perfused cadavers, simulations, role players, and trainers.

CP MED

Toxic MED 101

2-day course for anyone who may be involved in a CBRN incident. Students will receive critical knowledge and skills on how to respond to incidents involving chemical/ biological/radiological/ nuclear contaminants. NAEMT TECC certification awarded upon completion.

Toxic MED 201

5-day course designed for medical providers/first responders. Provides background, knowledge and methodologies associated with responding to or supporting CBRN operations with casualties. Students will have the opportunity to receive the AHLS certification if desired. All students will earn NAEMT TECC certification upon successful completion.

ADVANCED

Austere Rescue Course

5-day course aimed at military medical providers and paramedics. Students will receive periods of instruction covering austere medicine, remote rescue, and patient transport in rugged terrain with limited resources. Course will involve treatment and movement in remote environments coupled with challenging problems involving emergency medicine, transport, and elements of PCC.

Austere Surgical Course

5-day course exclusively designed for military surgical teams. Students will utilize perfused cadavers to hone surgical skills in a variety of environments; battlefield conditions and equipment will be incorporated into training to increase proficiency and team skills. SOPs will be tested in preparation for full mission profile event.

Prolonged Critical Care

5-day course that gives military medical providers the knowledge and skills necessary to treat patients in an austere environment for longer periods of time with limited resources when patient evacuation is not tenable.



Students will be instructed on how to keep patients stable with whatever resources are available until transport arrives.

Explore training opportunities online at NAReducation.com

Tactical Operation Medical Manikin SERIES TOMManikin®

BASIC | BLAST | GSW | WATER | CONFINED SPACE | BURN | CBRNE | FEMALE

Rugged, state-of-the-art training simulators, NARS TOMManikin[®] Series provides the comprehensive solution for enhanced training in Tactical Combat Casualty Care (TCCC) from Point of Injury to transfer of higher care!

- All-in-one, hyper-realistic trauma simulation solution enabling instructors to build multiple realistic traumatic casualty scenarios with reactive patients Ideal for use in classroom settings, trauma lanes and field training scenarios
- Multiple, interchangeable extremities present a variety of wounding patterns to provide full mission profiles in combat scenarios and disaster/mass casualty re-creations
- Solid metal bones and joints constructed of welded steel for unparalleled durability and quick exchange leg joints for flexibility in the most austere environments
- Proprietary silicone skins available in light, medium or dark skin tones that will not break down during prolonged UV exposure or extreme temperatures
- 180 lb manikin provides extremities capable of withstanding up to 6,000 lb of pressure Ideal for building collapse/entrapment training scenarios beyond conventional exercises
- Ruggedized remote controls provide simultaneous long-range communications with multiple NARS devices all from a single device!

SPECIAL FEATURES

Interactive Animatronics:

- Lifelike Breathing Mechanisms
- Functional Anatomical Airway
- Variable Radial Pulse Rates & Pressure
- High Fidelity Bleeding from Multiple Wounds
- Customizable, Multi-language Voice Tracks
- Rugged Softech[®] Skin in a variety of skin tones

Wireless Controls:

- MILSPEC Wireless Remote Instructor Tablet & Software
- communications with .5 mile line of site range

Flexible Wound Configurations: Basic Blast GSW Water Confined Space Burn CBRNE

Custom configurations including Female Anatomy on request

Clinical Interventions available on ALL TOMManikins:

MASSIVE HEMORRHAGE:

- Tourniquet Application (proximal, junctional & abdominal)
- Active Bleeding Control by Direct **Pressure** on Pressure Points
 - Wound Packing



- Nasopharyngeal/Oral/ Supraglottic Airway Insertion
- Endotracheal Intubation
- Surgical Airway and Tissue Dissection with Realistic Bleeding

NORTH AMERICAN RESCUE®

Simulation

RESPIRATIONS:

- Chest Seal Application
- Bilateral Needle Decompression
- Chest Tube Capable

CIRCULATION:

- CPR Chest Compressions
- Antecubital IV Access or uninjured upper limbs
- IO (sternal & humeral)









- Stand alone point-to-point

Every TOMManikin® includes:

ACCESSORY KIT

- 2 x NiMH rechargeable batteries (5-amp & 10-amp) with independent chargers
- 1 x T-handle wrench
- Replacement connectors
- 5-pack of surgical airway neck skins (35 op sites)
- 8 oz concentrated sim blood
- NARS mil spec-rated tablet
- 2 x 3-wheeled transport and storage carriers designed for TOMM



- Instructor-worn 2-way communications headset
- VELCRO UNIFORM
 - Digital pattern
 - Sand color scheme
 - Blouse features Velcro sleeves and lateral seams
 - Trousers feature Velcro inseam and lateral seams
 - Button fly

MILSPEC INSTRUCTOR TABLET with Scenario Preset Builder Software

Features:

0%

0

0

0

0

50

> Hay

- Features proprietary communication link that requires NO Wi-Fi, Bluetooth, or LAN connections
- Simultaneous long-range communications with numerous NARS devices
- NO interference risk with telemetry, avionics, or weapon systems

MILSPEC Rated:

- Operating: -20 to 60°C (-4 to 140°F) MIL-STD-810G, Method 501.5 Procedure II
- Storage: -40 to 70°C (-40 to 158°F) MIL-STD-810G, Method 501.5/502.5 Procedure I
- Water: IP65, IEC 60529
- Drop/Shock: 26 drops from 1.2 m (4 ft) MIL-STD-810G, Method 516.6 Procedure IV
- Vibration: MIL-STD-810G, Method 514.6 Procedures I, II
- Sand/Dust: IP65, IEC 60529
- Humidity: 0 ~ 95% (non-condensing) MIL-STD-810G, Method 507.5
- Altitude: 4572 m (15.000 ft) MIL-STD-810G, Method 500.5 Procedure I

TOMManikin[®] Interventions

- **Tourniquet Application** (proximal, junctional, and abdominal tourniquets)
- Active bleeding controllable by direct pressure on pressure points
- Wound packing with realistic bleeding control
- Nasopharyngeal and oral airways, supraglottic airway insertion and endotracheal intubation
- **Surgical airway** with realistic bleeding and tissue dissection 35 operative sites included
- Remote controlled breathing rates: Slow, Normal, and Fast
- Bilateral Needle Decompression at either 2nd/3rd intercostal (midclavicular), or 5th/6th intercostal (mid-axillary) locations
- Realistic chest seal application & adhesion
- Chest Tube capable (bilateral)
- Radial pulses in uninjured upper extremities & bilateral carotid pulses
- CPR Chest Compressions
- Variable pulse rate & pressure (Normal, bounding, thready)
- IO (sternal & humeral) and antecubital IV access on uninjured upper limbs



2

*Other configurations are available upon request

All Manikins include a MILSPEC-rated instructor tablet



BLAST TOMManikin®

BLAST Wounding Patterns:

1. *Open Jaw Fracture Head Skin* with massive maxillofacial bone and soft tissue injuries, actively bleeds. Supports OP/NP/ET/ Surgical airways

2. *Packable Abdominal Evisceration* with intricate handcrafted attention to anatomical detail with visible tissue layers, and 10 in. of eviscerated bowel with peripheral ecchymosis surrounding large open wound. Massive bleeding with "clampable" vessel

3. *Shrapnel Wound Arm* with active bleeding, multiple soft tissue wounds, responds to tourniquet application

4. *Full Amputation Leg* with massive bleeding, extensive soft tissue damage, exposed hard bone, visible tissue layers. Responds to direct junctional pressure and tourniquet application

a Maria To Sta

3

 BLAST TOMMANIKIN®*

 ITEM #
 NSN #

 93-0036
 6910-01-705-3094

*Other configurations are available upon request



BASIC Wounding Patterns:

1. *Partial Arm Amputation below the elbow* with Massive bleeding and dramatic soft tissue damage, exposed hard bone and discernible tissue layers Responds to tourniquet application or brachial artery direct pressure application

2. Full Amputation Leg with massive bleeding, extensive soft tissue damage, exposed hard bone, visible tissue layers. Responds to direct junctional pressure and tourniquet application





GSW(Gun Shot Wound)**TOMManikin**®

GSW Wounding Patterns:

1. *Sucking Chest Wound* with anterior GSW entry & posterior exit. Actively bleeds from both locations. Anterior wound mixes with air from onboard compressor to create bubbling bleeding effect. Supports chest seal application and pleural needle decompression

2. *GSW to Groin* with GSW anterior entry/posterior exit with soft tissue trauma to penis and avulsed scrotum with prolapsed testicle. Wounds present with peripheral wound site ecchymosis, exposed sub-q fat layer and muscle striation. Entry wound is packable and responds to both peripheral and junctional tourniquet application and femoral pressure point application

3. *GSW Leg* with through & through GSW to leg above the knee. Entry wound presents with small entrance hole with circular powder burn. Exit wound has exposed fat and wound site ecchymosis. Variable bleeding rate. Responds to both peripheral and junctional tourniquet application and femoral pressure point application. Can be used as an impaled object using steel rebar, or wooden stake

4. Full Amputation Leg (Option)^{**} with massive bleeding, extensive soft tissue damage, exposed hard bone, visible tissue layers. Responds to direct junctional pressure and tourniquet application

*Other configurations are available upon request

Addressing injury locations based on US Army study suggesting females who suffer penetrating injuries to chest, abdomen, pelvis have a higher mortality rates than male colleagues

TAMikin[™] GSW

Female version of TOMManikin® GSW, with anatomically correct female features and voice

3

- Injuries located in sensitive areas such as under breast & pubic area as well as the leg
- Parallels GSW TOMManikin's capabilities & wounding patterns

**Leg Amputation Option 93-0369/93-0947

GSW TOMMANIKIN®* 😂

OPTION	ITEM #	NSN #
GSW TOMM	93-0040	6910-01-705-2593
GSW TOMM (w/Leg Amputation)	93-0369	6910-01-705-3130
GSW TAMikin ^{™ ***}	93-0039	
GSW TAMikin ^{™ ***} (w/Leg Amputation)	93-0381	



Other configurations are available upon request

***Female version

TCCC MAN[®] Simulator

Specifically designed for the application of skills and education utilizing protocols from Tactical Combat Casualty Care (TCCC)

TCCC Interventions Supported:

- Massive hemorrhage control (tourniquet application and wound packing)
- Chest seal application
- Pleural needle decompression (multiple sites)
- Airway management (NP/OP airways, supraglottic devices, endotracheal intubation)
- Tibial intraosseous site

WATER TOMManikin®

Wounding Patterns:

Partial Leg Amputation below the knee with exposed hard bone, muscle and tissue layers.

Options:

GSW to Chest with anterior GSW entry & posterior exit and active, bubbling bleeding. Supports chest seal application and pleural needle decompression.

-or-

Packable Abdominal Evisceration with handcrafted, visible tissue layers, and 10 in. of eviscerated bowel with peripheral ecchymosis surrounding large open wound. Massive bleeding with "clampable" vessel

Closed Fracture Arm with ecchymosis and palpable crepitus.

*Other configurations are available upon request

Wounding Patterns:

GSW Chest Wound with anterior entry and mid-axillary exit wound

Deep Packable pelvic wound

Full Amputation Leg below the knee.Tourniquet responsive

Unstable Pelvis with palpable crepitus



TCCC MAN[®] Simulator ITEM # 93-0958

At 150 lbs. with a welded steel frame, TCCC Man[®] withstands drops, falls, and drags.



C

WATER TOMMANIKIN®*

OPTIONITEM #Basic (GSW to Chest)93-0041ABD Evisceration | Closed Arm Fracture93-0108



Designed to be submerged up to 33 feet in either fresh or salt water

Wounding Patterns:

GSW to Chest with anterior GSW entry & posterior exit and active, bubbling bleeding. Supports chest seal application and pleural needle decompression.

Partial Leg Amputation below the knee with exposed hard bone, muscle and tissue layers.

Shrapnel Wound Arm with multiple soft tissue wounds and tourniquet responsive bleeding.

CONFINED SPACE TOMMANIKIN®*

ITEM # 93-0110 *Other configurations are available upon request







BURN TOMManikin®

Wounding Patterns:

Burn Face* with 1st, 2nd, 3rd-degree burns to face that supports all airway adjuncts. *Head skin is interchangeable with other TOMManikins*

Burn Arms with 1st, 2nd, 3rd-degree circumferential burns to both arms

BURN TOMMANIKIN®*

ITEM #

93-0037

**Head skin is interchangeable with other TOMManikins

*Other configurations are available upon request

CBRNE TOMManikin®

Wounding Patterns:

Burn Face* with 1st, 2nd, 3rd-degree burns to face that supports all airway adjuncts. *Head skin is interchangeable with other TOMManikins*

GSW to Chest with anterior GSW entry & posterior exit. Actively bleeds from both locations. Anterior wound mixes with air from onboard compressor to create bubbling bleeding effect. Supports chest seal application and pleural needle decompression

Abdominal Evisceration (Wearable Moulage) with intricate handcrafted attention to anatomical detail with visible tissue layers, and 10 in. of eviscerated bowel with peripheral ecchymosis surrounding large open wound. Massive bleeding with 'clampable' vessel.

GSW to Groin with GSW anterior entry/posterior exit with soft tissue trauma to penis and avulsed scrotum with prolapsed testicle. Wounds present with peripheral wound site ecchymosis, exposed sub-q fat layer and muscle striation. Entry wound is packable and responds to both peripheral and junctional tourniquet application and femoral pressure point application

See full set of

NARescue.com

included injuries at







K9 Medical Simulator

TOMMANIKIN® * 🖳

*Other configurations are

available upon request

K9 Features:

- Welded steel frame, solid metal joints
- Expanded joint range of motion

CBRNE

ITEM #

93-0038

- CPR chest
- 5 interchangeable limbs with various injuries: Complete Amputation, Open Fracture, Soft Tissue Injuries, Road Rash/Burns, & Penetrating Injury
- Life-like airway
- Barks, Bleeds & Breathes
- 1L onboard blood capacity
- Wireless operation via NARS tablet
- Includes K9 wearable wound vest with interchangeable injuries

K9 SIMULATOR 😂

93-0027 6910-01-706-0307

POR TRAINING INI

Deluxe ALS KIT

Designed to simulate various vital signs for advanced life support monitoring and simulation

Features:

- Simulated NIBP cuff, SpO₂ finger probe, and ETCO₂ inline detector with waveform and digital value
- Simulated cardiac monitor screen with Lead II tracing rhythm
- ETCO₂ & SpO₂ waveforms, NIBP. Fully functional monitor screen for defibrillation/AED mode, alarms, and rhythm synchronization
- All student-visible values controlled via NARS Instructor tablet (included)
- NARS software includes exportable student evaluation performance documentation

DELUXE ALS KIT

ITEM # 93-0351



Disconnect your student's dependency on instructor "over-the-shoulder" input

PATIENT "over-the-shoulder" input MONITORING SUITE with NARS Instructor Tablet

NARS Patient Monitoring Suite of simulators can be used in all phases of patient care for any human (role-player), or ANY patient simulator



Pulse OX

PATIENT

SUITE ITEM # 93-0071

Includes NARS Instructor Tablet MONITORING

Capnography

Features include:

- NARS Capnograph Simulator
 Designed to be used as a mainstream
 carbon dioxide monitor that can be
 connected in-line with a mask or tube.
 Simulator displays include carbon
 dioxide partial pressure, respiratory
 rate and CO₂ waveform.
- **NARS Pulse Oximeter Simulator** Utilizes the widely used fingerstyle probe for monitoring blood oxygen saturation. Simulator display includes Heart Rate, SpO₂ and SpO₂ waveforms.
- NARS NIBP Monitor Simulator
 Designed to replicate a portable
 NIBP monitor. This simulator allows
 medical responders to gather vital
 signs without instructor intervention.
 Onboard controls allow various
 modes of operation. Display includes
 systolic & diastolic pressures (mmHg)
 and heart rate.

142 www.NARescue.com • 888-689-6277

Non

Invasive

BP Cuff

MOBILE FEEDBACK SYSTEM ^{requires} AC power

Standalone mobile platform to capture simulation events*

Features include:

- Pelican 1650 case with custom-cut foam to protect all system components
- 2 x Cameras
- 2 x 72 in. Telescopic Tripods with camera mounts
- 3 x Terabyte stand-alone recorder
- 1 x NARS mil-spec rated Instructor Tablet for wireless communications
- Proprietary software with instructor bookmark/replay feature, simulator status capture, trainee biometric capture, trainee evaluation software (exportable reports)
- 2 x 25 ft. CAT-6 retractable cord reels
- Trainee-worn stress monitor
- Features streaming participant heart and respiratory rate



MOBILE FEEDBACK SYSTEM ITEM # 93-0945

Features:

- Student wearable system that allows instructors to "live monitor" up to 4 students' heart and respiritory rates
- 4 student kit w/puck, harness & software
- Includes monitor 'pucks', charging cradles, harness, and USB cables
- Requires NAR Tablet and software (not included)



WEARABLE TRAINEE STRESS MONITOR

ephyr Zephyr Zephyr Zephyr

0

* 0

Φ.

0





FOR MEDICAL SIMULATION TRAINING ENVIRONMENTS

Specs

- Virtual patient designed to match a partial set or full range of physical TOMManikin® configurations
- Student gaze tracking with instructor verification
- Virtual interventions
- Multi-stage conditions with physiological progression
- Integration between virtual patient physical TOMManikin[®]
- Remote control NAR Simulation tablet and hub
- Simultaneously supports up to 4 Hololens headsets (requires separate purchase of individual Hololens)

Dimensions

- Packaged W 27.5 in. x L 16.25 in. x D 8.75 in.
- Weight 12 lbs

V-PIT[™] Virtual Patient Immersive Trainer

A TCCC Training Regimen to Match the Modern Battlefield

Working in partnership with North American Rescue, Unveil has developed the Virtual Patient Interactive Trainer (V-PIT)™. The V-PIT is an augmented reality training system that enhances the visual presentation of patient conditions. The V-PIT highlights patient visual cues that are hard to replicate in traditional training, such as altered mental status, respiratory distress, progression of shock and tissue swelling. In addition, V-PIT's rapid delivery of scenarios and real-time data capture of training sessions makes TCCC training more efficient.

Debrief with Confidence

The V-PIT supports gaze tracking and scenario reporting data. As the student progresses through the scenario, data is continuously captured to reflect where on the virtual patient the student was looking. Data is automatically stored in each student's record to easily review where improvements can be made. Implementation of physical interventions is also automatically stored for quick review of each student's skill set. This time-stamped record allows for more effective after action reviews to reinforce positive decisions and actions taken by the student, as well as to identify opportunity areas.

Ideal for the Crawl and Walk phases of TCCC Training

V-PIT helps instructors move trainees through the "crawl" phase of training by facilitating the rapid delivery of multiple augmented reality scenarios. More than 70 injury combinations are available, with emphasis placed on the three most prevalent battlefield killers: exsanguination, airway obstruction, and tension pneumothorax.

This rapid immersion helps students develop fast recognition skills and mentally rehearse the activities and interventions that will be needed in the real world environment. Instructors can then move students to the "walk" phase by connecting the V-PIT to the TOMManikin[®]. Developed to work together, trainees can now leverage the V-PIT to connect doctrine and diagnostic skills with physical interventions via the TOMManikin®. As the virtual patient changes, the TOMManikin® automatically updates to reflect changes in breathing, pulse, bleeding and oxygenation levels. The combined system provides virtual and hands-on training to best prepare your emergency medical trainees.


VIRTUAL PATIENT IMMERSIVE TRAINER (V-PIT)

ITEM #

93-0269

ADDITIONAL MICROSOFT HOLOLENS 2 W/ V-PIT

ITEM # 93-0391



Clients can create custom packages of software scenarios that add the greatest value to their current simulation training. Initial purchase provides access to base content, subscription renewal required for updates and support.

BASE TCCC PACKAGE COVERS 65 SCENARIOS INCLUDING

- Tension Pneumothorax
 - Exsanguination
 - Airway obstruction
 - Penetrating GSW •
- Non-Penetrating GSW •
- Blunt force trauma
- Extremity amputation 🔸
 - Severe Burns •
 - Blast trauma •

TOMManikin COMPATIBLE

C.C.A

V-PIT PACKAGE INCLUDES

- Microsoft Hololens 2 (Enterprise Edition)
- Virtual Patient Immersive Trainer (V-PIT software suite 1-1.1) with single user license
- V-PIT charger
- NAR Simulation Tablet with charger
- Quick start guide
- Pelican 1605 case for storage and transport. Includes custom cut foam.
- Includes longlife external battery

can be used as a
STANDALONE SYSTEM

Our pre-packaged simulation content is focused on some of the most critical training challenges

WHAT'S INCLUDED Your purchase includes all the hardware and software needed to begin training with your existing TOMManikin®



AIR BLAST

Features:

- Portable system utilizes compressed air to create a simulated blast effect.
- All components housed in
 a waterproof hard shell case
- Safe for indoor use
- Eco-friendly
- Built-in compressor
- Onboard rechargeable battery and charging system included.

SENSORY CONTROL UNIT without camera

AIR BLAST SIMULATOR

ITEM # 93-0291 Built as a rack system, the SCU is self-contained, easily transportable, and will configure to most training environments, especially stationary units (e.g. cargo container and kill houses). The system is completely reusable and easily reset so that training iterations can be run with minimal interruption.

The SCU contains the hardware, software and electrical components required to equip multi-sized simulation environments for a training procedure. To recreate the realism of extrication under fire, the training operator can introduce into the training structure (laptop Master Controller or NARS Tablet) varying intensity of light, smoke (foggers), wind, and sound.

> This platform supports the addition of cameras.

SENSORY CONTROL UNIT

ITEM

93-0279

Features::

- 2 hard cases for cables and wireless control devices.
- Upgrade capability for NARS Video Management System.

Contents:

- LED light set (x2)
- Wireless control
- Six brilliant amber, blue, red, and white LEDs
- Clear optic hard-coated polycarbonate lens
 Stand included
- Fogger (x1)
 - Wireless Control
 - Water-based fog/smoke
 - .9-gallon capacity
 - Low fluid indicator
 - Output 20,000 CFM
 - Features low fluid light indicator
 - LED-illuminated tank
 - Automatic shutdown

Blower (x1)

- Wireless control
- 3-speed output (2600-4000 CFM)
 1HP
- Loudspeakers (2x)
 - Wireless control of volume and soundtracks
 - Built-in 1000W amplifier (2000W peak 1000 continuous)
 - Output: 127dB
- Air blast simulator (x1)

NARS Tablet (x1)

The NARS tablet is a ruggedized tablet that communicates with multiple NARS devices via Bluetooth to ZigBee relay.

111

MOBILE ENVIRONMENT CONTROL UNIT with NARS

Instructor Tablet

MECU is designed for mobility, and can be set up in a variety of training areas. This is a great option for smaller scale simulation events where dedicated training facilities are not available.

WEARABLE NECK WOUND

- Hook and loop
 closure
- Exposed fat and muscle layers
- Integrated bleeding system

Dimensions: L 6 in. x W 6 in. x H 6 in. Weight: 1 lbs.

WEARABLE LEG WOUND - GSW

- Simulates a through and through gunshot
- Bleeds from entry and exit wounds
- Washable and reusable

Dimensions: Packaged - L 6 in. x W 6 in. x H 6 in. Weight: 3 lbs

WEARABLE WOUND

WEARABLE WOUND SIMULATORS

OPTION	ITEM #	More wearable
Neck Wound	93-0215	wound options available at
Leg Wound - GSW	93-0212	NARescue.com

All wearable wound simulators are compatible with both live actors and *TOMManikin*®

Features: & Contents:

- 2 hard cases for cables and wireless control devices.
- LED light set (x1)
- Fogger (x1)
- Blower (x1)
- Loudspeakers (x2)
- NARS remote control tablet with proprietary NARS Advanced Remote software

MOBILE ENVIRONMENT CONTROL UNIT

ITEM

93-0275

Environments

H-60 | CV-22 | MH-6 | SIMULATION CENTER

CASEVAC SIMULATOR H-60

The North American Rescue Simulation (NARS) H-60 is a portable, and reusable helicopter cabin structure built for providing realism to combat medical training without heavy demand on personnel.

NARS H-60 provides the capability to train appropriate personnel on the proper methods of administering medical aid to occupants from the interior of a structure within the parameters of a training exercise.

Features:

- Equipped with Sensory Control Unit and NARS Tablet
- Allows for combat configuration of equipment
- Train combat loading multiple patients
- Allows for loading patients from Point of Injury

Dimensions:

L 25 ft. x H 8.5 ft. x W 6.75 ft. Weight: 2200 LBS

- Simulate treatment during transportation
- Compatible with Fries Bar attachment*

Add'l Options Available:

- Fries Bar
- ICS Box (Includes 2 headsets and 15 ft. cords)
- Blackout Window Kit







*Fries Bar attachment available for H-60. Visit **NARescue.com** for more info.

CASEVAC H-60

OPTION	ITEM #	NSN#
H-60	93-0335	6910-01-706-0111
Fries Bar	93-0300	
ICS BOX	93-0299	
BLACKOUT KIT	93-0336	

CASEVAC SIMULATOR CV-22

The CV-22T simulator is used to increase efficiencies during the initial point of injury and tactical evacuations phase of care. This advanced simulator provides a variety of options that enhance the simulated battlefield at any location.

Features:

- Equipped with removeable, Sensory Control Unit and NARS Tablet
- Allows each unit to configure to Standard Operating Procedures
- Cabin height, width, and length to realistic sizes
- Day or night operations
- Treatment platform for CASEVAC training
- Used as a CV-22 crash site
- Black out during daytime operations
- Realistic crew securing landmarks
- Patients can be properly secured on floor
- Reinforced floor rings

Specs & Dimensions:


- A mobile (DOT licensed) trailer that replicates characteristics of CV-22 aircraft
- Tandem Axle design
- Maximum Weight is 14,000 lbs
- Trailer length 35' 7"
- Trailer width 8' 9"
- Trailer height 9' 3"
- Ramp opening trailer for on and off load of patients
- Ramp length will not exceed 7 feet
- Ramp width will not exceed 70 inches
- Interior: L 21 ft. x W 62 in. x H 72 in

Add'l Options Available:

- ICS Box (Includes 2 headsets and 15 ft. cords)
- Litter Stanchions (*set of 2*)
- Crew Seats

CASEVAC CV-22

•••		
OPTION	ITEM #	NSN#
CV-22	93-0072	
ICS BOX	93-0299	
LITTER STANCHIONS	93-0301	
CREW SEATS	93-0379	



The front compartment features an entanglement trap for the TOMManikin (both pilot and co-pilot). Little Bird has "extractable" doors, providing a realistic obstacle to emergency extractions. To add a sense of stress and the element of surprise to the careunder-fire and extraction experience, the portable NARS Sensory Control Unit (SCU) applies environmental distractions to a training scenario. Remotely controlled via an included NAR Sim tablet, training cadre can introduce, and vary the intensity of, noise and smoke (fogger).





Water MH-6 shown with Water TOMManikin®

The Little Bird is a portable (reusable), MH-6 size helicopter cabin simulator. It provides a realistic, multi-purpose, platform that accurately depicts real-life extrication situations and enhances medical training in crash scenarios.

The Little Bird, used in conjunction with the TOMManikin and Sensory Control Unit (SCU), provides total integration between the simulated cabin and the environmental factors that can be applied to enhance any training scenario.

Features:


- Realistic crew securing landmarks, allowing securing of patients
- Reinforced Rings
- Internal fuel tank
- Day or night operations
- High-powered amplifier and speakers to simulate aircraft noise
- High-powered fans simulate rotor wash
- Aircraft lighting (white, green/ blue)
- Sensory Control Unit included
- All functions are controlled via a NARS Tablet (included)
- Submersible version available for aquatic environments

Dimensions:

L 12 ft. x H 7 ft. x W 6 ft. Weight: 700 LBS

MH-6 LITTLE BIRD TRAINING SIMULATOR

OPTION	ITEM #	NSN#
MH-6	93-0925	
WATER MH-6	93-0923	



SIMULATION CENTER

North American Rescue Simulation specializes in working closely with customers who have unique training and simulation training center requirements. We engineer custom, scalable, experiential learning environments from concept design through installation and on-site training.

Simultaneous integration of multiple NARS products and devices create environmentally realistic scenario settings. From care in the streets/POI care, mass-casualty triage, prolonged field care and complex medical/surgical case management, our solutions provide the capability to train personnel in a safe, reproducible environment.

Simulation Center Features:*

- Portable, reusable training systems that enhance the realism of combat medical training without heavy demand on personnel.
- Enhances stress inoculation capabilities while training personnel proper methods of administering medical aid to casualties from the interior of any structure, or within the parameters of a training exercise.
- Simultaneous control of all NARS devices from a single control point.
- Welded Steel Frames
- Numerous options available for faux wall styles (Wood, Brick, Stone, etc.)
- Multiple cameras to capture student performance
- Video playback software with bookmarking and annotation features







*Simulation centers are custom built. Options vary depending on customer's unique needs and budget. Contact NAR Simulation for more information.





P TF

RAINING Simulator Components

Explore more simulator components & replacement parts at **www.NARescue.com**

M·A·R·C·H

• Features embedded blood channels that simulate bleeding with tissue dissection.

10 PK - TOMManikin®

BLEEDING NECK SKINS

- 70 operative sites within each ten pack.
- Works with Cric in a Box™ Simulator

SPECIFICATIONS

Packaged - H 10 in. x W 6 in. x L 12 in. Weight: 5 lbs

SIMULATED BLOOD CONCENTRATE

Non-Staining - 1 Gallon

- Must be diluted
- 1 Gallon of concentrate yields 64 gallons of simulated blood
- Recommended mix ratio is 2:1; 2 ounces of concentrate to 1 gallon of water
- Non-staining formula

SIMULATED BLOOD CONCENTRATE

TOMMANIKIN®

NECK SKINS - 10 PK

BLEEDING

ITEM #

93-0102

Packaged - L 10 in. x H 16 in. x W 10 in. Weight: 8 lbs

SPECIFICATIONS

ITEM

93-0106



NON-BLEED

TOMManikin[®] Replacement Neck Skins - 10 PK

- Features 100% skin tone silicone
- Dark red simulated tissue layer visible upon dissection.

SPECIFICATIONS

Packaged - H 10 in. x W 6 in. x L 12 in. Weight: 3 lbs 1.1 oz TOMMANIKIN® REPLACEMENT NECK SKINS NON-BLEED - 10 PK ITEM # 93-0147

SIMULATOR BLOOD FILL TANK

- 2.5 gallon manually pressurized reservoir
- Designed to pump the simulated blood concentrate into North American Rescue Simulation training simulators.
- To be used with all TOMManikins, TAMIkin, and K9 simulators

Sprayer with Viton®

()

SIMULATOR BLOOD FILL TANK ITEM #

93-0183

SPECIFICATIONS Packaged - L 36 in. x W 18 in. x H 18 in. Weight: 4 lbs

Simulator Components

TOMManikin® UNINJURED CHEST SKIN

- Chest Seal application and needle decompression training skin
- No visible exterior wounds or injuries
- Compatible with all male TOMManikin® simulators
- Available in Light Tone or Deep Tone skin
- This consumable item can be ordered to be bilateral chest tube compatible

TOMManikin® UNINJURED CHEST SKIN

ITEM #

93-0148

SPECIFICATIONS E Dimensions: L 20 in. x W 12 in. x D 6 in. Weight: 9 lbs

SIMULATOR BURN TORSO ADHESIVE

Large -

- Features 1st, 2nd & 3rd degree burn areas
- Washable & reusable
- Represents approx. 5% total body surface area


SIMULATOR BURN TORSO

** Attentionet

ADHESIVE LARGE	
ITEM #	
93-0396	

SPECIFICATIONS

Packaged - L 6 in. x H 6 in. x W 6 in. Wound Area: Approx. L 14.5 in. x W 10 in. Weight: 8 lbs



10 AMP SIMULATOR BATTERY

RAIN

- Long lasting high-output 10-AMP NiMH battery
- Compact and lightweight construction
- Approximate 6 hours of working time on full charge
- Approximate 4 hour full charge from 20% level
- TOMManikin[®] consumable

SPECIFICATIONS

Battery: L 4 in. x H 6 in. x W 6 in. Weight: 4.0 lbs

10 AMP SIMULATOR BATTERY

OPTION	ITEM #
w/o Charger	93-0141
w/ Charger	93-0143
Charger Only	93-0144



Shrapnel Wound in a Box Simulator

 Simulates a soft tissue wound with fractured, hard bone for instruction in proper wound packing teghnique

- Easily transportable, yet rugged enough for classroom and field use
 - Patented SOFTTECH[®] & ROCKTECH® materials give this product a realistic feel, while still being durable and UV resistant
 - Simulator comes in its own storage case
 - Manual Blood Supply Pump is included

Shrapnel Wound

Dimensions:	
L 6.69 in. x W 4.63 in. x D 3.88 in.	
Weight: 2 lbs 9.5 oz	

SPECIFICATIONS

100

Allows medical

responders to gather

vital signs without

	ITEM #	NSN #
n. x D 3.88 in.	93-0240	
Find More Wo	ounds In	A Box®

Gunshot Wound in a Box Simulator

- Simulates a gunshot to soft tissue for instruction in proper wound packing teghnique
- Easily transportable, yet rugged enough for classroom and field use
- Patented SOFTTECH[®] materials give this product a realistic feel, while still being durable and UV resistant
- Simulator comes in its own storage case
- Manual Blood Supply Pump is included

SPECIFICATIONS Dimensions:

L 6.69 in. x W 4.63 in. x D 3.88 in.

GSW in a Box	
ITEM #	NSN #
93-0238	

Ribs in a Box[™] Simulator

- Designed for training students in Needle Decompression of a **Tension Pneumothorax**
- Internal cavity accomodates inflated exam glove or balloon to mimic trapped air
- Patented SOFTTECH[®] & ROCKTECH® materials give this product a realistic feel, while still being durable and UV resistant
- Easily transportable, yet rugged enough for classroom and field use
- Simulator comes in its own storage case
- Air Release Device not included

Ribs in a Box

ITEM #	NSN #
93-0974	

SPECIFICATIONS

Dimensions⁻ L 6.69 in. x W 4.63 in. x D 3.88 in. Weight: 1 lb 15.8 oz

instructor intervention. Various modes of operation via onboard controls

- Includes systolic & diastolic pressures (mmHG) and heart rate on display
- Includes USB charging cable
- Does NOT include NARS control tablet

NIBP Cuff

SPECIFICATIONS Dimensions:

Weight: 3 lbs 7.5 oz

Case - L 11.63 in. x W 9.69 in. x D 4.81 in.

Product - L 11 in. x W 3.63 in. x D 1.88 in.

ITEM # NSN # ____ 93-0264

154 www.NARescue.com • 888-689-6277

Simulators at NARescue.com Weight: 2 lbs 11 oz NIBP Cuff Simulator

TCCC CLS Training Kits TRAININ

TCCC CLS KIT SKILLS SET

- Contains pre-packed 5 CLS kits for use by students during trauma lanes or training scenarios
- Each CLS Kit contains the necessary equipment for initial TCCC – CLS care in the standard Army CLS bag with the standard Army CLS packing list
- CLS kits (also available for separate purchase) packaged in a self-contained wheeled hard, case for easy transport and storage
- Waterproof, dust tight case resists UV, solvents, corrosion, and fungus

SPECIFICATIONS

2

C-A-T®

. Tourniquet

2

Combat Gauze® Trainer

Hard Storage Case: External - L 32.5 in. x W 21 in. x D 13 in. Internal - L 29 in. x W 18 in. x D 10 in. Weight: 68 lbs

TCCC CLS KIT SKILLS SET

ITEM # NSN # 80-1212 ____

TCCC CLS SKILLS KIT

- CLS kits for use by students during trauma lanes or training scenarios
- Comes in Squad Responder Bag Multicam: NAR's alternative to the US Army Combat Lifesaver Bag

TCCC CLS SKILLS KIT

ITEM #	NSN #
80-1199	

R R ONLY **SPECIFICATIONS** Packaged: L 12 in. x W 10 in. x D 8 in. Open Length: 37.5 in. Weight: 8.6 lbs

HUFINCHEST SEAL

TCCC CLS SKILLS KIT



RAINING TCCC All Combatant Training Modules



TCCC SKILLS SYSTEM All Combatant

- All the necessary tactical medical and casualty extraction/ evacuation equipment needed when teaching the TCCC - All Combatant Skills required tasks for completing the Tactical Combat Casualty Care (TCCC) course
- A turnkey solution for training centers and educational institutions designed to equip up to twenty-five (25) students
- Complete system consists of three self-contained Hard Storage Case modules: Skill Stations | IFAKS | Evacuation

SPECIFICATIONS

Hard Storage Case: External – L 32.5 in. x W 21 in. x D 13 in. Internal – L 29 in. x W 18 in. x D 10 in. Weights: TCCC Skills Set: 55 lb TCCC IFAK Skills Set: 70 lb TCCC Evacuation Skills Set: 50 lb

TCCC SKILLS SYSTEM		
UNIT	ITEM #	
3 Modules	80-0970	

TCCC SKILLS SET All Combatant

• Train up to twenty-five (25) students at individual skill stations in the treatment of: extremity hemorrhage, wound packing, chest seal application, needle chest decompression, basic airway adjuncts, splinting, hypothermia prevention & management, and eye injuries

E R ONLY

• Self-contained, wheeled, rigid case with internal dividers to keep the equipment organized and easy to inventory

SPECIFICATIONS Hard Storage Case:

External - L 32.5 in. x W 21 in. x D 13 in. Internal – L 29 in. x W 18 in. x D 10 in. Weight: 55 lb

TCCC SKILLS SET

MODULE	ITEM #		
TCCC Skills Set	80-0968		





5 Permanent

Marker, Large

25



Combat

Casualty Card

ату 6



6

Triangular

Bandage

2" NAR®

Surgical Tape



6





PFS

Nitrile

Gloves, Lq

25



All Combatant TCCC IFAK SKILLS SET

SET MODULE:

- TCCC IFAK SKILL Twenty-five (25) pre-packed Training IFAKs for use during trauma lanes or training scenarios
 - IFAKs come packaged in a self contained wheeled hard, case that allows for easy transport and storage

SPECIFICATIONS External Case -L 32.5 in. x W 21 in. x D 13 in. Internal Case -L 29 in. x W 18 in. x D 10 in. Weight: 70 lb

 TCCC IFAK SKILLS SET MODULE				
MODULE		ITE	M #	

TCCC IFAK Skills Set	80-0969





🙆 R_XONLY SPECIFICATIONS H 7 in. x W 4.5 in. x D 2.75 in. Weight: 2 lb 8 oz

ICCC IFAK SKILLS KIT			
OPTION	ITEM #		
TCCC IFAK Skills Kit	85-1958		
TCCC IFAK ReSupply*	80-1028		



1

Nitrile

Gloves, Lg

2" NAR®

Surgical Tape



1







Combat

TCCC EVACUATION SKILLS SET

• Various high threat extraction devices and casualty evacuation systems to train students in different options to move casualties during the all three TCCC Phases of Care

Pre-lubed

NAR[®] Naso, 28F


• Packaged in a self-contained, wheeled, rigid case that allows for easy transport and storage

TCCC EVACUATION SKILL SET MODULE:



Strap

Harness



Handle System

SPECIFICATIONS External Case -

L 32.5 in. x W 21 in. x D 13 in. Internal Case -L 29 in. x W 18 in. x D 10 in. Weight: 50 lb

1

HyFin[®]

Trainer, Twin Pk

14G ARS®

Needle Decomp.

	TCCC EVACUATION SKILLS SET MODULE
оту	MODULE
1 Carabiner	TCCC Evacuation Skills

Non-locking

ITEM # TCCC Evacuation Skills Set 80-0971



NAVAL FIRST AID BOX RESPONSE KIT All Service Member Trainer



- Designed to meet the TCCC requirements of the U.S. Naval Ships, Military Sealift Command ships and afloat commercial vessels
- Provides the All Service Members and first responders with rapid access and organization of critical lifesaving equipment for rendering on scene emergency care at sea in a training environment
- Lightweight, sand/water resistant, slimline pouch constructed of Berry Amendment 500D Cordura solution dyed nylon, Ghille Tex hardware, self repairing zippers & silent 550 cord pulls
- Pouch features securable anti-pilferage seals and a clear window to readily view contents
- Easily fits into the standard Naval First Aid Box

NAVAL FIRST AID BOX RESPONSE KIT TRAINER		
ITEM #	NSN #	
85-3204	6910-01-695-9363	

SPECIFICATIONS Pxonly

L 15 in. x H 6 in. x D 4 in. Weight: 2 lb

NAVAL FIRST AID BOX RESPONSE KIT TRAINER:



P		-
		1
ceta	Contraction of the second seco	RI

(not included)



TCCC Naval Training Kits | TRAINING

Inner Pouch: 2 Naval First Aid 1 Naval Gun 2 Box Response Bag Resp.Outer Bag Weight: 1 lb 15 oz 2 Gauze 2 NAR[®] Gauze, 2 14g ARS® **4** ETD[™]6 in. Dressing Wound Packing Compressed Needle Decomp 4 Elastic 2 Survival 2 BurnTec 2 HyFin[®] 4"x16"Dressing Trainer, Twin Pk Blanket Bandage, 3in. 2 Triangular 2 Surgical 2 Surgical 2 Fox Eye Lubricant Tape, 2 in. Bandage Shield w/garter 2 Nitrile 2 TCCC 2 Permanent 2 CPR Gloves, Lg Triage Card Marker, Large Microshield Mask

NAVAL GUN RESPONSE AID KIT Trainer

- Designed to meet the TCCC requirements of the U.S. Navy for the emergency care equipment onboard U.S. Naval Ships, Military Sealift Command Ships and afloat commercial vessels
- Ergo dynamic, low profile, casualty response system featuring 2 identical removable equipment pouches that attach via hook and loop to a lightweight, durable outer bag

NAVAL GUN RESPONSE AID KIT TRAINER

ITEM #	NSN #
85-3205	6910-01-695-928
85-3205	6910-01-69

R ONLY

- Meets the requirements for the U.S. Navy's Naval Gun Response Aid Kit – Trainer
- Lightweight, sand/water resistant, slimline pouches constructed of Berry Amendment 500D Cordura solution dyed nylon, Ghille Tex hardware, self repairing zippers & silent 550 cord pulls
- Both outer bag & 2 inner pouches are securable using anti-pilferage seals
- Slim-line, lightweight kit stores easily on a wall, can be carried over the shoulder or bandolier-style

NAVAL GUN RESPONSE AID KIT TRAINER:





RAINING Individual Components

C·A·T[®] TRAINER

Combat Application Tourniquet

Fully functioning C-A-T[®] tourniquet colored blue to distinguish it as a training device as opposed to a personal/operational life-saving device



Tactical & Rescue versions of the C·A·T®

CAT TRAINER

ITEM # NSN # 30-0033 6910-01-560-2972

ING. FOR SMULATED TRAINING ON

SPECIFICATIONS 6 H 6.5 in. x W 2.4 in. x D 1.5 in. Weight: 2.7 oz

COMBAT GAUZE

COMBAT GAUZE® Moulage Trainer

Completely inert (no hemostatic properties) - training purposes only in a re-sealable package for multiple uses

SPECIFICATIONS Packaged: H 6 in. x W 4.5 in. x D 1.25 in. Gauze: L 4 yd x W 3 ir Weight: 0.75 oz

9	COMBAT GAUZE TRAINER
	ITEM #
1.	30-0063

CELOX[™]Z-FOLD

Hemostatic Bandage Trainer

Ideal for treatment simulations and wound packing exercises utilizing artificial blood or other training aids, it is a completely inert training gauze (no hemostatic properties) that allows for proper instruction of the application of Celox™ Z-Fold Hemostatic Bandages



ITEM #

10-0032

HYFIN[®]

Unique adhesive gel

formulation does not

damage mannequins

SPECIFICATIONS

or leave behind

excessive residue

Packaged: L 7.5 in. x

W 4.5 in. x D 0.25 in.

Chest Seal: H 6 in. x

W 6 in. x D 0.1 in. Weight: 2.5 oz

See page 12

for other HyFin® Chest Seal products

HYFIN TRAINER

NSN #

6910-01-908-8679

TRAINER Twin Pack

CELOX[™] Z-FOLD **HEMOSTATIC BANDAGE TRAINER** ITEM #

TRAINER

30-0302

SPECIFICATIONS

Packaged: H 5.25 in. x W 4.25 in. x D 0.5 in. Gauze: W 3 in. x 5 ft Weight: 1.1 oz

144

™ Blood & Fluid Warming TRAINER SYSTEM

Allows medical trainers to instruct

personnel on the proper use of

the Quantum[™] Blood and Fluid

Designed for non-warming training

Trainer Tubing Set: 2.7 oz.

Trainer Controller: 2.5 oz.

Trainer Controller (Pkgd): 5 oz.

Battery: 16 oz. | Charger: 22 oz. Total Trainer Operational Weight: 22 oz.

Warming System

NOT FOR CLINICAL USE

Weights:

purposes

QUANTUM[™] TRAINER SYSTEM **& COMPONENTS**

LIFEWARMER

ITEM #
35-0029
35-0028
35-0027

SPECIFICATIONS

Dimensions:

Trainer Tubing Package: W 6.5 in . x L 11 in. (ea.) Tubing Length: 85 in.

Controller Body: W 1.25 in. x H 3 in. x D 0.75 in. Controller Total Length: 51.25 in.

CONTENTS:

- 2 x Trainer Tubing Sets
- 1 x **Trainer Controller**
- 1 x Battery
- Battery Charger 1 x

E R_XONLY



For Ordering Info, See Inside Back Cover 161

WOUND MGT. SIMULATOR

Tone

Light

Deep

ITEM #

93-0069

93-0410

	fracture/defect packing technic • Sturdy silicone mount, and a m	ques constructio	on with no mov	/ing parts, rein		TR
	• Ideal for the rep	peated use	of a training e	nvironment	,	LARGE (GSW 1
	TRUECLOT GSW OTY 1 GSW Task Trainer	A	ation TRAIN	TRUECLOT OTV 10 TrueClot* Hemostatic, 12'		with 1 Gun • Task Trai teaching hemorrh in wound
TRAINING	orry 1 TrueClot® Flow Valves, 5 pk	Disposable Bags	orry 2 TrueClot® Mixing Bottles	orry 2 TrueClot® Bleeding Bottles	Absorbent Underpad Chux	 large cal & knife/l Training of include of wound p techniqu advance gauze tra
			OTY 20 Nitrile	aty 1 Storage &		TRUECI & LACE TRAINE ITEM #

Gloves, Xl

Transport Case

TRAINING *Part Task Trainers*

WOUND MANAGEMENT SIMULATOR

- Rugged part-task trainer for learning essential lifesaving skills of tourniquet application, wound packing and applying pressure bandages
- Multiple wounding patterns to enhance training objectives

SPECIFICATIONS

L 15.25 in. x Diameter 6 in. Weight: 10.8 lb

1 Hard Case

with Instructions

- Simulates severe laceration. penetrating trauma (entrance and exit wounds), along with the ability to apply tourniquets
- Proprietary silicon that is rugged and durable and will not break down due to environmental exposure
- Can be used in the classroom or in field training scenarios

TRUECLOT Large Caliber GSW TRAINER:



Hemorrhage Training Kit[™] Large Caliber GSW with Bone Insert

1 Bottle,

Delivery with Tube 8 1-way Valve

1 Bottle,

Mixing & Storage

• Large caliber gunshot wound with hidden bleed points and a simulated



L 7.25 in. x H 2.5 in. Storage Case: L 13.5 in. x W 10 in. x D 5.5 in. Liquid Capacity: 1 liter Weight: 5 lb

RUECLOT CALIBER TRAINER

ITEM #

93-0020

ECLOT[®] Hemorrhage Training Kit[™]

un Shot Wound & 1 Knife/Laceration

- ainer for g realistic hage control ids including a aliber gunshot *'laceration*
- capabilities general packing ues & ed hemostatic raining

LOT GSW ERATION ER

93-0932



SPECIFICATIONS H 17 in. x W 20 in. x D 7.5 in. Weight: 14 lb

Gloves, Md

HEMORRHAGE CONTROL TRAINING KIT Combat Gauze®



- Comes with 10 Combat Gauze Trainers & 5 Combat Gauze LE Demo Samples
- Includes a "training leg" that features an entry/exit bullet wound and a deep laceration

COMBAT GAUZE

ITEM # 93-0017

SPECIFICATIONS

Case: H 15 in. x W 23 in. x D 8 in. Weight: 15 lb 8 oz

TRUECLOT[®]*Tourniquet Simulator*

- Wearable device that allows full application of a tourniquet for training purposes
- Includes Trainer Sling Assembly (*Left Arm Fit Only*), Liter Squeeze Bottle, Quick Disconnect Fitting & Plastic Case

TRUECLOT

TQ SIMULATOR

93-0931

SPECIFICATIONS

H 12 in. x W 16 in. x D 7 in. Weight: 5 lb

CUSTOMER SUPPORT

- COMMITMENT: We pride ourselves in providing an exceptional customer experience beginning with your initial inquiry up to order placement and beyond. Our customer service staff members are trained by certified instructors on all NAR products and are standing by to help with any questions you may have
- SUPPORT: Our in-house technical support professionals consist of an elite group of Nationally Registered Paramedics and Special Operations Medics from military, law enforcement, tactical law enforcement, fire-rescue and EMS backgrounds

ORDERING

ONLINE: www.NARescue.com

SPECIAL PRICING: automatically available ONLINE for all military customers with a .mil e-mail address! Register your account in just minutes by creating an online account using your .mil e-mail address

ESTABLISHED CUSTOMERS:

Want to order online with special pricing? Contact Customer Service at 888.689.6277 to have your online account set up

NEW CUSTOMERS: Simply create an online account and you will have access to customer specific pricing – anytime, anywhere you are logged in to *NARescue.com*

QUOTE REQUESTS: Online accounts have no waiting to receive your custom pricing to place an order or, we will gladly accept your submittal for a pricing quote request

• CONTRACT:

Tax ID: 27-1024029 Cage Code: 06ST7 DUNS: 83-24-26782 SAM Registered: Yes ECAT: dmmonline.dscp.dla.mil Prime Vendor: dmmonline.dscp.dla.mil/ primevendor/primehome

- EMAIL: info@narescue.com
- PHONE: 888.689.6277
- ADDRESS: 35 Tedwall Ct | Greer, SC 29650
- FAX: 864.675.9880

SHIPPING

- In-stock merchandise ships within two business days
- Need it ASAP? Ask Customer Service about overnight or second day delivery

FROM TRAINING TO DEPLOYMENT... The NORTH AMERICAN RESCUE family is here to support you.

Learn more at **NARescue.com**

NORTH AMERICAN RESCUE®

Products with a Mission®

NORTH AMERICAN RESCUE

Simulation for the Real World

Your One-Stop Shop

NORTH AMERICAN RESCUE

Wherever the Mission Takes You

The North American Rescue[®] family delivers the full spectrum of solutions for your equipment and training needs.

O CORVERSION

Leading tactical *medical products* · Interactive *simulation* equipment
 Immersive hands-on *training* · Convenient *contract sourcing*



North American Rescue® • 35 Tedwall Court • Greer, SC 29650 • 888.689.6277 • NARescue.com

MILITARY CATALOG | Volume 20 | Number 2 | REV031124